1 of 5

Oishii Oni - Flower - Bulk

Sample ID: 2405EAZ0038.0135

Strain: Oishii Oni Matrix: Plant

Type: Flower - Cured Batch#: ONI240514H

Collected: 05/22/2024 Received: 05/22/2024

Completed: 05/28/2024 06:10 PM

Sample Size: 10.9 g;

Harvest Date: 05/14/2024

Manufacture Date:

Client

Arizona Nectar Farms

Lic. # 00000126DCSO00060479 4116 E Superior Ave, Suite D,

Phoenix, AZ, 85040



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	05/24/2024	LC-UV VIS	Complete
Terpenes	05/22/2024	GC-MS	Complete
Pesticides	05/22/2024	LC-MS	Pass
Microbial Impurities	05/23/2024	3M Plating & qPCR	Pass
Heavy Metals	05/28/2024	ICP-MS	Pass

Cannabinoids

Method: SOPAZ_M-CANNABINOIDS

30.303 %

Total THC

<LOQ

Total CBD

32.693 %

Total Cannabinoids

Analytes	LOQ	Result	Result	Q
	mg/g	%	mg/g	
THCA	0.966	34.270	342.70	
Δ9 ΤΗС	0.966	0.249	2.49 ▮	
Δ8 ΤΗС	0.966	ND	ND	
THCVA	0.966	0.354	3.54 ▮	
THCV	0.966	ND	ND	
CBDA	0.966	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD	0.966	ND	ND	
CBN	0.966	ND	ND	
CBGA	0.966	2.006	20.06 ■	
CBG	0.966	0.099	0.99 ▮	
CBCA	0.966	0.251	2.51 ▮	
CBC	0.966	ND	ND	
Total THC		30.303	303.03	Q3
Total CBD		<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
Total Cannabinoids		32.693	326.93	Q3
Sum of Cannabinoids		37.229	372.29	Q3

Total THC = THCa * 0.877 + Δ 9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected Moisture Method: SOP AZ_M-MOISTURE



Kevin Nolan

Laboratory Technical Director | 05/28/2024



Sample ID: 2405EAZ0038.0135

Strain: Oishii Oni Matrix: Plant

Type: Flower - Cured Batch#: ONI240514H Collected: 05/22/2024 Received: 05/22/2024

Completed: 05/28/2024 06:10 PM

Sample Size: 10.9 g;

Harvest Date: 05/14/2024

Manufacture Date:

Client

Arizona Nectar Farms

Lic. # 00000126DCSO00060479 4116 E Superior Ave, Suite D,

Phoenix, AZ, 85040

Terpenes

Method: SOPAZ_M-TERPENES

Analytes	LOQ	Result	Result	Q
	mg/g	mg/g	%	
β-Caryophyllene	0.198	5.058	0.506	Q3
Linalool	0.198	3.127	0.313	Q3
δ-Limonene	0.198	2.395	0.239	Q3
α-Humulene	0.198	2.167	0.217	Q3
trans-Nerolidol	0.237	1.358	0.136	Q3
β-Pinene	0.198	0.608	0.061	Q3
α-Bisabolol	0.988	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
β-Myrcene	0.198	0.473	0.047	Q3
α-Pinene	0.198	0.347	0.035 ■	Q3
Geraniol	0.988	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
Caryophyllene Oxide	0.988	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
Camphene	0.198	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
Terpinolene	0.198	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
Isopulegol	0.988	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
δ-3-Carene	0.198	ND	ND	Q3
α-Terpinene	0.198	ND	ND	Q3
p-Cymene	0.198	ND	ND	Q3
Eucalyptol	0.198	ND	ND	Q3
cis-B-ocimene	0.198	ND	ND	Q3
trans-B-ocimene	0.198	ND	ND	Q3
y-Terpinene	0.198	ND	ND	Q3
cis-Nerolidol	0.395	ND	ND	Q3
Guaiol	0.988	ND	ND	Q3
Total		15.532	1.553	03

Date Tested: 05/22/2024

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.

Primary Aromas














Kevin Nolan Laboratory Technical Director | 05/28/2024





Sample ID: 2405EAZ0038.0135

Strain: Oishii Oni Matrix: Plant

Type: Flower - Cured Batch#: ONI240514H

Collected: 05/22/2024 Received: 05/22/2024

Completed: 05/28/2024 06:10 PM

Sample Size: 10.9 g;

Harvest Date: 05/14/2024

Manufacture Date:

Client

Arizona Nectar Farms

Lic. # 00000126DCSO00060479 4116 E Superior Ave, Suite D,

Phoenix, AZ, 85040

Pesticides

Method: SOPAZ M-PESTICIDES

Analytes	LOQ	Limit	Result	Status	Q Analytes	LOQ	Limit	Result	Status	Q
	ppm	ppm	ppm			ppm	ppm	ppm		
Abamectin B1a	0.114	0.500	ND	Pass	Imazalil	0.094	0.200	ND	Pass	
Acephate	0.188	0.400	ND	Pass	Imidacloprid	0.188	0.400	ND	Pass	
Acetamiprid	0.094	0.200	ND	Pass	Kresoxim-methyl	0.188	0.400	ND	Pass	
Aldicarb	0.188	0.400	ND	Pass	Malathion	0.094	0.200	ND	Pass	
Azoxystrobin	0.094	0.200	ND	Pass	Metalaxyl	0.094	0.200	ND	Pass	
Bifenazate	0.094	0.200	ND	Pass	Methiocarb	0.094	0.200	ND	Pass	
Bifenthrin	0.047	0.200	ND	Pass	Methomyl	0.188	0.400	ND	Pass	
Boscalid	0.188	0.400	ND	Pass	Myclobutanil	0.094	0.200	ND	Pass	
Carbaryl	0.094	0.200	ND	Pass	Naled	0.235	0.500	ND	Pass	
Carbofuran	0.094	0.200	ND	Pass	Oxamyl	0.469	1.000	ND	Pass	
Chlorantraniliprole	0.094	0.200	ND	Pass	Paclobutrazol	0.188	0.400	ND	Pass	
Chlorpyrifos	0.047	0.200	ND	Pass	Permethrins	0.047	0.200	ND	Pass	
Clofentezine	0.094	0.200	ND	Pass	Phosmet	0.094	0.200	ND	Pass	
Cypermethrin	0.469	1.000	ND	Pass	Piperonyl Butoxide	0.469	2.000	ND	Pass	
Daminozide	0.469	1.000	ND	Pass	Prallethrin	0.094	0.200	ND	Pass	
Diazinon	0.094	0.200	ND	Pass	Propiconazole	0.188	0.400	ND	Pass	
Dichlorvos	0.047	0.100	ND	Pass	Propoxur	0.094	0.200	ND	Pass	
Dimethoate	0.094	0.200	ND	Pass	Pyrethrins	0.427	1.000	ND	Pass	
Ethoprophos	0.094	0.200	ND	Pass	Pyridaben	0.047	0.200	ND	Pass	
Etofenprox	0.094	0.400	ND	Pass	Spinosad	0.094	0.200	ND	Pass	
Etoxazole	0.094	0.200	ND	Pass	Spiromesifen	0.094	0.200	ND	Pass	
Fenoxycarb	0.094	0.200	ND	Pass	Spiroxamine	0.188	0.400	ND	Pass	
Fenpyroximate	0.188	0.400	ND	Pass	Tebuconazole	0.188	0.400	ND	Pass	
Fipronil	0.188	0.400	ND	Pass	Thiacloprid	0.094	0.200	ND	Pass	
Flonicamid	0.469	1.000	ND	Pass	Thiamethoxam	0.094	0.200	ND	Pass	
Fludioxonil	0.188	0.400	ND	Pass	Trifloxystrobin	0.094	0.200	ND	Pass	
Hexythiazox	0.235	1.000	ND	Pass	Chlorfenapyr	0.469	1.000	ND	Pass	
					Cyfluthrin	0.469	1.000	ND	Pass	

Date Tested: 05/22/2024

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.

Microbial Impurities Method: SOPAZ_M-ECOLI

Analytes	Result	Limit	Status	Q
Escherichia coli	0	< 100 CFU/a	Pass	

Method: SOPAZ M-MICROBIALS				
Analytes	Result	Limit	Status	Q
Salmonella spp	Not Detected	Not Detected in One Gram	Pass	
Aspergillus flavus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected	Not Detected in One Gram	Pass	

Date Tested: 05/23/2024



Kevin Nolan

Laboratory Technical Director | 05/28/2024



Sample ID: 2405EAZ0038.0135

Strain: Oishii Oni Matrix: Plant

Type: Flower - Cured Batch#: ONI240514H

Collected: 05/22/2024 Received: 05/22/2024

Completed: 05/28/2024 06:10 PM

Sample Size: 10.9 g;

Harvest Date: 05/14/2024

Manufacture Date:

Client

Arizona Nectar Farms

Lic. # 00000126DCSO00060479 4116 E Superior Ave, Suite D,

Phoenix, AZ, 85040

Heavy Metals

Method: SOPAZ_M-HEAVYMETALS

Metriod: GOT /IE_MTTE/IV TIME I/IEG						
Analytes	LOD	LOQ	Limit	Result	Status (5
	ppm	ppm	ppm	ppm		
Arsenic	0.032	0.095	0.400	ND	Pass	
Cadmium	0.033	0.095	0.400	ND	Pass	
Mercury	0.025	0.071	0.200	ND	Pass	
Lead	0.133	0.403	1.000	ND	Pass	

Date Tested: 05/28/2024

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Laboratory Technical Director | 05/28/2024





Sample ID: 2405EAZ0038.0135

Strain: Oishii Oni Matrix: Plant

Type: Flower - Cured Batch#: ONI240514H

Collected: 05/22/2024 Received: 05/22/2024

Completed: 05/28/2024 06:10 PM

Sample Size: 10.9 g;

Harvest Date: 05/14/2024 Manufacture Date: Client

Arizona Nectar Farms

Lic. # 00000126DCSO00060479 4116 E Superior Ave, Suite D,

Phoenix, AZ, 85040

Qualifier Legend

- B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- **D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample
- M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6 A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1 Sample integrity was not maintained.
- Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2 The relative percent difference for a sample and duplicate exceeded the limit.
- V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Report Notes



Kevin Nolan

Laboratory Technical Director | 05/28/2024

