

## Arizona Nectar Farms

4116 E Superior Ave, Suite D  
Phoenix, AZ 85040  
tpaphx@gmail.com  
(602) 621-0697  
Lic. #00000126DCSO00060479

Sample: 2307DEL0748.3186

Strain: The Handyman  
Lot#: ; Batch#: THM230711H; Batch Size: g


Sample Received: 07/13/2023; Report Created: 07/26/2023  
Testing Completed: 07/25/2023

## The Handyman Flower

Plant, Flower - Cured  
Reference: Leeroy OG X ISG



<b>Complete</b> Potency	<b>Pass</b> Microbials	<b>Not Tested</b> Residual Solvents	<b>Pass</b> Pesticides, Fungicides, Growth Regulators	<b>Not Tested</b> Herbicides	<b>Not Tested</b> Mycotoxins	<b>Pass</b> Heavy Metals
----------------------------	---------------------------	--	--	---------------------------------	---------------------------------	-----------------------------



**34.82%**  
THC Max

**ND**  
CBD Max

**39.70%**  
Regulatory Cannabinoids

**39.70%**  
Total Cannabinoids Q3

## Cannabinoids

Cannabinoid	LOQ	Concentration	Concentration	Qualifiers
	%	%	mg/g	
CBC	2.00	<LOQ	<LOQ	
CBD	2.00	ND	ND	
CBDa	2.00	ND	ND	
CBG	2.00	ND	ND	
CBGa	2.00	<LOQ	<LOQ	
CBN	2.00	ND	ND	
Δ8-THC	2.00	ND	ND	
Δ9-THC	2.00	<LOQ	<LOQ	
THCa	2.00	39.70	397.0	
THCV	2.00	ND	ND	
<b>Total</b>		<b>39.70</b>	<b>397.0</b>	

Qualifiers: M4,D1  
Date Tested: 07/20/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (M4,D1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021. SOP-134; THC Max = THCa \* 0.877 + Δ9-THC; CBD Max = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

## Arizona Nectar Farms

4116 E Superior Ave, Suite D  
Phoenix, AZ 85040  
tpaphx@gmail.com  
(602) 621-0697  
Lic. #00000126DCSO00060479

## Sample: 2307DEL0748.3186

Strain: The Handyman  
Lot#: ; Batch#: THM230711H; Batch Size: g  
Sample Received: 07/13/2023; Report Created: 07/26/2023  
Testing Completed: 07/25/2023

## The Handyman Flower




Plant, Flower - Cured  
Reference: Leeroy OG X ISG



## Terpenes

Analyte	LOQ	Mass	Mass
	PPM	PPM	%
α-Pinene	315	<LOQ	<LOQ
Camphene	315	<LOQ	<LOQ
β-Myrcene	315	986	0.10
β-Pinene	315	<LOQ	<LOQ
δ-3-Carene	315	ND	ND
α-Terpinene	315	ND	ND
trans-Ocimene	315	ND	ND
δ-Limonene	315	890	0.09
p-Cymene	315	ND	ND
cis-Ocimene	315	ND	ND
Eucalyptol	315	ND	ND
γ-Terpinene	315	ND	ND
Terpinolene	315	ND	ND
Linalool	315	452	0.05
Isopulegol	315	ND	ND
Geraniol	315	ND	ND
β-Caryophyllene	315	1786	0.18
α-Humulene	315	719	0.07
cis-Nerolidol	315	ND	ND
trans-Nerolidol	315	ND	ND
Guaiol	315	ND	ND
α-Bisabolol	315	616	0.06
Caryophyllene Oxide	315	999	0.10

## Primary Aromas



**0.64%**  
**6,448 PPM**  
Total Terpenes

Qualifiers: Q3

Date Tested: 07/17/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (Q3), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

**Arizona Nectar Farms**

4116 E Superior Ave, Suite D  
Phoenix, AZ 85040  
tpaphx@gmail.com  
(602) 621-0697  
Lic. #00000126DCSO00060479

**Sample: 2307DEL0748.3186**

Strain: The Handyman  
Lot#: ; Batch#: THM230711H; Batch Size: g  
Sample Received: 07/13/2023; Report Created: 07/26/2023  
Testing Completed: 07/25/2023

**The Handyman Flower**

Plant, Flower - Cured  
Reference: Leeroy OG X ISG



**Microbials**

**Pass**

Analyte	Limit	Results	Status
Salmonella	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus (flavus, fumigatus, niger, and terreus)	Not Detected in 1g	Not Detected in 1g	Pass

Analyte	Limit	Results	Status
E. Coli	CFU/g 100	CFU/g < 10 CFU/g	Pass



Date Tested: 07/18/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
MTD-134, PRD-111; LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only.  
Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

## Arizona Nectar Farms

4116 E Superior Ave, Suite D  
Phoenix, AZ 85040  
tpaphx@gmail.com  
(602) 621-0697  
Lic. #00000126DCSO00060479

## Sample: 2307DEL0748.3186

Strain: The Handyman  
Lot#: ; Batch#: THM230711H; Batch Size: g

Sample Received: 07/13/2023; Report Created: 07/26/2023  
Testing Completed: 07/25/2023

## The Handyman Flower

Plant, Flower - Cured  
Reference: Leeroy OG X ISG



### Pesticides

Pass

Analyte	LOQ	Limit	Units	Qualifiers	Status	Analyte	LOQ	Limit	Units	Qualifiers	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.01	0.50	ND		Pass	Hexythiazox	0.03	1.00	ND	L1 R1 V1	Pass
Acephate	0.01	0.40	ND	L1 R1 V1	Pass	Imazalil	0.01	0.20	ND	V1	Pass
Acequinocyl	0.05	2.00	ND	V1	Pass	Imidacloprid	0.01	0.40	ND		Pass
Acetamiprid	0.01	0.20	ND		Pass	Kresoxim Methyl	0.01	0.40	ND	L1 V1	Pass
Aldicarb	0.01	0.40	ND	L1 R1 V1	Pass	Malathion	0.01	0.20	ND	L1 R1	Pass
Azoxystrobin	0.01	0.20	ND	V1	Pass	Metalaxyl	0.01	0.20	ND	L1 R1 V1	Pass
Bifenazate	0.01	0.20	ND	L1 R1 V1	Pass	Methiocarb	0.01	0.20	ND	L1 R1	Pass
Bifenthrin	0.01	0.20	ND	L1 R1 V1	Pass	Methomyl	0.01	0.40	ND	L1 R1 V1	Pass
Boscalid	0.01	0.40	ND	V1	Pass	Myclobutanil	0.01	0.20	ND	L1 R1 V1	Pass
Carbaryl	0.01	0.20	ND	L1 R1 V1	Pass	Naled	0.01	0.50	ND	L1 R1	Pass
Carbofuran	0.01	0.20	ND	L1 R1 V1	Pass	Oxamyl	0.03	1.00	ND	R1 V1	Pass
Chlorantraniliprole	0.01	0.20	ND	V1	Pass	Paclobutrazol	0.01	0.40	ND	L1 R1 V1	Pass
Chlorfenapyr	0.03	1.00	ND	L1 R1 V1	Pass	Permethrins (cis- and trans-isomers)	0.01	0.20	ND	V1	Pass
Chlorpyrifos	0.01	0.20	ND	L1 R1	Pass	Phosmet	0.01	0.20	ND	L1 R1 V1	Pass
Clofentezine	0.01	0.20	ND	L1 R1 V1	Pass	Piperonyl Butoxide	0.05	2.00	ND	L1 R1 V1	Pass
Cyfluthrin	0.03	1.00	ND	V1	Pass	Prallethrin	0.01	0.20	ND	L1 R1 V1	Pass
Cypermethrin	0.03	1.00	ND	L1 V1	Pass	Propiconazole	0.01	0.40	ND	R1 V1	Pass
Daminozide	0.03	1.00	ND	V1	Pass	Propoxur	0.01	0.20	ND	R1	Pass
DDVP	0.00	0.10	ND	V1	Pass	Pyrethrins (Pyrethrin I, Cinerin I, and Jasmolin I)	0.03	1.00	ND	L1 R1 V1	Pass
Diazinon	0.01	0.20	ND		Pass	Pyridaben	0.01	0.20	ND	V1	Pass
Dimethoate	0.01	0.20	ND	L1 R1 V1	Pass	Spinosad (A and D)	0.01	0.20	ND	L1 R1 V1	Pass
Ethoprophos	0.01	0.20	ND	V1	Pass	Spiromesifen	0.01	0.20	ND	V1	Pass
Etofenprox	0.01	0.40	ND	L1 R1 V1	Pass	Spirotetramat	0.01	0.20	ND	L1 R1 V1	Pass
Etoxazole	0.01	0.20	ND	L1 R1	Pass	Spiroxamine	0.01	0.40	ND	L1 R1	Pass
Fenoxycarb	0.01	0.20	ND	V1	Pass	Tebuconazole	0.01	0.40	ND	V1	Pass
Fenpyroximate	0.01	0.40	ND	L1 R1 V1	Pass	Thiacloprid	0.01	0.20	ND		Pass
Fipronil	0.01	0.40	ND	L1 R1 V1	Pass	Thiamethoxam	0.01	0.20	ND		Pass
Fonicamid	0.03	1.00	ND	V1	Pass	Trifloxystrobin	0.01	0.20	ND	R1 V1	Pass
Fludioxonil	0.01	0.40	ND	L1 R1 V1	Pass						

### Herbicides

Not Tested

Analyte	LOQ	Limit	Units	Qualifiers	Status
---------	-----	-------	-------	------------	--------

Qualifiers: L1 R1 V1

Date Tested: 07/25/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



## Arizona Nectar Farms

4116 E Superior Ave, Suite D  
Phoenix, AZ 85040  
tpaphx@gmail.com  
(602) 621-0697  
Lic. #00000126DCSO00060479

Sample: 2307DEL0748.3186

Strain: The Handyman  
Lot#: ; Batch#: THM230711H; Batch Size: g

Sample Received: 07/13/2023; Report Created: 07/26/2023  
Testing Completed: 07/25/2023

## The Handyman Flower

Plant, Flower - Cured  
Reference: Leeroy OG X ISG



## Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Qualifiers	Status
	PPM	PPM	PPM		
Arsenic	0.20	0.40	ND	M2	Pass
Cadmium	0.20	0.40	ND	M2	Pass
Mercury	0.60	1.20	ND	M2	Pass
Lead	0.50	1.00	<LOQ	M2	Pass

Qualifiers: M2  
Date Tested: 07/24/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (M2), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

