

Durban Poison FSHO Dablicator

Sample ID: 2403APO1296.6168
Strain: Durban Poison
Matrix: Concentrates & Extracts
Type: Full Spectrum Oil
Source Batch #: 20220422DUR-6T8T9T10 XD:20240325

Produced:
Collected: 03/26/2024 05:32 pm
Received: 03/26/2024
Completed: 04/01/2024
Batch #: 20220422DUR-6T8T9T10 XD:20240325
Harvest Date: 04/22/2022

Client
Aeriz AZ
Lic. # 00000106DCQV00747138

Lot #:
Production Date: 03/25/2024
Production Method: CO2




Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	03/27/2024	Complete
Terpenes	03/29/2024	Complete
Residual Solvents	03/27/2024	Pass
Microbials	03/29/2024	Pass
Mycotoxins	03/29/2024	Pass
Pesticides	03/29/2024	Pass
Heavy Metals	03/27/2024	Pass

Cannabinoids by SOP-6

Complete



Analyte	LOD	LOQ	Result	Result	Q
	%	%	%	mg/g	
THCa		0.1000	ND	ND	
Δ9-THC		0.1000	75.3575	753.575	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	1.7265	17.265	
CBDa		0.1000	ND	ND	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	0.8998	8.998	
CBGa		0.1000	ND	ND	
CBG		0.1000	2.9202	29.202	
CBC		0.1000	0.6832	6.832	
Total THC			75.3575	753.5750	
Total CBD			ND	ND	
Total			81.5871	815.871	

Date Tested: 03/27/2024 07:00 am



Bryant Kearl
Lab Director
04/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Durban Poison FSHO Dablicator

Sample ID: 2403APO1296.6168
Strain: Durban Poison
Matrix: Concentrates & Extracts
Type: Full Spectrum Oil
Source Batch #: 20220422DUR-6T8T9T10
XD:20240325

Produced:
Collected: 03/26/2024 05:32 pm
Received: 03/26/2024
Completed: 04/01/2024
Batch #: 20220422DUR-6T8T9T10
XD:20240325
Harvest Date: 04/22/2022

Client
Aeriz AZ
Lic. # 00000106DCQV00747138

Lot #:
Production Date: 03/25/2024
Production Method: CO2

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Mass	Q	Status	Analyte	LOQ	Limit	Mass	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Paclbutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Butoxide	0.1000	0.2000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.2000	0.4000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spinosad	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Spiroxamine	0.2000	0.4000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
						Trifloxystrobin	0.1000	0.2000	ND		Pass

Date Tested: 03/29/2024 07:00 am



Bryant Kearl
Lab Director
04/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Durban Poison FSHO Dablicator

Sample ID: 2403APO1296.6168
Strain: Durban Poison
Matrix: Concentrates & Extracts
Type: Full Spectrum Oil
Source Batch #: 20220422DUR-6T8T9T10 XD:20240325

Produced:
Collected: 03/26/2024 05:32 pm
Received: 03/26/2024
Completed: 04/01/2024
Batch #: 20220422DUR-6T8T9T10
XD:20240325
Harvest Date: 04/22/2022

Client
Aeriz AZ
Lic. # 00000106DCQV00747138

Lot #:
Production Date: 03/25/2024
Production Method: CO2

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
E. Coli by traditional plating: SOP-13	CFU/g 10.0	CFU/g 100.0	CFU/g < 10 CFU/g	Pass	

Date Tested: 03/29/2024 12:00 am

Mycotoxins by SOP-22

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
B1	µg/kg 5	µg/kg 10	µg/kg 20	µg/kg ND	Pass	R1
B2	5	10	20	ND	Pass	
G1	5	10	20	ND	Pass	
G2	5	10	20	ND	Pass	R1
Total Aflatoxins	5	10	20	ND	Pass	R1
Ochratoxin A	5	10	20	ND	Pass	R1

Date Tested: 03/29/2024 07:00 am

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
Arsenic	PPM 0.0660	PPM 0.1330	PPM 0.4000	PPM ND	Pass	
Cadmium	0.0660	0.1330	0.4000	ND	Pass	
Lead	0.1660	0.3330	1.0000	ND	Pass	
Mercury	0.0330	0.0660	0.2000	ND	Pass	

Date Tested: 03/27/2024 07:00 am



Bryant Kearl
Lab Director
04/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Durban Poison FSHO Dablicator

Sample ID: 2403APO1296.6168
Strain: Durban Poison
Matrix: Concentrates & Extracts
Type: Full Spectrum Oil
Source Batch #: 20220422DUR-6T8T9T10
XD:20240325

Produced:
Collected: 03/26/2024 05:32 pm
Received: 03/26/2024
Completed: 04/01/2024
Batch #: 20220422DUR-6T8T9T10
XD:20240325
Harvest Date: 04/22/2022

Client
Aeriz AZ
Lic. # 00000106DCQV00747138

Lot #:
Production Date: 03/25/2024
Production Method: CO2

Residual Solvents

Analyte	LOQ	Limit	Mass	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

Date Tested: 03/27/2024 07:00 am



Bryant Kearl
Lab Director
04/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Durban Poison FSHO Dablicator

Sample ID: 2403APO1296.6168
Strain: Durban Poison
Matrix: Concentrates & Extracts
Type: Full Spectrum Oil
Source Batch #: 20220422DUR-6T8T9T10 XD:20240325

Produced:
Collected: 03/26/2024 05:32 pm
Received: 03/26/2024
Completed: 04/01/2024
Batch #: 20220422DUR-6T8T9T10
XD:20240325
Harvest Date: 04/22/2022


Client
Aeriz AZ
Lic. # 00000106DCQV00747138

Lot #:
Production Date: 03/25/2024
Production Method: CO2

Terpenes

Analyte	LOQ	Mass	Mass	Q	Analyte	LOQ	Mass	Mass	Q
	%	%	mg/g			%	%	mg/g	
Terpinolene	0.0010	1.6946	16.946	Q3	Cedrol	0.0010	ND	ND	Q3
β-Caryophyllene	0.0010	0.8698	8.698	Q3	cis-Citral	0.0010	ND	ND	Q3
β-Myrcene	0.0010	0.5499	5.499	Q3	cis-Farnesol	0.0010	ND	ND	Q3
D,L-Limonene	0.0010	0.4085	4.085	Q3	cis-Nerolidol	0.0010	ND	ND	Q3
trans-beta-Ocimene	0.0010	0.2520	2.520	Q3	cis-beta-Ocimene	0.0010	ND	ND	Q3
α-Bisabolol	0.0010	0.2135	2.135	Q3	Citronellol	0.0010	ND	ND	Q3
Linalool	0.0010	0.1586	1.586	Q3	Eucalyptol	0.0010	ND	ND	Q3
β-Pinene	0.0010	0.1545	1.545	Q3	Geranyl Acetate	0.0010	ND	ND	Q3
α-Terpineol	0.0010	0.1311	1.311	Q3	Guaiol	0.0010	ND	ND	Q3
Endo-Fenchyl Alcohol	0.0010	0.0973	0.973	Q3	Isoborneol	0.0010	ND	ND	Q3
α-Pinene	0.0010	0.0891	0.891	Q3	Isobornyl Acetate	0.0010	ND	ND	Q3
Valencene	0.0010	0.0613	0.613	Q3	Isopulegol	0.0010	ND	ND	Q3
3-Carene	0.0010	0.0544	0.544	Q3	m-Cymene	0.0010	ND	ND	Q3
α-Phellandrene	0.0010	0.0533	0.533	Q3	Menthol	0.0010	ND	ND	Q3
Caryophyllene Oxide	0.0010	0.0470	0.470	Q3	L-Menthone	0.0010	ND	ND	Q3
α-Terpinene	0.0010	0.0425	0.425	Q3	Nerol	0.0010	ND	ND	Q3
γ-Terpinene	0.0010	0.0321	0.321	Q3	Nootkatone	0.0010	ND	ND	Q3
trans-Nerolidol	0.0010	0.0294	0.294	Q3	o,p-Cymene	0.0010	ND	ND	Q3
D,L-Borneol	0.0010	0.0191	0.191	Q3	Octyl Acetate	0.0010	ND	ND	Q3
Fenchone	0.0010	0.0096	0.096	Q3	Phytane	0.0010	ND	ND	Q3
Geraniol	0.0010	0.0093	0.093	Q3	Piperitone	0.0010	ND	ND	Q3
Camphene	0.0010	0.0078	0.078	Q3	Pulegone	0.0010	ND	ND	Q3
α-Cedrene	0.0010	ND	ND	Q3	Sabinene	0.0010	ND	ND	Q3
α-Humulene	0.0010	ND	ND	Q3	Sabinene Hydrate	0.0010	ND	ND	Q3
α-Thujone	0.0010	ND	ND	Q3	Safranal	0.0010	ND	ND	Q3
trans-β-Farnesene	0.0010	ND	ND	Q3	Terpinen-4-ol	0.0010	ND	ND	Q3
Camphor	0.0010	ND	ND	Q3	Thymol	0.0010	ND	ND	Q3
Carvacrol	0.0010	ND	ND	Q3	trans-Citral	0.0010	ND	ND	Q3
Carvone	0.0010	ND	ND	Q3	Verbenone	0.0010	ND	ND	Q3
						Total	4.9847	49.847	

Primary Aromas



Date Tested: 03/29/2024 12:00 am
Terpenes analysis is not regulated by AZDHS.



Bryant Kearl
Lab Director
04/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Durban Poison FSHO Dablicator

Sample ID: 2403APO1296.6168
Strain: Durban Poison
Matrix: Concentrates & Extracts
Type: Full Spectrum Oil
Source Batch #: 20220422DUR-6T8T9T10
XD:20240325

Produced:
Collected: 03/26/2024 05:32 pm
Received: 03/26/2024
Completed: 04/01/2024
Batch #: 20220422DUR-6T8T9T10
XD:20240325
Harvest Date: 04/22/2022

Client
Aeriz AZ
Lic. # 00000106DCQV00747138

Lot #:
Production Date: 03/25/2024
Production Method: CO2

Qualifiers Definitions

Qualifier Notation	Qualifier Description
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



Bryant Kearl
Lab Director
04/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.