

Sour Diesel

Sample ID: 2601APO0254.1163

Strain: Sour Diesel

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 01/16/2026 02:03 pm

Received: 01/17/2026

Completed: 01/23/2026

Batch #: 20251231SRD-3T14

Harvest Date: 12/31/2025

Client

Aeriz AZ

Lic. # 00000106DCQV00747138

Lot #:

Production/Manufacture Date:

Production/Manufacture Method: Indoor



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	01/21/2026	Complete
Terpenes	01/22/2026	Complete
Microbials	01/17/2026	Pass
Pesticides	01/20/2026	Pass
Heavy Metals	01/20/2026	Pass

Cannabinoids by SOP-6

Complete

32.1727 %	ND	37.8261 %	2.4651 %
Total THC	Total CBD	Total Cannabinoids ^(Q3)	Total Terpenes ^(Q3)

Analyte	LOD %	LOQ %	Result %	Result mg/g	Q
THCa		0.1000	36.2482	362.482	
Δ9-THC		0.1000	0.3831	3.831	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	ND	ND	
CBDa		0.1000	<LOQ	<LOQ	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	ND	ND	
CBGa		0.1000	0.9904	9.904	
CBG		0.1000	0.2045	2.045	
CBC		0.1000	ND	ND	
Total THC			32.1727	321.7273	
Total CBD			ND	ND	
Total			37.8261	378.2619	

Date Tested: 01/21/2026 07:00 am



Anthony Settanni
Anthony Settanni
Lab Director
01/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Sour Diesel

Sample ID: 2601APO0254.1163

Strain: Sour Diesel

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 01/16/2026 02:03 pm

Received: 01/17/2026

Completed: 01/23/2026

Batch #: 20251231SRD-3T14

Harvest Date: 12/31/2025

Client

Aeriz AZ

Lic. # 00000106DCQV00747138

Lot #:

Production/Manufacture Date:

Production/Manufacture Method: Indoor

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Result	Q	Status	Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND	R1	Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Butoxide					
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spinosad	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Spiroxamine	0.2000	0.4000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
						Trifloxystrobin	0.1000	0.2000	ND		Pass

Date Tested: 01/20/2026 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
01/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Sour Diesel

Sample ID: 2601APO0254.1163

Strain: Sour Diesel

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 01/16/2026 02:03 pm

Received: 01/17/2026

Completed: 01/23/2026

Batch #: 20251231SRD-3T14

Harvest Date: 12/31/2025

Client

Aeriz AZ

Lic. # 00000106DCQV00747138

Lot #:

Production/Manufacture Date:

Production/Manufacture Method: Indoor

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	Q2
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	Q2
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	Q2

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli by traditional plating: SOP-13	10.0	100.0	< 10 CFU/g	Pass	Q2

Date Tested: 01/17/2026 12:00 am

Mycotoxins by SOP-22

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q
---------	-----	-----	-------	-------	--------	---

Date Tested:

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.1000	0.1330	0.4000	ND	Pass	
Cadmium	0.1000	0.1330	0.4000	ND	Pass	
Lead	0.2500	0.3330	1.0000	ND	Pass	
Mercury	0.0500	0.0660	0.2000	ND	Pass	

Date Tested: 01/20/2026 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
01/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Sour Diesel

Sample ID: 2601APO0254.1163

Strain: Sour Diesel

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 01/16/2026 02:03 pm

Received: 01/17/2026

Completed: 01/23/2026

Batch #: 20251231SRD-3T14

Harvest Date: 12/31/2025

Client

Aeriz AZ

Lic. # 00000106DCQV00747138

Lot #:


Production/Manufacture Date:

Production/Manufacture Method: Indoor

Terpenes

Analyte	LOQ	Result	Result	Q		Analyte	LOQ	Result	Result	Q
	%	%	mg/g				%	%	mg/g	
β-Myrcene	0.0010	1.0382	10.382	Q3		Camphor	0.0010	ND	ND	Q3
β-Caryophyllene	0.0010	0.4259	4.259	Q3		Carvone	0.0010	ND	ND	Q3
D,L-Limonene	0.0010	0.4102	4.102	Q3		Cedrol	0.0010	ND	ND	Q3
α-Humulene	0.0010	0.1569	1.569	Q3		cis-Farnesol	0.0010	ND	ND	Q3
β-Pinene	0.0010	0.0870	0.870	Q3		cis-Nerolidol	0.0010	ND	ND	Q3
Linalool	0.0010	0.0858	0.858	Q3		Eucalyptol	0.0010	ND	ND	Q3
α-Bisabolol	0.0010	0.0673	0.673	Q3		γ-Terpinene	0.0010	ND	ND	Q3
Fenchone	0.0010	0.0445	0.445	Q3		Geranyl Acetate	0.0010	ND	ND	Q3
α-Terpineol	0.0010	0.0412	0.412	Q3		Guaiol	0.0010	ND	ND	Q3
α-Pinene	0.0010	0.0398	0.398	Q3		Isobornyl Acetate	0.0010	ND	ND	Q3
trans-Nerolidol	0.0010	0.0171	0.171	Q3		Isopulegol	0.0010	ND	ND	Q3
Caryophyllene Oxide	0.0010	0.0128	0.128	Q3		m-Cymene	0.0010	ND	ND	Q3
Camphene	0.0010	0.0105	0.105	Q3		Menthol	0.0010	ND	ND	Q3
Terpinolene	0.0010	0.0072	0.072	Q3		L-Menthone	0.0010	ND	ND	Q3
Isoborneol	0.0010	0.0067	0.067	Q3		Nootkatone	0.0010	ND	ND	Q3
Geraniol	0.0010	0.0044	0.044	Q3		o,p-Cymene	0.0010	ND	ND	Q3
Endo-Fenchyl Alcohol	0.0010	0.0039	0.039	Q3		Octyl Acetate	0.0010	ND	ND	Q3
Citronellol	0.0010	0.0029	0.029	Q3		Piperitone	0.0010	ND	ND	Q3
Terpinen-4-ol	0.0010	0.0016	0.016	Q3		Pulegone	0.0010	ND	ND	Q3
Nerol	0.0010	0.0011	0.011	Q3		Sabinene	0.0010	ND	ND	Q3
3-Carene	0.0010	ND	ND	Q3		Sabinene Hydrate	0.0010	ND	ND	Q3
α-Cedrene	0.0010	ND	ND	Q3		Thymol	0.0010	ND	ND	Q3
α-Phellandrene	0.0010	ND	ND	Q3		trans-Citral	0.0010	ND	ND	Q3
α-Terpinene	0.0010	ND	ND	Q3		trans-beta-Ocimene	0.0010	ND	ND	Q3
α-Thujone	0.0010	ND	ND	Q3		Valencene	0.0010	ND	ND	Q3
D,L-Borneol	0.0010	ND	ND	Q3		Total		2.4651	24.651	

Primary Aromas



Date Tested: 01/22/2026 12:00 am
Terpenes analysis is not regulated by AZDHS.



Anthony Settanni
Lab Director
01/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Sour Diesel

Sample ID: 2601APO0254.1163

Strain: Sour Diesel

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 01/16/2026 02:03 pm

Received: 01/17/2026

Completed: 01/23/2026

Batch #: 20251231SRD-3T14

Harvest Date: 12/31/2025

Client

Aeriz AZ

Lic. # 00000106DCQV00747138

Lot #:

Production/Manufacture Date:

Production/Manufacture Method: Indoor

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



[Signature]

Bryant Kearl
Chief Scientific Officer
01/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Sour Diesel

Sample ID: 2601APO0254.1163

Strain: Sour Diesel

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 01/16/2026 02:03 pm

Received: 01/17/2026

Completed: 01/23/2026

Batch #: 20251231SRD-3T14

Harvest Date: 12/31/2025

Client

Aeriz AZ

Lic. # 00000106DCQV00747138

Lot #:

Production/Manufacture Date:

Production/Manufacture Method: Indoor

Customer Supplied Information:



Bryant Kearl
Chief Scientific Officer
01/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.