




# Certificate of Analysis

**PASSED**



**Batch #:** 3866 7990 8361 8572 (A9102025) **Lab ID:** TE60408003-001  
**Harvest Date:** 08/15/25 **Ordered:** 04/08/26  
**Manufacturing Date:** 04/07/26 **Sample Date:** 04/08/26  
**Production Method:** Butane **Sample Collection Time:** 07:00 AM  
**Total Amount:** 1 units **Sample Size:** 190.50 gram  
**Retail Product Size:** 94.55 gram **Completed:** 04/13/26  
**Retail Serving Size:** 4.725 gram **Revised:** 04/15/26  
**Servings:** 20.010582











## White Mountain Health Center

9420 W. Bell RD  
 Sun City, AZ, 85351, US  
 License #: 00000083ESGB09219996



### SAFETY RESULTS

MISC.

|   |   |   |   |   |   |  |   |   |   |
|---|---|---|---|---|---|--|---|---|---|
|  |  |  |  |  |  |  |  |  |  |
| Pesticide   | Heavy Metals  | Microbial   | Mycotoxins  | Solvents  | Filtration/Foreign Material   | Water Activity   | Moisture Content  | Vitamin E   | Terpenes  |
| NOT TESTED  | NOT TESTED  | PASSED  | NOT TESTED  | NOT TESTED  | NOT TESTED  | NOT TESTED   | NOT TESTED  | NOT TESTED  | NOT TESTED  |

## Cannabinoid PASSED

|   |  |   |  |   |   |
|---|--|---|--|---|---|
|  | <b>Total THC</b><br><b>0.0980%</b><br>Total THC/Container : 92.6590 mg |  | <b>Total CBD</b><br><b>ND</b><br>Total CBD/Container : 0 |  | <b>Total Cannabinoids Q3</b><br><b>0.1010%</b><br>Total Cannabinoids/Container : 95.4955 mg |
|---|--|---|--|---|---|

|           | D9-THC  | THCA   | CBD    | CBDA   | CBG    | CBGA   | CBN    | D8-THC | THCV   | CBDV   | CBC    |
|-----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| %         | 0.0980  | ND     | ND     | ND     | ND     | ND     | 0.0030 | ND     | ND     | ND     | ND     |
| mg/unit   | 92.6590 | ND     | ND     | ND     | ND     | ND     | 2.8365 | ND     | ND     | ND     | ND     |
| LOD       | 0       | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 |
| LOQ       | 0       | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 |
| Qualifier | %       | %      | %      | %      | %      | %      | %      | %      | %      | %      | %      |

**Analyzed by:** 333, 540, 272 **Weight:** 1.0172g **Extraction date:** 04/09/26 17:13:49 **Extracted by:** 333

**Analysis Method :** SOP.T.30.500, SOP.T.30.031, SOP.T.40.031  
**Analytical Batch :** TE013540POT  
**Instrument Used :** TE-245 "Buttercup" (Infused) **Batch Date :** 04/09/26 09:39:05  
**Analyzed Date :** 04/13/26 08:09:43

**Dilution :** 40  
**Reagent :** 040826.R13; 040826.R09; 111025.R11; 011326.R13  
**Consumables :** 0000494267; 927.009; 8000038072; 25025002; 120125CH01; 1010628866; M09007V; 1011134802; 04504082; GD250005  
**Pipette :** TE-072 SN:RU26833 (2-20uL); TE-074 SN:RU31707; TE-054 SN:21D58682; TE-064 SN:20B27672 (100-1000uL); TE-340 10-mL VWR Pipettor (SN: 17N4167)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**  
 Lab Director  
 State License #  
 00000024LCMD66604568  
 ISO 17025 Accreditation #  
 97164

*Ariel Casey*  
 Signature  
 04/13/26  
**Laboratory License #:**  
 00000024LCMD66604568

Revision: #1 - photo



# Certificate of Analysis

**White Mountain Health Center**  
 9420 W. Bell RD  
 Sun City, AZ, 85351, US  
 License #: 00000083ESGB09219996

**Sample: TE60408003-001**  
 Batch #: 3866 7990 8361 8572 (A9102025)

**Ordered:** 04/08/26  
**Sampled:** 04/08/26  
**Completed:** 04/13/26

**PASSED**



## Label Claim Verification

PASSED

| ANALYTES  | UNIT           | LOD                     | LOQ | LIMIT                   | PASS/FAIL | RESULT | QUALIFIER |
|---|----------------|-------------------------|-----|-------------------------|-----------|--------|-----------|
| <b>Analyzed by:</b>   | <b>Weight:</b> | <b>Extraction date:</b> |     | <b>Extracted by:</b>    |           |        |           |
| <b>Analysis Method :</b> N/A<br><b>Analytical Batch :</b> N/A<br><b>Instrument Used :</b> N/A<br><b>Analyzed Date :</b> 04/13/26 08:09:40 |                |                         |     |                         |           |        |           |
|   |                |                         |     | <b>Batch Date :</b> N/A |           |        |           |



## Microbial

PASSED

| ANALYTES   | UNIT           | LOD                     | LOQ     | LIMIT                                 | PASS/FAIL | RESULT             | QUALIFIER |
|--|----------------|-------------------------|---------|---------------------------------------|-----------|--------------------|-----------|
| SALMONELLA SPP.  |                |                         |         |                                       | PASS      | Not Detected in 1g |           |
| ESCHERICHIA COLI (REC)   | CFU/g          | 10.0000                 | 10.0000 | 100                                   | PASS      | ND                 |           |
| <b>Analyzed by:</b>  | <b>Weight:</b> | <b>Extraction date:</b> |         | <b>Extracted by:</b>                  |           |                    |           |
| 331, 272, 333  | 1.05g          | 04/10/26 17:10:53       |         | 331                                   |           |                    |           |
| <b>Analysis Method :</b> SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ<br><b>Analytical Batch :</b> TE013550MIC<br><b>Instrument Used :</b> TE-234 "bioMerieux GENE-UP", TE-342 "bioMerieux GENE-UP"<br><b>Analyzed Date :</b> 04/13/26 10:59:22 |                |                         |         |                                       |           |                    |           |
|  |                |                         |         | <b>Batch Date :</b> 04/09/26 15:33:21 |           |                    |           |

**Dilution :** 10  
**Reagent :** N/A  
**Consumables :** N/A  
**Pipette :** N/A

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm.

## CONFIDENT CANNABIS QR

\* Confident Cannabis sample ID: 2604KLAZ0456.2278



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**  
 Lab Director

State License #  
 00000024LCMD66604568  
 ISO 17025 Accreditation #  
 97164



Signature  
 04/13/26  
**Laboratory License #:**  
 00000024LCMD66604568

Revision: #1 - photo



# Certificate of Analysis

**PASSED**



**Batch #:** A9102025  
**Harvest Date:** 08/15/25  
**Manufacturing Date:** 09/10/25  
**Production Method:** Butane  
**Total Amount:** 7 gram

**Lab ID:** TE60219006-002  
**Ordered:** 02/19/26  
**Sampled Date:** 02/19/26  
**Sample Collection Time:** 07:00 AM  
**Sample Size:** 29.15 gram  
**Completed:** 02/22/26

## White Mountain Health Center

9420 W. Bell RD  
 Sun City, AZ, 85351, US  
 License #: 00000083ESGB09219996



### SAFETY RESULTS

### MISC.

|   |  |   |  |  |  |   |  |   |  |
|---|--|---|--|--|--|---|--|---|--|
| <br>Pesticide<br><b>PASSED</b> | <br>Heavy Metals<br><b>PASSED</b> | <br>Microbial<br><b>PASSED</b> | <br>Mycotoxins<br><b>PASSED</b> | <br>Solvents<br><b>PASSED</b> | <br>Filtration<br><b>NOT TESTED</b> | <br>Water Activity<br><b>NOT TESTED</b> | <br>Moisture Content<br><b>NOT TESTED</b> | <br>Vitamin E<br><b>NOT TESTED</b> | <br>Terpenes<br><b>NOT TESTED</b> |
|---|--|---|--|--|--|---|--|---|--|

## Cannabinoid **PASSED**



|           | D9-THC   | THCA   | CBD    | CBDA   | CBG     | CBGA   | CBN    | D8-THC | THCV   | CBDV   | CBC     |
|-----------|----------|--------|--------|--------|---------|--------|--------|--------|--------|--------|---------|
| %         | 95.3730  | ND     | ND     | ND     | 2.3020  | ND     | 0.7310 | ND     | ND     | ND     | 1.2720  |
| mg/g      | 953.7300 | ND     | ND     | ND     | 23.0200 | ND     | 7.3100 | ND     | ND     | ND     | 12.7200 |
| LOD       | 0.0001   | 0.0001 | 0.0001 | 0.0010 | 0.0010  | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0001  |
| LOQ       | 0.0001   | 0.0010 | 0.0010 | 0.0010 | 0.0010  | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010  |
| Qualifier | %        | %      | %      | %      | %       | %      | %      | %      | %      | %      | %       |

**Analyzed by:** 333, 540, 602, 545      **Weight:** 0.1552g      **Extraction date:** 02/20/26 15:25:21      **Extracted by:** 333

**Analysis Method:** SOP.T.30.500, SOP.T.30.031, SOP.T.40.031  
**Analytical Batch:** TE012805POT  
**Instrument Used:** TE-004 "Blossom" (Flower)      **Batch Date:** 02/19/26 11:25:51  
**Analyzed Date:** 02/22/26 10:06:29

**Dilution:** 800  
**Reagent:** 021126.R15; 021126.R18; 020526.R08; 011326.R12  
**Consumables:** 9479291.023; H109203-1; 8000038072; 05525055; 060225CH01; 1010532262; 425204; 1010435125; GD240004  
**Pipette:** TE-073 SN:RU31809; TE-059 SN:20A04528 (20-200uL); TE-064 SN:20B27672 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**  
 Lab Director



State License #  
 0000024LCMD66604568  
 ISO 17025 Accreditation #  
 97164

Signature  
 02/22/26



# Certificate of Analysis

**White Mountain Health Center**  
 9420 W. Bell RD  
 Sun City, AZ, 85351, US  
 License #: 00000083ESGB09219996

**Sample: TE60219006-002**  
 Batch #: A9102025

**Ordered:** 02/19/26  
**Sampled:** 02/19/26  
**Completed:** 02/22/26

**PASSED**


Pesticide
PASSED

| ANALYTES                    | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------|------|--------|--------|-------|-----------|--------|-----------|
| AVERMECTINS (ABAMECTIN B1A) | ppm  | 0.0170 | 0.2500 | 0.5   | PASS      | ND     |           |
| ACEPHATE                    | ppm  | 0.0100 | 0.2000 | 0.4   | PASS      | ND     |           |
| ACETAMIPRID                 | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| ALDICARB                    | ppm  | 0.0140 | 0.2000 | 0.4   | PASS      | ND     |           |
| AZOXYSTROBIN                | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| BIFENAZATE                  | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| BIFENTHRIN                  | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| BOSCALID                    | ppm  | 0.0050 | 0.2000 | 0.4   | PASS      | ND     |           |
| CARBARYL                    | ppm  | 0.0080 | 0.1000 | 0.2   | PASS      | ND     |           |
| CARBOFURAN                  | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| CHLORANTRANILIPROLE         | ppm  | 0.0110 | 0.1000 | 0.2   | PASS      | ND     |           |
| CHLORPYRIFOS                | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| CLOFENTEZINE                | ppm  | 0.0100 | 0.1000 | 0.2   | PASS      | ND     |           |
| CYPERMETHRIN                | ppm  | 0.1000 | 0.5000 | 1     | PASS      | ND     | L1        |
| DAMINOZIDE                  | ppm  | 0.0100 | 0.5000 | 1     | PASS      | ND     |           |
| DIAZINON                    | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| DICHLORVOS (DDVP)           | ppm  | 0.0010 | 0.0500 | 0.1   | PASS      | ND     |           |
| DIMETHOATE                  | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| ETHOPROPHOS                 | ppm  | 0.0040 | 0.1000 | 0.2   | PASS      | ND     |           |
| ETOFENPROX                  | ppm  | 0.0060 | 0.2000 | 0.4   | PASS      | ND     |           |
| ETOXAZOLE                   | ppm  | 0.0040 | 0.1000 | 0.2   | PASS      | ND     |           |
| FENOXYCARB                  | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| FENPYROXIMATE               | ppm  | 0.0040 | 0.2000 | 0.4   | PASS      | ND     |           |
| FIPRONIL                    | ppm  | 0.0060 | 0.2000 | 0.4   | PASS      | ND     |           |
| FLONICAMID                  | ppm  | 0.0090 | 0.5000 | 1     | PASS      | ND     |           |
| FLUDIOXONIL                 | ppm  | 0.0060 | 0.2000 | 0.4   | PASS      | ND     |           |
| HEXYTHIAZOX                 | ppm  | 0.0050 | 0.5000 | 1     | PASS      | ND     |           |
| IMAZALIL                    | ppm  | 0.0110 | 0.1000 | 0.2   | PASS      | ND     |           |
| IMIDACLOPRID                | ppm  | 0.0080 | 0.2000 | 0.4   | PASS      | ND     |           |
| KRESOXIM-METHYL             | ppm  | 0.0070 | 0.2000 | 0.4   | PASS      | ND     |           |
| MALATHION                   | ppm  | 0.0070 | 0.1000 | 0.2   | PASS      | ND     |           |
| METALAXYL                   | ppm  | 0.0040 | 0.1000 | 0.2   | PASS      | ND     |           |
| METHIOCARB                  | ppm  | 0.0040 | 0.1000 | 0.2   | PASS      | ND     |           |
| METHOMYL                    | ppm  | 0.0050 | 0.2000 | 0.4   | PASS      | ND     |           |
| MYCLOBUTANIL                | ppm  | 0.0100 | 0.1000 | 0.2   | PASS      | ND     |           |
| NALED                       | ppm  | 0.0070 | 0.2500 | 0.5   | PASS      | ND     |           |
| OXAMYL                      | ppm  | 0.0080 | 0.5000 | 1     | PASS      | ND     |           |
| PACLOBUTRAZOL               | ppm  | 0.0050 | 0.2000 | 0.4   | PASS      | ND     |           |
| TOTAL PERMETHRINS           | ppm  | 0.0030 | 0.1000 | 0.2   | PASS      | ND     |           |
| PHOSMET                     | ppm  | 0.0100 | 0.1000 | 0.2   | PASS      | ND     |           |
| PIPERONYL BUTOXIDE          | ppm  | 0.0050 | 1.0000 | 2     | PASS      | ND     |           |
| PRALLETHRIN                 | ppm  | 0.0130 | 0.1000 | 0.2   | PASS      | ND     |           |
| PROPICONAZOLE               | ppm  | 0.0050 | 0.2000 | 0.4   | PASS      | ND     |           |
| PROPOXUR                    | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| TOTAL PYRETHRINS            | ppm  | 0.0010 | 0.5000 | 1     | PASS      | ND     |           |
| PYRIDABEN                   | ppm  | 0.0040 | 0.1000 | 0.2   | PASS      | ND     |           |
| TOTAL SPINOSAD              | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| SPIROMESIFEN                | ppm  | 0.0080 | 0.1000 | 0.2   | PASS      | ND     |           |
| SPIROTETRAMAT               | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| SPIROXAMINE                 | ppm  | 0.0040 | 0.2000 | 0.4   | PASS      | ND     |           |
| TEBUCONAZOLE                | ppm  | 0.0040 | 0.2000 | 0.4   | PASS      | ND     |           |
| THIACLOPRID                 | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| THIAMETHOXAM                | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| TRIFLOXYSTROBIN             | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| CHLORFENAPYR                | ppm  | 0.0270 | 0.5000 | 1     | PASS      | ND     |           |
| CYFLUTHRIN                  | ppm  | 0.0150 | 0.5000 | 1     | PASS      | ND     | L1        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**  
 Lab Director



State License #  
 00000024LCMD66604568  
 ISO 17025 Accreditation #  
 97164

Signature  
 02/22/26




# Certificate of Analysis

**White Mountain Health Center**  
 9420 W. Bell RD  
 Sun City, AZ, 85351, US  
 License #: 00000083ESGB09219996

**Sample: TE60219006-002**  
 Batch #: A9102025

**Ordered:** 02/19/26  
**Sampled:** 02/19/26  
**Completed:** 02/22/26

**PASSED**



## Pesticide

PASSED

| ANALYTES   | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--|------|-----|-----|-------|-----------|--------|-----------|
| <b>Analyzed by:</b> 410, 602, 545<br><b>Weight:</b> 1.0365g<br><b>Extraction date:</b> 02/20/26 11:12:03<br><b>Extracted by:</b> 803<br><b>Analysis Method :</b> SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ<br><b>Analytical Batch :</b> TE012817PES<br><b>Instrument Used :</b> TE-262 - "MS/MS PES/VOL/MYC 2",TE-117 LC - "PES/VOL/MYC 2"<br><b>Analyzed Date :</b> 02/22/26 10:06:15<br><b>Batch Date :</b> 02/20/26 09:17:52 |      |     |     |       |           |        |           |

**Dilution :** 50  
**Reagent :** 012226.R04; 021226.R23; 012226.R03; 021726.R19; 021626.R03; 020626.R17; 020926.R16; 021226.R25  
**Consumables :** 9479291.043; 8000038072; 120125CH01; 1010628866; 1010609273; GD250003; 527170-JR  
**Pipette :** TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Pesticide screening is carried out using LC-MS/MS (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
| <b>Analyzed by:</b> 410, 602, 545<br><b>Weight:</b> 1.0365g<br><b>Extraction date:</b> 02/20/26 11:12:03<br><b>Extracted by:</b> 803<br><b>Analysis Method :</b> SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ<br><b>Analytical Batch :</b> TE012839VOL<br><b>Instrument Used :</b> TE-262 "MS/MS - Pest/Myco 2"<br><b>Analyzed Date :</b> 02/22/26 10:06:43<br><b>Batch Date :</b> 02/20/26 16:08:47 |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|

**Dilution :** 50  
**Reagent :** 012226.R04; 021226.R23; 012226.R03; 021726.R19; 021626.R03; 020626.R17; 020926.R16; 021226.R25  
**Consumables :** 9479291.043; 8000038072; 120125CH01; 1010628866; 1010609273; GD250003; 527170-JR  
**Pipette :** TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Chlorfenapyr and Cyfluthrin analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC)



## Residual Solvents

PASSED

| ANALYTES          | UNIT | LOD      | LOQ       | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------|------|----------|-----------|-------|-----------|--------|-----------|
| BUTANES           | ppm  | 159.0000 | 2400.0000 | 5000  | PASS      | ND     |           |
| METHANOL          | ppm  | 111.0000 | 1440.0000 | 3000  | PASS      | ND     |           |
| PENTANES          | ppm  | 266.5000 | 2400.0000 | 5000  | PASS      | ND     |           |
| ETHANOL           | ppm  | 156.6000 | 2400.0000 | 5000  | PASS      | ND     |           |
| ETHYL ETHER       | ppm  | 216.1000 | 2400.0000 | 5000  | PASS      | ND     | I1        |
| ACETONE           | ppm  | 33.7000  | 480.0000  | 1000  | PASS      | ND     | I1        |
| 2-PROPANOL        | ppm  | 215.2000 | 2400.0000 | 5000  | PASS      | ND     |           |
| ACETONITRILE      | ppm  | 11.4000  | 196.8000  | 410   | PASS      | ND     |           |
| DICHLOROMETHANE   | ppm  | 21.8000  | 288.0000  | 600   | PASS      | ND     |           |
| HEXANES           | ppm  | 7.6400   | 139.2000  | 290   | PASS      | ND     |           |
| ETHYL ACETATE     | ppm  | 187.2000 | 2400.0000 | 5000  | PASS      | ND     |           |
| CHLOROFORM        | ppm  | 1.7700   | 28.8000   | 60    | PASS      | ND     |           |
| BENZENE           | ppm  | 0.1610   | 1.0000    | 2     | PASS      | ND     |           |
| HEPTANE           | ppm  | 247.6000 | 2400.0000 | 5000  | PASS      | ND     |           |
| ISOPROPYL ACETATE | ppm  | 159.5000 | 2400.0000 | 5000  | PASS      | ND     |           |
| TOLUENE           | ppm  | 27.0000  | 427.2000  | 890   | PASS      | ND     |           |
| XYLENES           | ppm  | 94.5000  | 1041.6000 | 2170  | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**  
 Lab Director



State License #  
 00000024LCMD66604568  
 ISO 17025 Accreditation #  
 97164

Signature  
 02/22/26




# Certificate of Analysis

**White Mountain Health Center**  
 9420 W. Bell Rd  
 Sun City, AZ, 85351, US  
 License #: 00000083ESGB09219996

**Sample: TE60219006-002**  
 Batch #: A9102025

**Ordered:** 02/19/26  
**Sampled:** 02/19/26  
**Completed:** 02/22/26

**PASSED**



## Residual Solvents

PASSED

| ANALYTES  | UNIT | LOD                       | LOQ | LIMIT  | PASS/FAIL | RESULT                      | QUALIFIER |
|---|------|---------------------------|-----|--|-----------|-----------------------------|-----------|
| <b>Analyzed by:</b><br>409, 602, 545  |      | <b>Weight:</b><br>0.0207g |     | <b>Extraction date:</b><br>02/19/26 16:52:06 |           | <b>Extracted by:</b><br>409 |           |
| <b>Analysis Method :</b> SOP.T.40.044.AZ<br><b>Analytical Batch :</b> TE012811SOL<br><b>Instrument Used :</b> TE-285 "MS - Solvents 2"<br><b>Analyzed Date :</b> 02/20/26 16:02:43 <span style="float: right;"><b>Batch Date :</b> 02/19/26 15:10:34</span> |      |                           |     |  |           |                             |           |
| <b>Dilution :</b> N/A<br><b>Reagent :</b> N/A<br><b>Consumables :</b> N/A<br><b>Pipette :</b> N/A   |      |                           |     |  |           |                             |           |

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.



## Microbial

PASSED

| ANALYTES   | UNIT  | LOD                       | LOQ     | LIMIT  | PASS/FAIL | RESULT                          | QUALIFIER |
|--|-------|---------------------------|---------|--|-----------|---------------------------------|-----------|
| SALMONELLA SPP.  |       |                           |         |  | PASS      | Not Detected in 1g              |           |
| ASPERGILLUS FLAVUS   |       |                           |         |  | PASS      | Not Detected in 1g              |           |
| ASPERGILLUS FUMIGATUS  |       |                           |         |  | PASS      | Not Detected in 1g              |           |
| ASPERGILLUS NIGER  |       |                           |         |  | PASS      | Not Detected in 1g              |           |
| ASPERGILLUS TERREUS  |       |                           |         |  | PASS      | Not Detected in 1g              |           |
| ESCHERICHIA COLI (REC)   | CFU/g | 10.0000                   | 10.0000 | 100  | PASS      | ND                              |           |
| <b>Analyzed by:</b><br>409, 602, 545   |       | <b>Weight:</b><br>0.9379g |         | <b>Extraction date:</b><br>02/21/26 10:18:09 |           | <b>Extracted by:</b><br>545,331 |           |
| <b>Analysis Method :</b> SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ<br><b>Analytical Batch :</b> TE012823MIC<br><b>Instrument Used :</b> TE-234 "bioMérieux GENE-UP"<br><b>Analyzed Date :</b> 02/22/26 09:58:26 <span style="float: right;"><b>Batch Date :</b> 02/20/26 10:07:09</span> |       |                           |         |  |           |                                 |           |
| <b>Dilution :</b> 10<br><b>Reagent :</b> N/A<br><b>Consumables :</b> N/A<br><b>Pipette :</b> N/A   |       |                           |         |  |           |                                 |           |

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm).



## Mycotoxins

PASSED

| ANALYTES         | UNIT | LOD    | LOQ     | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------|------|--------|---------|-------|-----------|--------|-----------|
| TOTAL AFLATOXINS | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |
| AFLATOXIN B1     | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |
| AFLATOXIN B2     | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |
| AFLATOXIN G1     | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |
| AFLATOXIN G2     | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |
| OCHRATOXIN A     | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**  
 Lab Director

State License #  
 00000024LCMD66604568  
 ISO 17025 Accreditation #  
 97164



Signature  
 02/22/26




# Certificate of Analysis

**White Mountain Health Center**  
 9420 W. Bell Rd  
 Sun City, AZ, 85351, US  
 License # : 00000083ESGB09219996

**Sample: TE60219006-002**  
 Batch #: A9102025

**Ordered:** 02/19/26  
**Sampled:** 02/19/26  
**Completed:** 02/22/26

**PASSED**



## Mycotoxins

**PASSED**

| ANALYTES   | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--|------|-----|-----|-------|-----------|--------|-----------|
| <b>Analyzed by:</b> 410, 602, 545<br><b>Weight:</b> 1.0365g<br><b>Extraction date:</b> 02/20/26 11:12:03<br><b>Extracted by:</b> 803<br><b>Analysis Method :</b> SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ<br><b>Analytical Batch :</b> TE012840MYC<br><b>Instrument Used :</b> TE-262 "MS/MS - Pest/Myco 2,TE-117 UHPLC - Pest/Myco 2<br><b>Analyzed Date :</b> 02/22/26 10:06:04<br><b>Batch Date :</b> 02/20/26 16:09:22<br><b>Dilution :</b> 50<br><b>Reagent :</b> 012226.R04; 021226.R23; 012226.R03; 021726.R19; 021626.R03; 020626.R17; 020926.R16; 021226.R25<br><b>Consumables :</b> 9479291.043; 8000038072; 120125CH01; 1010628866; 1010609273; GD250003; 527170-JR<br><b>Pipette :</b> TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL) |      |     |     |       |           |        |           |
| Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflatoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg.  |      |     |     |       |           |        |           |



## Heavy Metals

**PASSED**

| ANALYTES  | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|------|--------|--------|-------|-----------|--------|-----------|
| ARSENIC   | ppm  | 0.0660 | 0.2000 | 0.4   | PASS      | ND     |           |
| CADMIUM   | ppm  | 0.0660 | 0.2000 | 0.4   | PASS      | ND     |           |
| LEAD  | ppm  | 0.1660 | 0.5000 | 1     | PASS      | ND     |           |
| MERCURY   | ppm  | 0.0333 | 0.1000 | 0.2   | PASS      | ND     |           |
| <b>Analyzed by:</b> 398, 602, 545<br><b>Weight:</b> 0.19g<br><b>Extraction date:</b> 02/20/26 14:30:19<br><b>Extracted by:</b> 398<br><b>Analysis Method :</b> SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ<br><b>Analytical Batch :</b> TE012825HEA<br><b>Instrument Used :</b> TE-141 "Wolfgang",TE-260 "Ludwig",TE-307 "Ted"<br><b>Analyzed Date :</b> 02/21/26 14:55:13<br><b>Batch Date :</b> 02/20/26 10:28:13<br><b>Dilution :</b> 50<br><b>Reagent :</b> 122624.32; 021926.R06; 021726.R09; 022026.R11; 111125.03; 012626.08; 090222.04<br><b>Consumables :</b> H109203-1; 060225CH01; 1010532262; 1010435125; GD240004<br><b>Pipette :</b> TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid) |      |        |        |       |           |        |           |
| Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).  |      |        |        |       |           |        |           |

## CONFIDENT CANNABIS QR

\* Confident Cannabis sample ID: 2602KLAZ0220.1160



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**  
 Lab Director

State License #  
 00000024LCMD66604568  
 ISO 17025 Accreditation #  
 97164



Signature  
 02/22/26