

Powered by Confident LIMS 1 of 4

### RSP Productions: Asylum - (Sweetoz)

2985 W. Whitton Ave. Phoenix, AZ 85017 kacosta.act@gmail.com (702) 338-7088 Lic. #0000070DCBD00783295 Harvest Dates:

#### **Animal Flower**

Plant, Flower - Cured, Extraction Method: Indoor Dispensary License #: ; Manufacturing License #: ; Cultivation License #:

### Sample: 2402TLL0061.0340

Strain: Animal Parent Batch #: ; Batch#: 20240207R6AC; Batch Size: 19.5 g Sample Received: 02/20/2024; Report Created: 02/23/2024; Expires: 02/23/2025 Manufacturing Date: Sampling: ; Environment:



Orange

Mass mg/g 4.570

<

<

<

< <

<

<

Qualifier

Q3

Q3



### Safety Pass Pass Pass Pesticides Microbials Metals

V

Cinnamon

Mass

0.4570

100

#### Cannabinoids

IPL_Potency_01		_		
26.14%	<loq< th=""><th></th><th>30.29</th><th>%</th></loq<>		30.29	%
Total THC	Total CBD		Total Cannabinoids Q3	
Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.10	28.49	284.9	M1
∆9-THC	0.10	1.15	11.5	M1
∆8-THC	0.10	ND	ND	M1
THCV	0.10	ND	ND	M1
CBDa	0.10	ND	ND	M1
CBD	0.10	ND	ND	M1
CBDV	0.10	ND	ND	M1
CBN	0.10	ND	ND	M1
CBGa	0.10	0.65	6.5	M1
CBG	0.10	<loq< td=""><td><loq< td=""><td>M1</td></loq<></td></loq<>	<loq< td=""><td>M1</td></loq<>	M1
CBC	0.10	ND	ND	M1
Total		30.29	302.9	

Total THC = THCa \* 0.877 +  $\Delta$ 9-THC Total CBD = CBDa \* 0.877 + CBD Instrument: HPLC-DAD: ; Method: TPL\_Potency\_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233

https://www.transparentlabsaz.com Lic# 0000029LRCXG19240160

β-Caryophyllene trans-Nerolidol 0.4030 4.030 0.2590 2.590 0.1270 1.270 Ocimene 0.1140 1.140 δ-Limonene β-Myrcene 0.0980 0.980 Guaiol 0.0980 0.980 **B**-Pinene 0.0800 0.800 0.0740 0.740 Terpinolene 0.0660 0.660 v-Terpinene 0.0350 0.350 Linalool α-Pinene 0.0120 0.120 3-Carene α-Bisabolol  $\alpha$ -Terpinene Camphene Caryophyllene Oxide cis-Nerolidol Eucalyptol Geraniol < Isopulegol < p-Cymene 1.8230 Total 18.230

Instrument: GCMS; Method: TPL\_Terp\_01

Notes:

Terpenes TPL\_Terpenes\_01

Analyte

α-Humulene

Hops

All Rights Reserved coa.support@confidentlims.com

Brian DiMarco Laboratory Director

www.confidentlims.com The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated init values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Confident LIMS

(866) 506-5866





Powered by Confident LIMS 2 of 4

Sample: 2402TLL0061.0340

#### RSP Productions: Asylum - (Sweetoz)

2985 W. Whitton Ave. Phoenix, AZ 85017 kacosta.act@gmail.com (702) 338-7088 Lic. #0000070DCBD00783295 Harvest Dates: **Animal Flower** 

Strain: Animal Parent Batch #: ; Batch#: 20240207R6AC; Batch Size: 19.5 g Sample Received: 02/20/2024; Report Created: 02/23/2024; Expires: 02/23/2025 Manufacturing Date: Sampling: ; Environment:



Pass

Plant, Flower - Cured, Extraction Method: Indoor Dispensary License #: ; Manufacturing License #: ; Cultivation License #:

### Pesticides TPL\_Pesticides\_01

Analyte	LOQ	Limit	Mass	Status C	Qualifier	Analyte	LOQ	Limit	Mass	Status Q	ualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.24	0.50	ND	Pass	M1L1	Hexythiazox	0.48	1.00	ND	Pass	
Acephate	0.19	0.40	ND	Pass		Imazalil	0.10	0.20	ND	Pass	
Acetamiprid	0.10	0.20	ND	Pass		Imidacloprid	0.19	0.40	ND	Pass	
Aldicarb	0.19	0.40	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	
Azoxystrobin	0.10	0.20	ND	Pass		Methyl	0.17	0.40	ND	Fd55	
Bifenazate	0.10	0.20	ND	Pass		Malathion	0.10	0.20	ND	Pass	
Bifenthrin	0.10	0.20	ND	Pass		Metalaxyl	0.10	0.20	ND	Pass	
Boscalid	0.19	0.40	ND	Pass	R1	Methiocarb	0.10	0.20	ND	Pass	
Carbaryl	0.10	0.20	ND	Pass		Methomyl	0.19	0.40	ND	Pass	
Carbofuran	0.10	0.20	ND	Pass		Myclobutanil	0.10	0.20	ND	Pass	
Chlorantraniliprole	0.10	0.20	ND	Pass		Naled	0.24	0.50	ND	Pass	
Chlorfenapyr	0.48	1.00	ND	Pass	M1	Oxamyl	0.48	1.00	ND	Pass	
Chlorpyrifos	0.10	0.20	ND	Pass	M2	Paclobutrazol	0.19	0.40	ND	Pass	
Clofentezine	0.10	0.20	ND	Pass		Permethrin	0.10	0.20	ND	Pass	M2
Cyfluthrin	0.48	1.00	ND	Pass	M1	Phosmet	0.10	0.20	ND	Pass	
Cypermethrin	0.48	1.00	ND	Pass	M1	Piperonyl	0.96	2.00	ND	Pass	
Daminozide	0.48	1.00	ND	Pass	M1L1	Butoxide	0.70	2.00		газэ	
Dammozide	0.40	1.00	ND	Fd55	V1	Prallethrin	0.10	0.20	ND	Pass	M1
Diazinon	0.10	0.20	ND	Pass		Propiconazole	0.19	0.40	ND	Pass	
Dichlorvos	0.05	0.10	ND	Pass		Propoxur	0.10	0.20	ND	Pass	
Dimethoate	0.10	0.20	ND	Pass		Pyrethrins	0.48	1.00	ND	Pass	
Ethoprophos	0.10	0.20	ND	Pass		Pyridaben	0.10	0.20	ND	Pass	
Etofenprox	0.19	0.40	ND	Pass		Spinosad	0.10	0.20	ND	Pass	
Etoxazole	0.10	0.20	ND	Pass		Spiromesifen	0.10	0.20	ND	Pass	
Fenoxycarb	0.10	0.20	ND	Pass		Spirotetramat	0.10	0.20	ND	Pass	M1
Fenpyroximate	0.19	0.40	ND	Pass		Spiroxamine	0.19	0.40	ND	Pass	
Fipronil	0.19	0.40	ND	Pass		Tebuconazole	0.19	0.40	ND	Pass	
Flonicamid	0.48	1.00	ND	Pass		Thiacloprid	0.10	0.20	ND	Pass	
Fludioxonil	0.19	0.40	ND	Pass		Thiamethoxam	0.10	0.20	ND	Pass	
						Trifloxystrobin	0.10	0.20	ND	Pass	11

Instrument: LC-QQQ; Method: TPL\_Pesticides\_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233



Brian DiMarco Laboratory Director

hip

Confident LIMS All Rights Reserved coa.support@confidentlims.com

(866) 506-5866



www.confidentlims.com The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated init values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Pass

E. Coli

Powered by Confident LIMS 3 of 4

Sample: 2402TLL0061.0340

Parent Batch #: ; Batch#: 20240207R6AC; Batch Size: 19.5 g

#### RSP Productions: Asylum - (Sweetoz)

2985 W. Whitton Ave. Phoenix, AZ 85017 kacosta.act@gmail.com (702) 338-7088 Lic. #0000070DCBD00783295 Harvest Dates:

#### **Animal Flower**

Plant, Flower - Cured, Extraction Method: Indoor Dispensary License #:; Manufacturing License #:; Cultivation License #:

#### **Heavy Metals**

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	
Cadmium	200.0	400.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Lead	500.0	1000.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Mercury	100.0	200.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	

Microbials				Pass
Analyte	LOQ	Limit	Result	StatusQualifier
	CFU/g	CFU/g	CFU/g	

100

<10

Pass

10

Sample Received: 02/20/2024; Report Created: 02/23/2024; Expires: 02/23/2025

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

Instrument: ICPMS; Method: AOAC 2021.03

Instrument: qPCR/Plating; AOAC Methods 082102, 022202 and 2018.13



1721 E McDowell Road Phoenix, AZ (602) 368-4233

https://www.transparentlabsaz.com Lic# 0000029LRCXG19240160



Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866



Brian DiMarco Laboratory Director

www.confidentlims.com The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated init values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Strain: Animal



B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was blow LOQ,

B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.

D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,

I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,

L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,

M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,

M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,

M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,

M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria,

M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,

N1 - A description of the variance is described in the final report of testing,

R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,

R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)

Q1 = Sample integrity was not maintained,

Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices

Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.



Phoenix, AZ (602) 368-4233 https://www.transparentlabsaz.com Lic# 0000029LRCXG19240160

1721 E McDowell Road



Confident LIMS All Rights Reserved coa.support@confidentlims.com

(866) 506-5866



Brian DiMarco Laboratory Director

www.confidentlims.com The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.