



Powered by Confident LIMS

RSP Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 lodellrichardson@gmail.com (702) 338-7088 Lic. #00000070DCBD00783295

Harvest Dates: 08/06/2024

GMO Flower

Plant, Flower - Cured

Dispensary License #: ; Manufacturing License #: ; Cultivation License #:

Sample: 2408TLL0281.1328

Strain: GMO

Parent Batch #:; Batch#: 20240806R5GMO; Batch Size: g Sample Received: 08/09/2024; Report Created: 08/14/2024

Manufacturing Date:

Sampling: ; Environment:





Safety

Pass

Pesticides

Pass

Microbials

Pass

Metals

Cannabinoids

TPL_Potency_01

24.74% Total THC

<LOQ **Total CBD**

28.94% **Total Cannabinoids**

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.10	27.98	279.8	
Δ9-THC	0.10	0.21	2.1	
Δ8-THC	0.10	ND	ND	
THCV	0.10	ND	ND	
CBDa	0.10	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD	0.10	ND	ND	
CBDV	0.10	ND	ND	
CBN	0.10	ND	ND	
CBGa	0.10	0.65	6.5	
CBG	0.10	0.11	1.1	
CBC	0.10	ND	ND	
Total		28.94	289.4	

Total THC = THCa * 0.877 + Δ 9-THC Total CBD = CBDa * 0.877 + CBD Instrument: HPLC-DAD: ; Method: TPL_Potency_01

Terpenes







Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
β-Caryophyllene		0.2260	2.260	Q3
α-Humulene		0.2100	2.100	Q3
δ-Limonene		0.0810	0.810	Q3
Linalool		0.0720	0.720	Q3
β-Myrcene		0.0430	0.430	Q3
trans-Nerolidol		0.0340	0.340	Q3
β-Pinene		0.0200	0.200	Q3
α-Bisabolol		0.0190	0.190	Q3
α-Pinene		0.0090	0.090	Q3
Camphene		0.0020	0.020	Q3
3-Carene		<	<	Q3
α-Terpinene		<	<	Q3
Caryophyllene Oxide		<	<	Q3
cis-Nerolidol		<	<	Q3
Eucalyptol		<	<	Q3
y-Terpinene		<	<	Q3
Geraniol		<	<	Q3
Guaiol		<	<	Q3
Isopulegol		<	<	Q3
Ocimene		<	<	Q3
p-Cymene		<	<	Q3
Terpinolene		<	<	Q3
Total		0.7160	7.160	

Instrument: GCMS; Method: TPL_Terp_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco **Laboratory Director**

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







RSP Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 lodellrichardson@gmail.com (702) 338-7088

Lic. #0000070DCBD00783295 Harvest Dates: 08/06/2024

GMO Flower

Plant, Flower - Cured Dispensary License #:; Manufacturing License #:; Cultivation License #: Sample: 2408TLL0281.1328

Strain: GMO

Parent Batch #:; Batch#: 20240806R5GMO; Batch Size: g Sample Received: 08/09/2024; Report Created: 08/14/2024

> Manufacturing Date: Sampling: ; Environment:



Pesticides TPL_Pesticides_01

Analyte	LOQ	Limit	Result	Status Qu	ualifier	Analyte	LOQ	Limit	Result	Status Q	ualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.24	0.50	ND	Pass	V1	Hexythiazox	0.48	1.00	ND	Pass	
Acephate	0.19	0.40	ND	Pass		Imazalil	0.10	0.20	ND	Pass	
Acetamiprid	0.10	0.20	ND	Pass		Imidacloprid	0.19	0.40	ND	Pass	
Aldicarb	0.19	0.40	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	
Azoxystrobin	0.10	0.20	ND	Pass		Methyl	0.19	0.40	ND	Pass	
Bifenazate	0.10	0.20	ND	Pass		Malathion	0.10	0.20	ND	Pass	
Bifenthrin	0.10	0.20	ND	Pass		Metalaxyl	0.10	0.20	ND	Pass	
Boscalid	0.19	0.40	ND	Pass		Methiocarb	0.10	0.20	ND	Pass	R1
Carbaryl	0.10	0.20	ND	Pass		Methomyl	0.19	0.40	ND	Pass	
Carbofuran	0.10	0.20	ND	Pass		Myclobutanil	0.10	0.20	ND	Pass	
Chlorantraniliprole	0.10	0.20	ND	Pass	R1	Naled	0.24	0.50	ND	Pass	
Chlorfenapyr	0.48	1.00	ND	Pass		Oxamyl	0.48	1.00	ND	Pass	
Chlorpyrifos	0.10	0.20	ND	Pass		Paclobutrazol	0.19	0.40	ND	Pass	
Clofentezine	0.10	0.20	ND	Pass		Permethrin	0.10	0.20	ND	Pass	
Cyfluthrin	0.48	1.00	ND	Pass		Phosmet	0.10	0.20	ND	Pass	
Cypermethrin	0.48	1.00	ND	Pass		Piperonyl	0.96	2.00	ND	Pass	
Daminozide	0.48	1.00	ND	Pass		Butoxide	0.70	2.00	ND	Pass	
Diazinon	0.10	0.20	ND	Pass		Prallethrin	0.10	0.20	ND	Pass	
Dichlorvos	0.05	0.10	ND	Pass		Propiconazole	0.19	0.40	ND	Pass	
Dimethoate	0.10	0.20	ND	Pass		Propoxur	0.10	0.20	ND	Pass	
Ethoprophos	0.10	0.20	ND	Pass		Pyrethrins	0.48	1.00	<loq< td=""><td>Pass</td><td></td></loq<>	Pass	
Etofenprox	0.19	0.40	ND	Pass		Pyridaben	0.10	0.20	ND	Pass	
Etoxazole	0.10	0.20	ND	Pass		Spinosad	0.10	0.20	ND	Pass	
Fenoxycarb	0.10	0.20	ND	Pass		Spiromesifen	0.10	0.20	ND	Pass	
Fenpyroximate	0.19	0.40	ND	Pass		Spirotetramat	0.10	0.20	ND	Pass	
Fipronil	0.19	0.40	ND	Pass		Spiroxamine	0.19	0.40	ND	Pass	
Flonicamid	0.48	1.00	ND	Pass		Tebuconazole	0.19	0.40	ND	Pass	
Fludioxonil	0.19	0.40	ND	Pass		Thiacloprid	0.10	0.20	ND	Pass	
						Thiamethoxam	0.10	0.20	ND	Pass	
						Trifloxystrobin	0.10	0.20	ND	Pass	

Instrument: LC-QQQ; Method: TPL_Pesticides_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco **Laboratory Director**

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







RSP Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 lodellrichardson@gmail.com (702) 338-7088 Lic. #00000070DCBD0078329

Lic. #0000070DCBD00783295 Harvest Dates: 08/06/2024

GMO Flower Plant, Flower - Cured

Dispensary License #:; Manufacturing License #:; Cultivation License #:

Sample: 2408TLL0281.1328

Strain: GMO

Parent Batch #: ; Batch #: 20240806R5GMO; Batch Size: g Sample Received: 08/09/2024; Report Created: 08/14/2024

Manufacturing Date: Sampling: ; Environment:



Heavy Me	tals				Pass
Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	V1
Cadmium	200.0	400.0	<loq< th=""><th>Pass</th><th>V1</th></loq<>	Pass	V1
Lead	500.0	1000.0	<loq< th=""><th>Pass</th><th>V1</th></loq<>	Pass	V1
Mercury	100.0	200.0	<loq< th=""><th>Pass</th><th>V1</th></loq<>	Pass	V1

Microbials				Pass
Analyte	LOQ	Limit	Result	StatusQualifier
	CFU/g	CFU/g	CFU/g	
E. Coli	10	100	<10	Pass

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

LOQ=Limit of Quantitation. The reported result is based on a simple weight with the applicable moisture content for that sample. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Instrument: ICPMS; Method: AOAC 2021.03

Instrument: qPCR/Plating; AOAC Methods 082102, 022202 and 2018.13 $\,$



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.U sing marijuana during pregnancy could cause birth defects or other health issues to your unborn child.





- B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was blow LOQ,
- B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.
- D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,
- I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,
- L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,
- M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,
- M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,
- M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,
- M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,
- N1 A description of the variance is described in the final report of testing,
- R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03(K)(2) was within accepted criteria,
- R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)
- Q1 = Sample integrity was not maintained,
- Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices
- Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317
- V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

TLABS

1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

