



Powered by Confident LIMS

RSP Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 lodellrichardson@gmail.com (702) 338-7088 Lic. #00000070DCBD00783295 Sample: 2408TLL0276.1307

Strain: Grape Gas

Parent Batch #:; Batch#: 20240730R4GG; Batch Size: g

Sample Received: 08/02/2024; Report Created: 08/07/2024; Expires: 08/07/2025

Manufacturing Date:

Sampling: ; Environment:

Harvest Dates: 07/30/2024 **Grape Gas Flower**

Plant, Flower - Cured

Dispensary License #:; Manufacturing License #:; Cultivation License #:





Safety

Pass

Pesticides

Pass

Microbials

Pass

Metals

Cannabinoids

TPL_Potency_01

28.09% **Total THC**

<LOQ **Total CBD** T

33	.03%
	nnabinoids Q3

Analyte	LOQ	Mass	Mass	Qualifie
	%	%	mg/g	
THCa	0.10	31.71	317.1	
Δ9-ΤΗС	0.10	0.28	2.8	
Δ8-ΤΗС	0.10	ND	ND	
THCV	0.10	ND	ND	
CBDa	0.10	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD	0.10	ND	ND	
CBDV	0.10	ND	ND	
CBN	0.10	ND	ND	
CBGa	0.10	1.04	10.4	
CBG	0.10	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBC	0.10	ND	ND	
Total		33.03	330.3	

Terpenes TPL_Terpenes_01







δ-Limonene % % mg/g β-Caryophyllene 0.0850 0.850 α-Humulene 0.0790 0.790 Linalool 0.0460 0.460 β-Pinene 0.0340 0.340 trans-Nerolidol 0.0260 0.260 α-Pinene 0.0230 0.230 β-Myrcene 0.0110 0.110 α-Bisabolol 0.0040 0.040 Camphene 0.0030 0.030 3-Carene < < α-Terpinene < < Caryophyllene Oxide < < cis-Nerolidol < < Eucalyptol < < γ-Terpinene < < Geraniol < < Guaiol < < Isopulegol < < Ocimene < < p-Cymene < <	Qualifier
β-Caryophyllene 0.0850 0.850 α-Humulene 0.0790 0.790 Linalool 0.0460 0.460 β-Pinene 0.0340 0.340 trans-Nerolidol 0.0260 0.260 α-Pinene 0.0230 0.230 β-Myrcene 0.0110 0.110 α-Bisabolol 0.0040 0.040 Camphene 0.0030 0.030 3-Carene <	
α-Humulene 0.0790 0.790 Linalool 0.0460 0.460 β-Pinene 0.0340 0.340 trans-Nerolidol 0.0260 0.260 α-Pinene 0.0230 0.230 β-Myrcene 0.0110 0.110 α-Bisabolol 0.0040 0.040 Camphene 0.0030 0.030 3-Carene <	Q3
Linalool 0.0460 0.460 β-Pinene 0.0340 0.340 trans-Nerolidol 0.0260 0.260 α-Pinene 0.0230 0.230 β-Myrcene 0.0110 0.110 α-Bisabolol 0.0040 0.040 Camphene 0.0030 0.030 3-Carene < < < < < < < < < < < < < < < < < < <	Q3
β-Pinene 0.0340 0.340 trans-Nerolidol 0.0260 0.260 α-Pinene 0.0230 0.230 β-Myrcene 0.0110 0.110 α-Bisabolol 0.0040 0.040 Camphene 0.0030 0.030 3-Carene <	Q3
trans-Nerolidol 0.0260 0.260 α-Pinene 0.0230 0.230 β-Myrcene 0.0110 0.110 α-Bisabolol 0.0040 0.040 Camphene 0.0030 0.030 3-Carene <	Q3
α-Pinene 0.0230 0.230 β-Myrcene 0.0110 0.110 α-Bisabolol 0.0040 0.040 Camphene 0.0030 0.030 3-Carene <	Q3
β-Myrcene 0.0110 0.110 α-Bisabolol 0.0040 0.040 Camphene 0.0030 0.030 3-Carene <	Q3
α-Bisabolol 0.0040 0.040 Camphene 0.0030 0.030 3-Carene <	Q3
Camphene 0.0030 0.030 3-Carene <	Q3
3-Carene	Q3
α-Terpinene <	Q3
Caryophyllene Oxide cis-Nerolidol Eucalyptol y-Terpinene Geraniol Guaiol Isopulegol Ocimene < < < < < < < < < < < < < < < < < < <	Q3
cis-Nerolidol <	Q3
Eucalyptol <	Q3
y-Terpinene <	Q3
Geraniol <	Q3
Guaiol < < li>Isopulegol < < < Ocimene < < <	Q3
Isopulegol < < < Ocimene < <	Q3
Ocimene < <	Q3
	Q3
n-Cymene < <	Q3
p Cymene	Q3
Terpinolene < <	Q3
Total 0.4320 4.320	•

Instrument: GCMS; Method: TPL_Terp_01

Total THC = THCa * 0.877 + Δ 9-THC Total CBD = CBDa * 0.877 + CBD Instrument: HPLC-DAD: ; Method: TPL_Potency_01

LABS

1721 E McDowell Road

Phoenix, AZ (602) 368-4233

transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco **Laboratory Director**

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866



www.confidentlims.com This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.





Strain: Grape Gas

RSP Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 lodellrichardson@gmail.com (702) 338-7088 Lic. #00000070DCBD00783295

Sample Received: 08/02/2024; Report Created: 08/07/2024; Expires: 08/07/2025

Manufacturing Date: Sampling: ; Environment:

Parent Batch #:; Batch#: 20240730R4GG; Batch Size: g

Sample: 2408TLL0276.1307

Harvest Dates: 07/30/2024 **Grape Gas Flower**

Plant, Flower - Cured

Dispensary License #:; Manufacturing License #:; Cultivation License #:



Pesticides TPL_Pesticides_01

Pass

Analyte	LOQ	Limit	Result	Status Qualifier	Analyte	LOQ	Limit	Result	Status Qualifier
	PPM	PPM	PPM		-	PPM	PPM	PPM	
Abamectin	0.24	0.50	ND	Pass	Hexythiazox	0.48	1.00	ND	Pass
Acephate	0.19	0.40	ND	Pass	Imazalil	0.10	0.20	ND	Pass
Acetamiprid	0.10	0.20	ND	Pass	I midac l oprid	0.19	0.40	ND	Pass
Aldicarb	0.19	0.40	ND	Pass	Kresoxim	0.19	0.40	ND	Pass
Azoxystrobin	0.10	0.20	ND	Pass	Methyl	0.17	0.40	ND	Pd55
Bifenazate	0.10	0.20	ND	Pass	Malathion	0.10	0.20	ND	Pass
Bifenthrin	0.10	0.20	ND	Pass	Metalaxyl	0.10	0.20	ND	Pass
Boscalid	0.19	0.40	ND	Pass	Methiocarb	0.10	0.20	ND	Pass
Carbaryl	0.10	0.20	ND	Pass	Methomyl	0.19	0.40	ND	Pass
Carbofuran	0.10	0.20	ND	Pass	Myclobutanil	0.10	0.20	ND	Pass
Chlorantraniliprole	0.10	0.20	ND	Pass	Naled	0.24	0.50	ND	Pass
Chlorfenapyr	0.48	1.00	ND	Pass	Oxamyl	0.48	1.00	ND	Pass
Chlorpyrifos	0.10	0.20	ND	Pass	Paclobutrazol	0.19	0.40	ND	Pass
Clofentezine	0.10	0.20	ND	Pass	Permethrin	0.10	0.20	ND	Pass
Cyfluthrin	0.48	1.00	ND	Pass	Phosmet	0.10	0.20	ND	Pass
Cypermethrin	0.48	1.00	ND	Pass	Piperonyl	0.96	2.00	ND	Pass
Daminozide	0.48	1.00	ND	Pass	Butoxide	0.70	2.00	ND	Pass
Diazinon	0.10	0.20	ND	Pass	Prallethrin	0.10	0.20	ND	Pass
Dichlorvos	0.05	0.10	ND	Pass	Propiconazole	0.19	0.40	ND	Pass
Dimethoate	0.10	0.20	ND	Pass	Propoxur	0.10	0.20	ND	Pass
Ethoprophos	0.10	0.20	ND	Pass	Pyrethrins	0.48	1.00	0.56	Pass
Etofenprox	0.19	0.40	ND	Pass	Pyridaben	0.10	0.20	ND	Pass
Etoxazole	0.10	0.20	ND	Pass	Spinosad	0.10	0.20	ND	Pass
Fenoxycarb	0.10	0.20	ND	Pass	Spiromesifen	0.10	0.20	ND	Pass
Fenpyroximate	0.19	0.40	ND	Pass	Spirotetramat	0.10	0.20	ND	Pass
Fipronil	0.19	0.40	ND	Pass	Spiroxamine	0.19	0.40	ND	Pass
Flonicamid	0.48	1.00	ND	Pass	Tebuconazo l e	0.19	0.40	ND	Pass
Fludioxonil	0.19	0.40	ND	Pass	Thiacloprid	0.10	0.20	ND	Pass
					Thiamethoxam	0.10	0.20	ND	Pass
					Trifloxystrobin	0.10	0.20	ND	Pass

Instrument: LC-QQQ; Method: TPL_Pesticides_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco **Laboratory Director**

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







Sample: 2408TLL0276.1307

Strain: Grape Gas

Parent Batch #:; Batch#: 20240730R4GG; Batch Size: g

Sample Received: 08/02/2024; Report Created: 08/07/2024; Expires: 08/07/2025

Manufacturing Date:

Sampling: ; Environment:

Phoenix, AZ 85017 lodellrichardson@gmail.com (702) 338-7088

RSP Productions: Asylum

Lic. #00000070DCBD00783295

Harvest Dates: 07/30/2024

2985 W. Whitton Ave.

Grape Gas Flower

Plant, Flower - Cured

Dispensary License #:; Manufacturing License #:; Cultivation License #:



Heavy Me	tals				Pass
Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	
Cadmium	200.0	400.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Lead	500.0	1000.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Mercury	100.0	200.0	<1.00	Pass	

Microbials				Pass
Analyte	LOQ	Limit	Result	StatusQualifier
	CFU/g	CFU/g	CFU/g	
E. Coli	10	100	<10	Pass

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

LOQ=Limit of Quantitation. The reported result is based on a simple weight with the applicable moisture content for that sample. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Instrument: ICPMS; Method: AOAC 2021.03

Instrument: qPCR/Plating; AOAC Methods 082102, 022202 and 2018.13



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco
Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.





- B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was blow LOQ,
- B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.
- D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,
- I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,
- L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,
- M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,
- M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,
- M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,
- M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,
- N1 A description of the variance is described in the final report of testing,
- R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03 (K)(3), but the recover in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,
- R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)
- Q1 = Sample integrity was not maintained,
- Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices
- Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317
- $V1 = The\ recovery\ from\ continuing\ calibration\ verification\ standards\ exceeded\ the\ acceptance\ limits\ denoted\ in\ A.C.\ C.\ 17\ R9-17-403.03(J)(1)(b),\ but\ the\ sample's\ target\ analytes\ were\ not\ detected\ above\ the\ maximum\ allowable\ concentrations\ for\ the\ analytes\ in\ the\ sample.$



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

