

Safety

Pass

Pesticides

Terpenes TPL\_Terpenes\_01

Caryophyllene Oxide Isopulegol

Analyte

α-Pinene

y-Terpinene Terpinolene

Camphene

α-Terpinene

δ-Limonene

3-Carene

α-Humulene

β-Myrcene

β-Pinene

Guaiol

Total

Notes:

I inalool

Ocimene

p-Cymene

trans-Nerolidol

Instrument: GCMS; Method: TPL\_Terp\_01

Eucalyptol

β-Caryophyllene cis-Nerolidol

Geraniol α-Bisabolol Powered by Confident LIMS 1 of 4

### **RSP** Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 lodellrichardson@gmail.com (702) 338-7088 Lic. #00000070DCBD00783295 Harvest Dates: 09/10/2024 **Grape Gas Flower** 

Plant, Flower - Cured Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



Strain: Grape Gas Parent Batch #:; Batch#: 20240910R1GG; Batch Size: g Sample Received: 09/13/2024; Report Created: 09/19/2024 Manufacturing Date: Sampling: ; Environment:

Pass

Microbials

Mint

100

Mass

0.3840

0.3800

0.3480

0.2410

0.0790

0.0680

0.0430

0.0320

0.0240

0.0200

0.0190

0.0030

<

<

<

1.6410



Pass

Metals

Pine

Mass mg/g 3.840

3.800

3.480

2.410

0.790

0.680

0.430

0.320

0.240

0.200

0.190

0.030

<

<

<

<

<

<

<

<

16.410

Qualifier

Q3

Q3



### Cannabinoids

TPL_Potency_01		_		
27.10%	<loq< th=""><th></th><th>31.74%</th><th>6</th></loq<>		31.74%	6
Total THC	Total CBD		Total Cannab Q3	inoids
Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.10	30.10	301.0	
∆9-THC	0.10	0.70	7.0	
∆8-THC	0.10	ND	ND	
THCV	0.10	ND	ND	
CBDa	0.10	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD	0.10	ND	ND	
CBDV	0.10	ND	ND	
CBN	0.10	ND	ND	
CBGa	0.10	0.93	9.3	
CBG	0.10	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBC	0.10	ND	ND	
Total		31.74	317.4	

Total THC = THCa \* 0.877 +  $\Delta$ 9-THC Total CBD = CBDa \* 0.877 + CBD Instrument: HPLC-DAD: ; Method: TPL\_Potency\_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic#0000029LRCXG19240160

hip

Brian DiMarco Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.Using mariluana during preenancy could cause birth defects or other health issues to your unborn child.





Powered by Confident LIMS 2 of 4

#### **RSP** Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 Iodellrichardson@gmail.com (702) 338-7088 Lic. #00000070DCBD00783295 Harvest Dates: 09/10/2024 **Grape Gas Flower** 

Plant, Flower - Cured Dispensary License #: ; Cultivation License #: ; Cultivation License #: ;

### Pesticides TPL\_Pesticides\_01

## Sample: 2409TLL0325.1543

Strain: Grape Gas Parent Batch #: ; Batch#: 20240910R1GG; Batch Size: g Sample Received: 09/13/2024; Report Created: 09/19/2024 Manufacturing Date: Sampling: ; Environment:



Pass

Analyte	LOQ	Limit	Result	Status Qu	ualifier	Analyte	LOQ	Limit	Result	Status Q	ualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.24	0.50	ND	Pass	L1	Hexythiazox	0.48	1.00	ND	Pass	
Acephate	0.19	0.40	ND	Pass		Imazalil	0.10	0.20	ND	Pass	R1
Acetamiprid	0.10	0.20	ND	Pass		Imidacloprid	0.19	0.40	ND	Pass	
Aldicarb	0.19	0.40	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	
Azoxystrobin	0.10	0.20	ND	Pass		Methyl	0.17	0.40	ND	Fd55	
Bifenazate	0.10	0.20	ND	Pass		Malathion	0.10	0.20	ND	Pass	R1
Bifenthrin	0.10	0.20	ND	Pass		Metalaxyl	0.10	0.20	ND	Pass	
Boscalid	0.19	0.40	ND	Pass		Methiocarb	0.10	0.20	ND	Pass	R1
Carbaryl	0.10	0.20	ND	Pass		Methomyl	0.19	0.40	ND	Pass	
Carbofuran	0.10	0.20	ND	Pass		Myclobutanil	0.10	0.20	ND	Pass	
Chlorantraniliprole		0.20	ND	Pass		Naled	0.24	0.50	ND	Pass	
Chlorfenapyr	0.48	1.00	ND	Pass	V1	Oxamyl	0.48	1.00	ND	Pass	
Chlorpyrifos	0.10	0.20	ND	Pass		Paclobutrazol	0.19	0.40	ND	Pass	
Clofentezine	0.10	0.20	ND	Pass		Permethrin	0.10	0.20	ND	Pass	
Cyfluthrin	0.48	1.00	ND	Pass		Phosmet	0.10	0.20	ND	Pass	
Cypermethrin	0.48	1.00	ND	Pass		Piperonyl	0.96	2.00	ND	Pass	
Daminozide	0.48	1.00	ND	Pass	L1	Butoxide					
Diazinon	0.10	0.20	ND	Pass		Prallethrin	0.10	0.20	ND	Pass	
Dichlorvos	0.05	0.10	ND	Pass		Propiconazole	0.19	0.40	ND	Pass	
Dimethoate	0.10	0.20	ND	Pass		Propoxur	0.10	0.20	ND	Pass	
Ethoprophos	0.10	0.20	ND	Pass		Pyrethrins	0.48	1.00	ND	Pass	
Etofenprox	0.19	0.40	ND	Pass		Pyridaben	0.10	0.20	ND	Pass	
Etoxazole	0.10	0.20	ND	Pass		Spinosad	0.10	0.20	ND	Pass	
Fenoxycarb	0.10	0.20	ND	Pass		Spiromesifen	0.10	0.20	ND	Pass	
Fenpyroximate	0.19	0.40	ND	Pass		Spirotetramat	0.10	0.20	ND	Pass	
Fipronil	0.19	0.40	ND	Pass		Spiroxamine	0.19	0.40	ND	Pass	
Flonicamid	0.48	1.00	ND	Pass		Tebuconazole	0.19	0.40	ND	Pass	
Fludioxonil	0.19	0.40	ND	Pass		Thiacloprid	0.10	0.20	ND	Pass	
						Thiamethoxam	0.10	0.20	ND	Pass	

Instrument: LC-QQQ ; Method: TPL\_Pesticides\_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160 pifi

Trifloxystrobin

0.10

0.20

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

ND

Pass



Brian DiMarco Laboratory Director

This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.Using manifugan during preenancy could cause birth defects or other health issues to your unborn child.



Pass

Powered by Confident LIMS 3 of 4

Strain: Grape Gas

Manufacturing Date:

Sampling: ; Environment:

### **RSP** Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 lodellrichardson@gmail.com (702) 338-7088 Lic. #00000070DCBD00783295 Harvest Dates: 09/10/2024

### Grape Gas Flower

Plant, Flower - Cured Dispensary License #: ; Manufacturing License #: ; Cultivation License #:

,					
Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	
Cadmium	200.0	400.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Lead	500.0	1000.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Mercury	100.0	200.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	

				_
Microbials				Pass
Analyte	100	Limit	Result	StatusQualifier

Analyte	LOQ	Limit	Result	StatusQualifier
	CFU/g	CFU/g	CFU/g	
E. Coli	10	100	<10	Pass

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

LOQ=Limit of Quantitation. The reported result is based on a simple weight with the applicable moisture content for that sample. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Instrument: ICPMS; Method: AOAC 2021.03

Instrument: qPCR/Plating; AOAC Methods 082102, 022202 and 2018.13



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com

transparentlabsaz.com Lic# 0000029LRCXG19240160 Brian DiMarco

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.Using mariliuana during preenancy could cause birth defects or other health issues to your unborn child.

Laboratory Director



Parent Batch #: ; Batch#: 20240910R1GG; Batch Size: g

Sample Received: 09/13/2024; Report Created: 09/19/2024



B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was blow LOQ,

B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.

D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,

11 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,

L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,

M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,

M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,

M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,

M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria,

M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,

N1 - A description of the variance is described in the final report of testing,

R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,

R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)

Q1 = Sample integrity was not maintained,

Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices

Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

-	(SPA	RENT
	2	RS

Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

1721 E McDowell Road

Brian DiMarco

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Brian DiMarco Laboratory Director

This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.