

Powered by Confident LIMS 1 of 4

RSP Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 lodellrichardson@gmail.com (702) 338-7088 Lic. #0000070DCBD00783295 Harvest Dates: 05/14/2024 OG Kush x 78 Affie #3 Flower

Strain: OG Kush x 78 Affie #3 Parent Batch #: ; Batch#: 20240514R2OGKA; Batch Size: 15 g Sample Received: 05/20/2024; Report Created: 05/21/2024; Expires: 05/21/2025 Manufacturing Date: Sampling: ; Environment:





Dispensary License #: ; Manufacturing License #: ; Cultivation License #:

Cannabinoids

Plant, Flower - Cured

TPL_Potency_01		_		
26.61%	<loq< th=""><th></th><th>32.87</th><th>%</th></loq<>		32.87	%
Total THC	Total CBD		Total Canna Q3	binoids
Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.10	29.27	292.7	
Δ9-THC	0.10	0.94	9.4	
∆8-THC	0.10	ND	ND	
THCV	0.10	ND	ND	
CBDa	0.10	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD	0.10	ND	ND	
CBDV	0.10	ND	ND	
CBN	0.10	ND	ND	
CBGa	0.10	2.44	24.4	
CBG	0.10	0.22	2.2	
CBC	0.10	ND	ND	
Total		32.87	328.7	

Total THC = THCa * $0.877 + \Delta 9$ -THC Total CBD = CBDa * 0.877 + CBDInstrument: HPLC-DAD: ; Method: TPL_Potency_01




1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic#0000029LRCXG19240160

Brian DiMarco Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.Using manifugan during preenancy could cause birth defects or other health issues to your unborn child.



Terpenes

TPL_Terpenes_01				
P Y -	*		9	
€ / Cinnamon	Hops		Ear	
Analyte	LOQ	Mass	Mass	Qualifier
$\begin{array}{c} \beta\text{-}Caryophyllene\\ \alpha\text{-}Humulene\\ \beta\text{-}Myrcene\\ Ocimene\\ \beta\text{-}Pinene\\ \delta\text{-}Limonene\\ trans-Nerolidol\\ y\text{-}Terpinene\\ Terpinolene\\ \alpha\text{-}Bisabolol\\ Linalool\\ \alpha\text{-}Pinene\\ Eucalyptol\\ Camphene\\ 3\text{-}Carene\\ \alpha\text{-}Terpinene\\ Caryophyllene Oxide\\ cis-Nerolidol\\ Geraniol\\ Guaiol\\ Isopulegol\\ p\text{-}Cymene\\ \end{array}$	%	% 0.2000 0.1500 0.1100 0.1000 0.0900 0.0900 0.0900 0.0700 0.0700 0.0500 0.0500 0.0400 0.0400 0.0400 0.0400 0.0100 < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < </li /li	mg/g 2.000 1.500 1.100 0.900 0.900 0.900 0.700 0.700 0.500 0.500 0.400 0.500 0.500 0.500 0.500 0.700 0.700 0.700 0.500 0.700 0.700 0.700 0.700 0.500 0.700 0.700 0.500 0.500 0.700 0.500000000	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Total		1.1500	11.500	
In a transmission of the COMC Martha				

Instrument: GCMS; Method: TPL_Terp_01 Notes:

Sample: 2405TLL0171.0831



Powered by Confident LIMS 2 of 4

RSP Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 Iodellrichardson@gmail.com (702) 338-7088 Lic. #00000070DCBD00783295 Harvest Dates: 05/14/2024 OG Kush x 78 Affie #3 Flower

Plant, Flower - Cured

Dispensary License #: ; Manufacturing License #: ; Cultivation License #:

Pesticides TPL_Pesticides_01

Sample: 2405TLL0171.0831

Strain: OG Kush x 78 Affie #3 Parent Batch #: ; Batch#: 20240514R2OGKA; Batch Size: 15 g Sample Received: 05/20/2024; Report Created: 05/21/2024; Expires: 05/21/2025 Manufacturing Date: Sampling: ; Environment:



Pass

Analyte	LOQ	Limit	Mass	Status (Qualifier	Analyte	LOQ	Limit	Mass	Status Q	ualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.24	0.50	ND	Pass	V1	Hexythiazox	0.48	1.00	ND	Pass	M1
Acephate	0.19	0.40	ND	Pass		Imazalil	0.10	0.20	ND	Pass	M1
Acetamiprid	0.10	0.20	ND	Pass	M1	Imidacloprid	0.19	0.40	ND	Pass	M1
Aldicarb	0.19	0.40	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	M1
Azoxystrobin	0.10	0.20	ND	Pass	M1	Methyl	0.19	0.40	ND	Pass	111
Bifenazate	0.10	0.20	ND	Pass	M1L1	Malathion	0.10	0.20	ND	Pass	M1
Difendzale	0.10	0.20	ND	F d55	V1	Metalaxyl	0.10	0.20	ND	Pass	M1
Bifenthrin	0.10	0.20	ND	Pass		Methiocarb	0.10	0.20	ND	Pass	
Boscalid	0.19	0.40	ND	Pass	M1	Methomyl	0.19	0.40	ND	Pass	
Carbaryl	0.10	0.20	ND	Pass		Myclobutanil	0.10	0.20	ND	Pass	
Carbofuran	0.10	0.20	ND	Pass		Naled	0.24	0.50	ND	Pass	
Chlorantraniliprole	0.10	0.20	ND	Pass	M1	Oxamyl	0.48	1.00	ND	Pass	
Chlorfenapyr	0.48	1.00	ND	Pass	M1V1	Paclobutrazol	0.19	0.40	ND	Pass	
Chlorpyrifos	0.10	0.20	ND	Pass		Permethrin	0.10	0.20	ND	Pass	M2
Clofentezine	0.10	0.20	ND	Pass		Phosmet	0.10	0.20	ND	Pass	
Cyfluthrin	0.48	1.00	ND	Pass		Piperonyl	0.96	2.00	ND	Pass	M1
Cypermethrin	0.48	1.00	ND	Pass	M1	Butoxide					1.11
Daminozide	0.48	1.00	ND	Pass	M1L1	Prallethrin	0.10	0.20	ND	Pass	
					V1	Propiconazole	0.19	0.40	ND	Pass	M1
Diazinon	0.10	0.20	ND	Pass		Propoxur	0.10	0.20	ND	Pass	
Dichlorvos	0.05	0.10	ND	Pass		Pyrethrins	0.48	1.00	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Dimethoate	0.10	0.20	ND	Pass		Pyridaben	0.10	0.20	ND	Pass	M1
Ethoprophos	0.10	0.20	ND	Pass		Spinosad	0.10	0.20	ND	Pass	M1
Etofenprox	0.19	0.40	ND	Pass		Spiromesifen	0.10	0.20	ND	Pass	M1
Etoxazole	0.10	0.20	ND	Pass	M1	Spirotetramat	0.10	0.20	ND	Pass	M1
Fenoxycarb	0.10	0.20	ND	Pass		Spiroxamine	0.19	0.40	ND	Pass	M1
Fenpyroximate	0.19	0.40	ND	Pass	M1	Tebuconazole	0.19	0.40	ND	Pass	M1
Fipronil	0.19	0.40	ND	Pass		Thiacloprid	0.10	0.20	ND	Pass	M1
Flonicamid	0.48	1.00	ND	Pass	M1	Thiamethoxam	0.10	0.20	ND	Pass	M1
Fludioxonil	0.19	0.40	ND	Pass		Trifloxystrobin	0.10	0.20	ND	Pass	

Instrument: LC-QQQ ; Method: TPL_Pesticides_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160 pifi

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Brian DiMarco Laboratory Director

Lic# 0000029LRCXG19240160 LaDOratory Director www.confidentlims.com
This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Labs LLC the required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17.
Supp. 22-30 Using mariluana during preenancy could cause birth defects or other health issues to your unborn child.



Pass

Microbials

Analyte

E. Coli

Powered by Confident LIMS 3 of 4

Sample: 2405TLL0171.0831

Result

CFU/g

<10

RSP Productions: Asylum

2985 W. Whitton Ave. Phoenix, AZ 85017 lodellrichardson@gmail.com (702) 338-7088 Lic. #0000070DCBD00783295 Harvest Dates: 05/14/2024 OG Kush x 78 Affie #3 Flower

Strain: OG Kush x 78 Affie #3 Parent Batch #: ; Batch#: 20240514R2OGKA; Batch Size: 15 g Sample Received: 05/20/2024; Report Created: 05/21/2024; Expires: 05/21/2025 Manufacturing Date: Sampling: ; Environment:

Pass

StatusQualifier

Pass

Plant, Flower - Cured

Dispensary License #: ; Manufacturing License #: ; Cultivation License #:

Heavy Metals

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	
Cadmium	200.0	400.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Lead	500.0	1000.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Mercury	100.0	200.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	

	11.11		<i>c</i>	
Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	

Limit

100

CFU/g

LOQ

Analyte	Limit	Result	Status	Quaimer
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

LOQ=Limit of Quantitation. The reported result is based on a simple weight with the applicable moisture content for that sample. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Instrument: ICPMS; Method: AOAC 2021.03

Instrument: qPCR/Plating; AOAC Methods 082102, 022202 and 2018.13



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic#0000029LRCXG19240160

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Brian DiMarco Laboratory Director

This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.Using mariliuana during preenancy could cause birth defects or other health issues to your unborn child.



B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was blow LOQ,

B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.

D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,

11 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,

L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,

M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,

M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,

M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,

M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria,

M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,

N1 - A description of the variance is described in the final report of testing,

R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,

R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)

Q1 = Sample integrity was not maintained,

Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices

Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

-	(SPA	RENT
	2	RS

Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

1721 E McDowell Road

Brian DiMarco

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Brian DiMarco Laboratory Director

This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.Using marijuana during preparatory could cause birth defects or other health issues to your unborn child.