

## RSP Productions: Asylum

2985 W. Whitton Ave.  
Phoenix, AZ 85017  
lodellrichardson@gmail.com  
(702) 338-7088  
Lic. #00000070DCBD00783295  
Harvest Dates: 04/23/2024

## Sample: 2405TLL0154.0770

Strain: Wake N Bake  
Parent Batch #: ; Batch#: 20240423R8AB1; Batch Size: 15 g  
Sample Received: 05/03/2024; Report Created: 05/10/2024; Expires: 05/10/2025  
Manufacturing Date:  
Sampling: ; Environment:

## Wake N Bake Flower

Plant, Flower - Cured  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



## Safety

<b>Pass</b>	<b>Pass</b>	<b>Pass</b>
Pesticides	Microbials	Metals

## Cannabinoids

TPL\_Potency\_01

<b>25.31%</b>	<b>ND</b>	<b>30.07%</b>
Total THC	Total CBD	Total Cannabinoids Q3

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.10	28.01	280.1	
Δ9-THC	0.10	0.75	7.5	
Δ8-THC	0.10	ND	ND	
THCV	0.10	ND	ND	
CBDa	0.10	ND	ND	
CBD	0.10	ND	ND	
CBDV	0.10	ND	ND	
CBN	0.10	ND	ND	
CBGa	0.10	1.16	11.6	
CBG	0.10	0.14	1.4	
CBC	0.10	ND	ND	
<b>Total</b>		<b>30.07</b>	<b>300.7</b>	

Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD  
Instrument: HPLC-DAD; Method: TPL\_Potency\_01

## Terpenes

TPL\_Terpenes\_01

Hops	Cinnamon	Earthy

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
β-Myrcene		0.1900	1.900	Q3
β-Caryophyllene		0.1700	1.700	Q3
Ocimene		0.1200	1.200	Q3
α-Humulene		0.1100	1.100	Q3
α-Pinene		0.1100	1.100	Q3
Linalool		0.1100	1.100	Q3
β-Pinene		0.1000	1.000	Q3
δ-Limonene		0.0900	0.900	Q3
Terpinolene		0.0700	0.700	Q3
trans-Nerolidol		0.0400	0.400	Q3
Camphene		0.0100	0.100	Q3
3-Carene		<	<	Q3
α-Bisabolol		<	<	Q3
α-Terpinene		<	<	Q3
Caryophyllene Oxide		<	<	Q3
cis-Nerolidol		<	<	Q3
Eucalyptol		<	<	Q3
γ-Terpinene		<	<	Q3
Geraniol		<	<	Q3
Guaiol		<	<	Q3
Isopulegol		<	<	Q3
p-Cymene		<	<	Q3
<b>Total</b>		<b>1.1200</b>	<b>11.200</b>	

Instrument: GCMS; Method: TPL\_Terp\_01  
Notes:

## RSP Productions: Asylum

2985 W. Whitton Ave.  
Phoenix, AZ 85017  
lodellrichardson@gmail.com  
(702) 338-7088  
Lic. #00000070DCBD00783295  
Harvest Dates: 04/23/2024

## Sample: 2405TLL0154.0770

Strain: Wake N Bake  
Parent Batch #: ; Batch#: 20240423R8AB1; Batch Size: 15 g  
Sample Received: 05/03/2024; Report Created: 05/10/2024; Expires: 05/10/2025  
Manufacturing Date:  
Sampling: ; Environment:

## Wake N Bake Flower

Plant, Flower - Cured  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



## Pesticides TPL\_Pesticides\_01

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier	Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.24	0.50	ND	Pass	M1 L1 V1	Hexythiazox	0.48	1.00	ND	Pass	L1 V1
Acephate	0.19	0.40	ND	Pass		Imazalil	0.10	0.20	ND	Pass	
Acetamiprid	0.10	0.20	ND	Pass		Imidacloprid	0.19	0.40	ND	Pass	
Aldicarb	0.19	0.40	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	
Azoxystrobin	0.10	0.20	ND	Pass		Methyl					
Bifenazate	0.10	0.20	ND	Pass	M1 V1	Malathion	0.10	0.20	ND	Pass	
Bifenthrin	0.10	0.20	ND	Pass	L1 V1	Metalaxyl	0.10	0.20	ND	Pass	
Boscalid	0.19	0.40	ND	Pass	V1	Methiocarb	0.10	0.20	ND	Pass	
Carbaryl	0.10	0.20	ND	Pass		Methomyl	0.19	0.40	ND	Pass	
Carbofuran	0.10	0.20	ND	Pass		Myclobutanil	0.10	0.20	ND	Pass	V1
Chlorantraniliprole	0.10	0.20	ND	Pass		Naled	0.24	0.50	ND	Pass	
Chlorfenapyr	0.48	1.00	ND	Pass	M2	Oxamyl	0.48	1.00	ND	Pass	
Chlorpyrifos	0.10	0.20	ND	Pass		Pacllobutrazol	0.19	0.40	ND	Pass	
Clofentezine	0.10	0.20	ND	Pass		Permethrin	0.10	0.20	ND	Pass	L1 V1
Cyfluthrin	0.48	1.00	ND	Pass	M1 L1	Phosmet	0.10	0.20	ND	Pass	
Cypermethrin	0.48	1.00	ND	Pass	M1 L1	Piperonyl	0.96	2.00	<LOQ	Pass	
Daminozide	0.48	1.00	ND	Pass	R1	Butoxide					
Diazinon	0.10	0.20	ND	Pass	M1	Prallethrin	0.10	0.20	ND	Pass	M1 V1
Dichlorvos	0.05	0.10	ND	Pass		Propiconazole	0.19	0.40	ND	Pass	
Dimethoate	0.10	0.20	ND	Pass		Propoxur	0.10	0.20	ND	Pass	
Ethoprophos	0.10	0.20	ND	Pass		Pyrethrins	0.48	1.00	<LOQ	Pass	V1
Etofenprox	0.19	0.40	ND	Pass	V1	Pyridaben	0.10	0.20	ND	Pass	V1
Etoazole	0.10	0.20	ND	Pass		Spinosad	0.10	0.20	ND	Pass	
Fenoxycarb	0.10	0.20	ND	Pass	M2 V1	Spiromesifen	0.10	0.20	ND	Pass	
Fenpyroximate	0.19	0.40	ND	Pass	L1	Spirotetramat	0.10	0.20	ND	Pass	M1
Fipronil	0.19	0.40	ND	Pass		Spiroxamine	0.19	0.40	ND	Pass	
Flonicamid	0.48	1.00	ND	Pass	V1	Tebuconazole	0.19	0.40	ND	Pass	
Fludioxonil	0.19	0.40	ND	Pass		Thiacloprid	0.10	0.20	ND	Pass	
						Thiamethoxam	0.10	0.20	ND	Pass	
						Trifloxystrobin	0.10	0.20	ND	Pass	

Instrument: LC-QQQ ; Method: TPL\_Pesticides\_01

## RSP Productions: Asylum

2985 W. Whitton Ave.  
Phoenix, AZ 85017  
lodellrichardson@gmail.com  
(702) 338-7088  
Lic. #00000070DCBD00783295  
Harvest Dates: 04/23/2024

## Wake N Bake Flower

Plant, Flower - Cured  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:

## Sample: 2405TLL0154.0770

Strain: Wake N Bake  
Parent Batch #: ; Batch#: 20240423R8AB1; Batch Size: 15 g  
Sample Received: 05/03/2024; Report Created: 05/10/2024; Expires: 05/10/2025  
Manufacturing Date:  
Sampling: ; Environment:



### Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	V1
Cadmium	200.0	400.0	<LOQ	Pass	
Lead	500.0	1000.0	<LOQ	Pass	
Mercury	100.0	200.0	<LOQ	Pass	L1 R1

### Microbials

Pass

Analyte	LOQ	Limit	Result	Status	Qualifier
	CFU/g	CFU/g	CFU/g		
E. Coli	10	100	<10	Pass	

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

LOQ=Limit of Quantitation. The reported result is based on a simple weight with the applicable moisture content for that sample. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Instrument: ICPMS; Method: AOAC 2021.03

Instrument: qPCR/Plating; AOAC Methods 082102, 022202 and 2018.13

B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was below LOQ.

B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.

D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,

I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,

L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,

M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,

M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,

M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,

M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria,

M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,

N1 - A description of the variance is described in the final report of testing,

R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,

R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)

Q1 = Sample integrity was not maintained,

Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices

Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.