



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2512SMAZ2262.6938
Batch #: 251216BGDL1to1THCCBC



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19520

BITS Gummies Dragonfruit 1:1 THC:CBC

Batch #: 251216BGDL1to1THCCBC
Strain: Sativa Blend
Parent Batch #: 250520MDIS
Production Method: Alcohol
Harvest Date: 05/06/2025
Received: 12/22/2025

Sample ID: 2512SMAZ2262.6938
Amount Received: 56.2 g
Sample Type: Soft Chew
Sample Collected: 12/22/2025 10:20:00
Manufacture Date: 12/16/2025
Published: 12/30/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

| | | | |
|--|---------------------------------------|--|---|
| Cannabinoid Profile (Q3) Tested | Microbial Contaminants Pass | Residual Solvents Not Tested | 5.2940 mg/serving 105.8808 mg/container Total THC |
| Pesticides, Fungicides, and Growth Regulators Not Tested | Mycotoxins Not Tested | Heavy Metals Not Tested | 0.0337 mg/serving 0.6744 mg/container Total CBD |

Additional Analytes (Not Regulated)

| | | | |
|---|---|---|--|
| Terpenes Total (Q3) Not Tested | Moisture Analysis (Q3) Not Tested | Water Activity (Q3) Not Tested | 0.0337 mg/serving 0.6744 mg/container CBN |
| Filth & Foreign (Q3) Not Tested | Homogeneity (Q3) Not Tested | Additional Microbial Contaminants (Q3) Not Tested | 0.2136 mg/serving 4.2712 mg/container CBG |
| | | | 11.1894 mg/serving 223.7884 mg/container Total Cannabinoids (Q3) |

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2512SMAZ2262.6938
Batch #: 251216BGDL1to1THCCBC



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19520

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 12/22/2025
SOP: 418.AZ
Batch Number: 4816
Test ID: 107214

Sample Analysis

Date: 12/23/2025
SOP: 417.AZ - HPLC
Sample Weight: 1.030 g
Volume: 10 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g | mg/serving | mg/package | Qualifier |
|---------|------------|------------|------|----------------|--------|------------|------------|-----------|
| CBC | 0.0030 | 0.0090 | 1 | 0.1983 | 1.9830 | 5.5722 | 111.4446 | M2 |
| CBD | 0.0030 | 0.0090 | 1 | 0.0012 | 0.0120 | 0.0337 | 0.6744 | M2 |
| CBDA | 0.0030 | 0.0090 | 1 | ND | ND | ND | ND | M2 |
| CBDV | 0.0030 | 0.0090 | 1 | ND | ND | ND | ND | M2 |
| CBG | 0.0030 | 0.0090 | 1 | 0.0076 | 0.0760 | 0.2136 | 4.2712 | M2 |
| CBGA | 0.0030 | 0.0090 | 1 | ND | ND | ND | ND | M2 |
| CBN | 0.0030 | 0.0090 | 1 | 0.0012 | 0.0120 | 0.0337 | 0.6744 | M2 |
| d8-THC | 0.0030 | 0.0090 | 1 | ND | ND | ND | ND | M2 |
| d9-THC | 0.0030 | 0.0090 | 1 | 0.1884 | 1.8840 | 5.2940 | 105.8808 | M2 |
| THCA | 0.0030 | 0.0090 | 1 | ND | ND | ND | ND | M2 |
| THCV | 0.0030 | 0.0090 | 1 | 0.0016 | 0.0160 | 0.0450 | 0.8992 | M2 |

| Cannabinoid Totals | Actual % (w/w) | mg/g | mg/serving | mg/package | Qualifier |
|--------------------|----------------|--------|------------|------------|-----------|
| Total THC | 0.1884 | 1.8840 | 5.2940 | 105.8808 | |
| Total CBD | 0.0012 | 0.0120 | 0.0337 | 0.6744 | |
| Total Cannabinoids | 0.3982 | 3.9820 | 11.1894 | 223.7884 | Q3 |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
Serving Weight: 2.81 None; Servings/Package: 20

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2512SMAZ2262.6938
Batch #: 251216BGDL1to1THCCBC



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19520

Microbial Analysis

Pass

Sample Prep

Batch Date: 12/29/2025
SOP: 412.AZ
Batch Number: 4829
Test ID: 107218

Sample Analysis

Date: 12/30/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.073 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 10 CFU/g | < 10 CFU/g | Pass | |

Sample Prep

Batch Date: 12/29/2025
SOP: 406.AZ
Batch Number: 4828
Test ID: 107219

Sample Analysis

Date: 12/30/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.018 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2512SMAZ2262.6938
Batch #: 251216BGDL1to1THCCBC



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19520

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2512SMAZ2262.6938
Batch #: 251216BGDL1to1THCCBC



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19520

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13177

Distillate

Batch #: 250520MDIS
Strain: Hybrid Blend
Parent Batch #:
Production Method: Alcohol
Harvest Date: 05/06/2025
Received: 05/21/2025

Sample ID: 2505SMAZ0787.2234
Amount Received: 8.3 g
Sample Type: Distillate
Sample Collected: 05/21/2025 14:13:00
Manufacture Date: 05/20/2025
Published: 05/27/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

| | | | |
|--|--------------------------------|---------------------------|----------------------|
| Cannabinoid Profile (Q3) Tested | Microbial Contaminants Pass | Residual Solvents Pass | 94.957% Total THC |
| Pesticides, Fungicides, and Growth Regulators Pass | Mycotoxins Pass | Heavy Metals Pass | 0.240% Total CBD |

Additional Analytes (Not Regulated)

| | | | |
|------------------------------------|--------------------------------------|---|---------------|
| Terpenes Total (Q3) Tested | Moisture Analysis (Q3) Not Tested | Water Activity (Q3) Not Tested | 0.544% CBN |
| Filth & Foreign (Q3) Not Tested | Homogeneity (Q3) Not Tested | Additional Microbial Contaminants (Q3) Not Tested | 3.373% CBG |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13177

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 05/22/2025
SOP: 418.AZ
Batch Number: 3321
Test ID: 66430

Sample Analysis

Date: 05/23/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.040 g
Volume: 40 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g | Qualifier |
|---------|------------|------------|------|----------------|---------|-----------|
| CBC | 0.322 | 0.977 | 1 | 1.034 | 10.339 | |
| CBD | 0.322 | 0.977 | 1 | 0.240 | 2.398 | |
| CBDA | 0.322 | 0.977 | 1 | ND | ND | |
| CBDV | 0.322 | 0.977 | 1 | ND | ND | |
| CBG | 0.322 | 0.977 | 1 | 3.373 | 33.730 | |
| CBGA | 0.322 | 0.977 | 1 | ND | ND | |
| CBN | 0.322 | 0.977 | 1 | 0.544 | 5.439 | |
| d8-THC | 0.322 | 0.977 | 1 | ND | ND | |
| d9-THC | 0.322 | 0.977 | 1 | 94.957 | 949.574 | |
| THCA | 0.322 | 0.977 | 1 | ND | ND | |
| THCV | 0.322 | 0.977 | 1 | 0.591 | 5.910 | |

| Cannabinoid Totals | Actual % (w/w) | mg/g | Qualifier |
|--------------------|----------------|----------|-----------|
| Total THC | 94.957 | 949.574 | |
| Total CBD | 0.240 | 2.398 | |
| Total Cannabinoids | 100.739 | 1007.390 | Q3 |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Terpene Total

GC-FID

Tested (0.1249%)

Sample Prep

Batch Date: 05/22/2025
SOP: 419
Batch Number: 3318

Sample Analysis

Date: 05/23/2025
SOP: 419 - GC-FID
Sample Weight: 0.429 g
Volume: 10 mL

| Analyte | LOD / LOQ (%) | Dil. | Results (%) | Qualifier | Analyte | LOD / LOQ (%) | Dil. | Results (%) | Qualifier |
|---------------------|-----------------|------|-------------|-----------|---------------------|-----------------|------|-------------|-----------|
| alpha-Bisabolol | 0.0009 / 0.0028 | 1 | 0.0511 | Q3 | gamma-Terpinene | 0.0009 / 0.0028 | 1 | ND | Q3 |
| alpha-Cedrene | 0.0009 / 0.0028 | 1 | ND | Q3 | Geraniol | 0.0009 / 0.0028 | 1 | ND | Q3 |
| alpha-Humulene | 0.0009 / 0.0028 | 1 | 0.0043 | Q3 | Geranyl acetate | 0.0009 / 0.0028 | 1 | ND | Q3 |
| alpha-Phellandrene | 0.0009 / 0.0028 | 1 | ND | Q3 | Guaiol | 0.0009 / 0.0028 | 1 | 0.0102 | Q3 |
| alpha-Pinene | 0.0009 / 0.0028 | 1 | ND | Q3 | Hexahydrothymol | 0.0009 / 0.0028 | 1 | ND | Q3 |
| alpha-Terpinene | 0.0009 / 0.0028 | 1 | ND | Q3 | Isoborneol | 0.0009 / 0.0028 | 1 | ND | Q3 |
| beta-Myrcene | 0.0009 / 0.0028 | 1 | ND | Q3 | Isopulegol | 0.0009 / 0.0028 | 1 | ND | Q3 |
| beta-Pinene | 0.0009 / 0.0028 | 1 | ND | Q3 | Limonene | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Borneol | 0.0009 / 0.0028 | 1 | ND | Q3 | Linalool | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Camphephene | 0.0009 / 0.0028 | 1 | ND | Q3 | Nerol | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Camphor | 0.0009 / 0.0028 | 1 | ND | Q3 | Pulegone (+) | 0.0009 / 0.0028 | 1 | ND | Q3 |
| 3-Carene | 0.0009 / 0.0028 | 1 | ND | Q3 | Sabinene Hydrate | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Caryophyllene oxide | 0.0009 / 0.0028 | 1 | 0.0084 | Q3 | Terpineol | 0.0009 / 0.0028 | 1 | 0.0042 | Q3 |
| Cedrol | 0.0009 / 0.0028 | 1 | 0.0257 | Q3 | Terpinolene | 0.0009 / 0.0028 | 1 | ND | Q3 |
| cis-Nerolidol | 0.0009 / 0.0028 | 1 | ND | Q3 | trans-Caryophyllene | 0.0009 / 0.0028 | 1 | 0.0135 | Q3 |
| cis-Ocimene | 0.0009 / 0.0028 | 1 | ND | Q3 | trans-Nerolidol | 0.0009 / 0.0028 | 1 | 0.0075 | Q3 |
| Fenchyl alcohol | 0.0009 / 0.0028 | 1 | ND | Q3 | trans-Ocimene | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Eucalyptol | 0.0009 / 0.0028 | 1 | ND | Q3 | Valencene | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Fenchone | 0.0009 / 0.0028 | 1 | ND | Q3 | | | | | |



Weight %: 0.0000% 0.0057% 0.0114% 0.0170% 0.0227% 0.0284% 0.0341% 0.0397% 0.0454% 0.0511%

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Microbial Analysis

Pass

Sample Prep

Batch Date: 05/22/2025
SOP: 412.AZ
Batch Number: 3323
Test ID: 66438

Sample Analysis

Date: 05/23/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.052 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 100 CFU/g | < 100 CFU/g | Pass | |

Sample Prep

Batch Date: 05/22/2025
SOP: 406.AZ
Batch Number: 3327
Test ID: 66439

Sample Analysis

Date: 05/23/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.017 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Sample Prep

Batch Date: 05/22/2025
SOP: 406.AZ
Batch Number: 3327
Test ID: 66440

Sample Analysis

Date: 05/23/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.017 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|-----------------------|--------------------------|--------------------------|-----------|-----------|
| Aspergillus flavus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus fumigatus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus niger | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus terreus | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 05/22/2025
SOP: 405.AZ
Batch Number: 3314
Test ID: 66431

Sample Analysis

Date: 05/23/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.050 g

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|-----------------|-----------------|------|--------------------|---------------|-----------|-------------------|-----------------|------|--------------------|---------------|-----------|
| Acetone | 66 / 200 | 1 | 1000 | ND | | Heptane | 334 / 1000 | 1 | 5000 | ND | |
| Acetonitrile | 28 / 82 | 1 | 410 | ND | | Hexanes | 48 / 145 | 1 | 290 | ND | |
| Benzene | 0.14 / 0.40 | 1 | 2 | ND | | Isopropyl acetate | 334 / 1000 | 1 | 5000 | ND | |
| Butanes | 166 / 500 | 1 | 5000 | ND | | Methanol | 200 / 600 | 1 | 3000 | ND | |
| Chloroform | 4 / 12 | 1 | 60 | ND | | Pentanes | 334 / 1000 | 1 | 5000 | ND | |
| Dichloromethane | 40 / 120 | 1 | 600 | ND | | 2-Propanol (IPA) | 334 / 1000 | 1 | 5000 | ND | |
| Ethanol | 334 / 1000 | 1 | 5000 | ND | | Toluene | 60 / 178 | 1 | 890 | ND | |
| Ethyl acetate | 334 / 1000 | 1 | 5000 | ND | | Xylenes | 290 / 868 | 1 | 2170 | ND | |
| Ethyl ether | 334 / 1000 | 1 | 5000 | ND | | | | | | | |

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 05/22/2025
SOP: 428.AZ
Batch Number: 3316
Test ID: 66432

Sample Analysis

Date: 05/22/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.246 g
Volume: 6 mL

| Analyte | LOD (ppm) | LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------|-----------|-----------|------|--------------------|---------------|-----------|
| Arsenic | 0.049 | 0.163 | 10 | 0.4 | ND | |
| Cadmium | 0.049 | 0.163 | 10 | 0.4 | ND | |
| Lead | 0.049 | 0.407 | 10 | 1 | ND | |
| Mercury | 0.049 | 0.081 | 10 | 0.2 | ND | |

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 05/21/2025
SOP: 432.AZ
Batch Number: 3307
Test ID: 66435

Sample Analysis

Date: 05/22/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.506 g
Volume: 12.5 mL

| Analyte | LOD (ppb) | LOQ (ppb) | Dil. | Action Limit (ppb) | Results (ppb) | Qualifier |
|------------------|-----------|-----------|------|--------------------|---------------|-----------|
| Total Aflatoxins | 3.95 | 9.88 | 1 | 20 | ND | |
| Aflatoxin B1 | 3.95 | 9.88 | 1 | | ND | |
| Aflatoxin B2 | 3.95 | 9.88 | 1 | | ND | I1 |
| Aflatoxin G1 | 3.95 | 9.88 | 1 | | ND | |
| Aflatoxin G2 | 3.95 | 4.94 | 1 | | ND | |
| Ochratoxin A | 9.88 | 9.88 | 1 | 20 | ND | I1, R1 |

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13177

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS

Pass

Sample Prep

Batch Date: 05/21/2025
SOP: 432.AZ
Batch Number: 3307
Test ID: 66434

Sample Analysis

Date: 05/22/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.506 g
Volume: 12.5 mL

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------------------|-----------------|------|--------------------|---------------|-----------|--------------------|-----------------|------|--------------------|---------------|-----------|
| Abamectin B1a | 0.082 / 0.247 | 1 | 0.5 | ND | | Hexythiazox | 0.165 / 0.494 | 1 | 1 | ND | |
| Acephate | 0.066 / 0.198 | 1 | 0.4 | ND | | Imazalil | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Acetamiprid | 0.033 / 0.099 | 1 | 0.2 | ND | | Imidacloprid | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Aldicarb | 0.066 / 0.198 | 1 | 0.4 | ND | | Kresoxim-methyl | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Azoxystrobin | 0.033 / 0.099 | 1 | 0.2 | ND | | Malathion | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Bifenazate | 0.033 / 0.099 | 1 | 0.2 | ND | V1 | Metalaxyl | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Bifenthrin | 0.033 / 0.099 | 1 | 0.2 | ND | | Methiocarb | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Boscalid | 0.066 / 0.198 | 1 | 0.4 | ND | | Methomyl | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Carbaryl | 0.033 / 0.099 | 1 | 0.2 | ND | | Myclobutanil | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Carbofuran | 0.033 / 0.099 | 1 | 0.2 | ND | | Naled | 0.082 / 0.247 | 1 | 0.5 | ND | |
| Chlorantraniliprole | 0.033 / 0.099 | 1 | 0.2 | ND | | Oxamyl | 0.165 / 0.494 | 1 | 1 | ND | |
| Chlorfenapyr | 0.165 / 0.494 | 1 | 1 | ND | | Pacllobutrazol | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Chlorpyrifos | 0.033 / 0.099 | 1 | 0.2 | ND | | Permethrins | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Clofentezine | 0.033 / 0.099 | 1 | 0.2 | ND | | Phosmet | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Cyfluthrin | 0.165 / 0.494 | 1 | 1 | ND | | Piperonyl Butoxide | 0.329 / 0.988 | 1 | 2 | ND | |
| Cypermethrin | 0.165 / 0.494 | 1 | 1 | ND | | Prallethrin | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Daminozide | 0.165 / 0.494 | 1 | 1 | ND | | Propiconazole | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Diazinon | 0.033 / 0.099 | 1 | 0.2 | ND | | Propoxur | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Dichlorvos | 0.017 / 0.049 | 1 | 0.1 | ND | | Pyrethrins | 0.138 / 0.414 | 1 | 1 | ND | |
| Dimethoate | 0.033 / 0.099 | 1 | 0.2 | ND | | Pyridaben | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Ethoprophos | 0.033 / 0.099 | 1 | 0.2 | ND | | Spinosad | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Etofenprox | 0.066 / 0.198 | 1 | 0.4 | ND | | Spiromesifen | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Etoxazole | 0.033 / 0.099 | 1 | 0.2 | ND | | Spirotetramat | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Fenoxy carb | 0.033 / 0.099 | 1 | 0.2 | ND | | Spiroxamine | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Fenpyroximate | 0.066 / 0.198 | 1 | 0.4 | ND | | Tebuconazole | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Fipronil | 0.066 / 0.198 | 1 | 0.4 | ND | V1 | Thiacloprid | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Flonicamid | 0.165 / 0.494 | 1 | 1 | ND | | Thiamethoxam | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Fludioxonil | 0.066 / 0.198 | 1 | 0.4 | ND | | Trifloxystrobin | 0.033 / 0.099 | 1 | 0.2 | ND | |

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13177

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13177

Distillate

Batch #: 250520MDIS
Strain: Hybrid Blend
Parent Batch #:
Production Method: Alcohol
Harvest Date: 05/06/2025
Received: 05/21/2025

Sample ID: 2505SMAZ0787.2234
Amount Received: 8.3 g
Sample Type: Distillate
Sample Collected: 05/21/2025 14:13:00
Manufacture Date: 05/20/2025
Published: 05/27/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

| | | | |
|--|--------------------------------|---------------------------|----------------------|
| Cannabinoid Profile (Q3) Tested | Microbial Contaminants Pass | Residual Solvents Pass | 94.957% Total THC |
| Pesticides, Fungicides, and Growth Regulators Pass | Mycotoxins Pass | Heavy Metals Pass | 0.240% Total CBD |

Additional Analytes (Not Regulated)

| | | | |
|------------------------------------|--------------------------------------|---|---------------|
| Terpenes Total (Q3) Tested | Moisture Analysis (Q3) Not Tested | Water Activity (Q3) Not Tested | 0.544% CBN |
| Filth & Foreign (Q3) Not Tested | Homogeneity (Q3) Not Tested | Additional Microbial Contaminants (Q3) Not Tested | 3.373% CBG |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 05/22/2025
SOP: 418.AZ
Batch Number: 3321
Test ID: 66430

Sample Analysis

Date: 05/23/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.040 g
Volume: 40 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g | Qualifier |
|---------|------------|------------|------|----------------|---------|-----------|
| CBC | 0.322 | 0.977 | 1 | 1.034 | 10.339 | |
| CBD | 0.322 | 0.977 | 1 | 0.240 | 2.398 | |
| CBDA | 0.322 | 0.977 | 1 | ND | ND | |
| CBDV | 0.322 | 0.977 | 1 | ND | ND | |
| CBG | 0.322 | 0.977 | 1 | 3.373 | 33.730 | |
| CBGA | 0.322 | 0.977 | 1 | ND | ND | |
| CBN | 0.322 | 0.977 | 1 | 0.544 | 5.439 | |
| d8-THC | 0.322 | 0.977 | 1 | ND | ND | |
| d9-THC | 0.322 | 0.977 | 1 | 94.957 | 949.574 | |
| THCA | 0.322 | 0.977 | 1 | ND | ND | |
| THCV | 0.322 | 0.977 | 1 | 0.591 | 5.910 | |

| Cannabinoid Totals | Actual % (w/w) | mg/g | Qualifier |
|--------------------|----------------|----------|-----------|
| Total THC | 94.957 | 949.574 | |
| Total CBD | 0.240 | 2.398 | |
| Total Cannabinoids | 100.739 | 1007.390 | Q3 |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Terpene Total

GC-FID

Tested (0.1249%)


Sample Prep

Batch Date: 05/22/2025
SOP: 419
Batch Number: 3318

Sample Analysis

Date: 05/23/2025
SOP: 419 - GC-FID
Sample Weight: 0.429 g
Volume: 10 mL

| Analyte | LOD / LOQ (%) | Dil. | Results (%) | Qualifier | Analyte | LOD / LOQ (%) | Dil. | Results (%) | Qualifier |
|---------------------|-----------------|------|-------------|-----------|---------------------|-----------------|------|-------------|-----------|
| alpha-Bisabolol | 0.0009 / 0.0028 | 1 | 0.0511 | Q3 | gamma-Terpinene | 0.0009 / 0.0028 | 1 | ND | Q3 |
| alpha-Cedrene | 0.0009 / 0.0028 | 1 | ND | Q3 | Geraniol | 0.0009 / 0.0028 | 1 | ND | Q3 |
| alpha-Humulene | 0.0009 / 0.0028 | 1 | 0.0043 | Q3 | Geranyl acetate | 0.0009 / 0.0028 | 1 | ND | Q3 |
| alpha-Phellandrene | 0.0009 / 0.0028 | 1 | ND | Q3 | Guaiol | 0.0009 / 0.0028 | 1 | 0.0102 | Q3 |
| alpha-Pinene | 0.0009 / 0.0028 | 1 | ND | Q3 | Hexahydrothymol | 0.0009 / 0.0028 | 1 | ND | Q3 |
| alpha-Terpinene | 0.0009 / 0.0028 | 1 | ND | Q3 | Isoborneol | 0.0009 / 0.0028 | 1 | ND | Q3 |
| beta-Myrcene | 0.0009 / 0.0028 | 1 | ND | Q3 | Isopulegol | 0.0009 / 0.0028 | 1 | ND | Q3 |
| beta-Pinene | 0.0009 / 0.0028 | 1 | ND | Q3 | Limonene | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Borneol | 0.0009 / 0.0028 | 1 | ND | Q3 | Linalool | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Camphephene | 0.0009 / 0.0028 | 1 | ND | Q3 | Nerol | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Camphor | 0.0009 / 0.0028 | 1 | ND | Q3 | Pulegone (+) | 0.0009 / 0.0028 | 1 | ND | Q3 |
| 3-Carene | 0.0009 / 0.0028 | 1 | ND | Q3 | Sabinene Hydrate | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Caryophyllene oxide | 0.0009 / 0.0028 | 1 | 0.0084 | Q3 | Terpineol | 0.0009 / 0.0028 | 1 | 0.0042 | Q3 |
| Cedrol | 0.0009 / 0.0028 | 1 | 0.0257 | Q3 | Terpinolene | 0.0009 / 0.0028 | 1 | ND | Q3 |
| cis-Nerolidol | 0.0009 / 0.0028 | 1 | ND | Q3 | trans-Caryophyllene | 0.0009 / 0.0028 | 1 | 0.0135 | Q3 |
| cis-Ocimene | 0.0009 / 0.0028 | 1 | ND | Q3 | trans-Nerolidol | 0.0009 / 0.0028 | 1 | 0.0075 | Q3 |
| Fenchyl alcohol | 0.0009 / 0.0028 | 1 | ND | Q3 | trans-Ocimene | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Eucalyptol | 0.0009 / 0.0028 | 1 | ND | Q3 | Valencene | 0.0009 / 0.0028 | 1 | ND | Q3 |
| Fenchone | 0.0009 / 0.0028 | 1 | ND | Q3 | | | | | |



Weight %: 0.0000% 0.0057% 0.0114% 0.0170% 0.0227% 0.0284% 0.0341% 0.0397% 0.0454% 0.0511%

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Microbial Analysis

Pass

Sample Prep

Batch Date: 05/22/2025
SOP: 412.AZ
Batch Number: 3323
Test ID: 66438

Sample Analysis

Date: 05/23/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.052 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 100 CFU/g | < 100 CFU/g | Pass | |

Sample Prep

Batch Date: 05/22/2025
SOP: 406.AZ
Batch Number: 3327
Test ID: 66439

Sample Analysis

Date: 05/23/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.017 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Sample Prep

Batch Date: 05/22/2025
SOP: 406.AZ
Batch Number: 3327
Test ID: 66440

Sample Analysis

Date: 05/23/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.017 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|-----------------------|--------------------------|--------------------------|-----------|-----------|
| Aspergillus flavus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus fumigatus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus niger | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus terreus | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 05/22/2025
SOP: 405.AZ
Batch Number: 3314
Test ID: 66431

Sample Analysis

Date: 05/23/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.050 g

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|-----------------|-----------------|------|--------------------|---------------|-----------|-------------------|-----------------|------|--------------------|---------------|-----------|
| Acetone | 66 / 200 | 1 | 1000 | ND | | Heptane | 334 / 1000 | 1 | 5000 | ND | |
| Acetonitrile | 28 / 82 | 1 | 410 | ND | | Hexanes | 48 / 145 | 1 | 290 | ND | |
| Benzene | 0.14 / 0.40 | 1 | 2 | ND | | Isopropyl acetate | 334 / 1000 | 1 | 5000 | ND | |
| Butanes | 166 / 500 | 1 | 5000 | ND | | Methanol | 200 / 600 | 1 | 3000 | ND | |
| Chloroform | 4 / 12 | 1 | 60 | ND | | Pentanes | 334 / 1000 | 1 | 5000 | ND | |
| Dichloromethane | 40 / 120 | 1 | 600 | ND | | 2-Propanol (IPA) | 334 / 1000 | 1 | 5000 | ND | |
| Ethanol | 334 / 1000 | 1 | 5000 | ND | | Toluene | 60 / 178 | 1 | 890 | ND | |
| Ethyl acetate | 334 / 1000 | 1 | 5000 | ND | | Xylenes | 290 / 868 | 1 | 2170 | ND | |
| Ethyl ether | 334 / 1000 | 1 | 5000 | ND | | | | | | | |

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 05/22/2025
SOP: 428.AZ
Batch Number: 3316
Test ID: 66432

Sample Analysis

Date: 05/22/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.246 g
Volume: 6 mL

| Analyte | LOD (ppm) | LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------|-----------|-----------|------|--------------------|---------------|-----------|
| Arsenic | 0.049 | 0.163 | 10 | 0.4 | ND | |
| Cadmium | 0.049 | 0.163 | 10 | 0.4 | ND | |
| Lead | 0.049 | 0.407 | 10 | 1 | ND | |
| Mercury | 0.049 | 0.081 | 10 | 0.2 | ND | |

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 05/21/2025
SOP: 432.AZ
Batch Number: 3307
Test ID: 66435

Sample Analysis

Date: 05/22/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.506 g
Volume: 12.5 mL

| Analyte | LOD (ppb) | LOQ (ppb) | Dil. | Action Limit (ppb) | Results (ppb) | Qualifier |
|------------------|-----------|-----------|------|--------------------|---------------|-----------|
| Total Aflatoxins | 3.95 | 9.88 | 1 | 20 | ND | |
| Aflatoxin B1 | 3.95 | 9.88 | 1 | | ND | |
| Aflatoxin B2 | 3.95 | 9.88 | 1 | | ND | I1 |
| Aflatoxin G1 | 3.95 | 9.88 | 1 | | ND | |
| Aflatoxin G2 | 3.95 | 4.94 | 1 | | ND | |
| Ochratoxin A | 9.88 | 9.88 | 1 | 20 | ND | I1, R1 |

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13177

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS

Pass

Sample Prep

Batch Date: 05/21/2025
SOP: 432.AZ
Batch Number: 3307
Test ID: 66434

Sample Analysis

Date: 05/22/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.506 g
Volume: 12.5 mL

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------------------|-----------------|------|--------------------|---------------|-----------|--------------------|-----------------|------|--------------------|---------------|-----------|
| Abamectin B1a | 0.082 / 0.247 | 1 | 0.5 | ND | | Hexythiazox | 0.165 / 0.494 | 1 | 1 | ND | |
| Acephate | 0.066 / 0.198 | 1 | 0.4 | ND | | Imazalil | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Acetamiprid | 0.033 / 0.099 | 1 | 0.2 | ND | | Imidacloprid | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Aldicarb | 0.066 / 0.198 | 1 | 0.4 | ND | | Kresoxim-methyl | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Azoxystrobin | 0.033 / 0.099 | 1 | 0.2 | ND | | Malathion | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Bifenazate | 0.033 / 0.099 | 1 | 0.2 | ND | V1 | Metalaxyl | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Bifenthrin | 0.033 / 0.099 | 1 | 0.2 | ND | | Methiocarb | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Boscalid | 0.066 / 0.198 | 1 | 0.4 | ND | | Methomyl | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Carbaryl | 0.033 / 0.099 | 1 | 0.2 | ND | | Myclobutanil | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Carbofuran | 0.033 / 0.099 | 1 | 0.2 | ND | | Naled | 0.082 / 0.247 | 1 | 0.5 | ND | |
| Chlorantraniliprole | 0.033 / 0.099 | 1 | 0.2 | ND | | Oxamyl | 0.165 / 0.494 | 1 | 1 | ND | |
| Chlorfenapyr | 0.165 / 0.494 | 1 | 1 | ND | | Pacllobutrazol | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Chlorpyrifos | 0.033 / 0.099 | 1 | 0.2 | ND | | Permethrins | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Clofentezine | 0.033 / 0.099 | 1 | 0.2 | ND | | Phosmet | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Cyfluthrin | 0.165 / 0.494 | 1 | 1 | ND | | Piperonyl Butoxide | 0.329 / 0.988 | 1 | 2 | ND | |
| Cypermethrin | 0.165 / 0.494 | 1 | 1 | ND | | Prallethrin | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Daminozide | 0.165 / 0.494 | 1 | 1 | ND | | Propiconazole | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Diazinon | 0.033 / 0.099 | 1 | 0.2 | ND | | Propoxur | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Dichlorvos | 0.017 / 0.049 | 1 | 0.1 | ND | | Pyrethrins | 0.138 / 0.414 | 1 | 1 | ND | |
| Dimethoate | 0.033 / 0.099 | 1 | 0.2 | ND | | Pyridaben | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Ethoprophos | 0.033 / 0.099 | 1 | 0.2 | ND | | Spinosad | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Etofenprox | 0.066 / 0.198 | 1 | 0.4 | ND | | Spiromesifen | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Etoxazole | 0.033 / 0.099 | 1 | 0.2 | ND | | Spirotetramat | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Fenoxy carb | 0.033 / 0.099 | 1 | 0.2 | ND | | Spiroxamine | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Fenpyroximate | 0.066 / 0.198 | 1 | 0.4 | ND | | Tebuconazole | 0.066 / 0.198 | 1 | 0.4 | ND | |
| Fipronil | 0.066 / 0.198 | 1 | 0.4 | ND | V1 | Thiacloprid | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Flonicamid | 0.165 / 0.494 | 1 | 1 | ND | | Thiamethoxam | 0.033 / 0.099 | 1 | 0.2 | ND | |
| Fludioxonil | 0.066 / 0.198 | 1 | 0.4 | ND | | Trifloxystrobin | 0.033 / 0.099 | 1 | 0.2 | ND | |

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 13177

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2505SMAZ0787.2234
Batch #: 250520MDIS



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13177

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>