

# CAP 12062023

**Sample ID:** 2405FSL0105.0853  
**Strain:** CAP Junky  
**Matrix:** Plant  
**Type:** Flower - Cured  
**Sample Size:** 15.77 g; Batch:

**Harvest Date:** 04/21/2024  
**Manufacture Date:**  
**Received:** 05/07/2024  
**Completed:** 05/14/2024  
**Batch#:** CAP 12062023  
**External Lot#:**

**Client:** CannaConnections  
**Lic. #** 00000141ESYC13235553  
**Production Method:** Indoor  
 7940 S. Kolb Rd  
 Tucson, AZ 85756

**Lab Sample Collection Date/Time:** 05/03/2024 2:58



## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/07/2024	Complete
Terpenes	05/10/2024	Complete
Microbials	05/08/2024	Pass
Pesticides	05/07/2024	Pass
Heavy Metals	05/07/2024	Pass

## Cannabinoids

Complete

<b>30.13%</b> Total THC	<b>0.09%</b> Total CBD	<b>35.97%</b> Total Cannabinoids (Q3)
----------------------------	---------------------------	--

Analyte	LOQ	Result	Result	Qualifier
	mg/g	mg/g	%	
THCa	1.00	337.62	33.762	
Δ9-THC	1.00	5.25	0.525	
Δ8-THC	1.00	ND	ND	
THCV	1.00	ND	ND	
CBDa	1.00	1.03	0.103	
CBD	1.00	ND	ND	
CBDV	1.00	ND	ND	
CBN	1.00	ND	ND	
CBGa	1.00	13.92	1.392	
CBG	1.00	1.88	0.188	
CBC	1.00	ND	ND	
<b>Total</b>		<b>359.69</b>	<b>35.969</b>	

Date Tested: 05/07/2024

Total THC = THCa \* 0.877 + Δ9-THC Total CBD = CBDa \* 0.877 + CBD Instrument: HPLC-DAD ; Method: FSL-SOP-401



Symon Levenberg, PhD  
 Technical Lab Director  
 05/14/2024

Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD

## CAP 12062023

**Sample ID: 2405FSL0105.0853**

Strain: CAP Junky

Matrix: Plant

Type: Flower - Cured

Sample Size: 15.77 g; Batch:

Harvest Date: 04/21/2024

Manufacture Date:

Received: 05/07/2024

Completed: 05/14/2024

Batch#: CAP 12062023

External Lot#:

Client

**CannaConnections**

Lic. # 00000141ESYC13235553

7940 S. Kolb Rd

Tucson, AZ 85756

Lab Sample Collection Date/Time: 05/03/2024 2:58

Production Method: Indoor

## Terpenes

Analyte	LOQ	Mass	Qualifier	Analyte	LOQ	Mass	Qualifier
	mg/g	mg/g			mg/g	mg/g	
δ-Limonene	0.160	5.210	Q3	cis-Nerolidol	0.080	ND	Q3
β-Caryophyllene	0.040	4.390	Q3	cis-Ocimene	0.060	<LOQ	Q3
Linalool	0.080	3.830	Q3	δ-3-Carene	0.040	ND	Q3
Guaiol	0.170	1.310	Q3	Eucalyptol	0.030	ND	Q3
α-Humulene	0.160	1.280	Q3	Fenchone	0.080	ND	Q3
α-Bisabolol	0.080	1.260	Q3	γ-Terpinene	0.040	ND	Q3
β-Myrcene	0.040	1.190	Q3	γ-Terpineol	0.040	ND	Q3
Endo-Fenchyl Alcohol	0.160	0.970	Q3	Geraniol	0.150	<LOQ	Q3
β-Pinene	0.040	0.890	Q3	Geranyl Acetate	0.040	ND	Q3
α-Terpineol	0.110	0.850	Q3	Isoborneol	0.080	ND	Q3
α-Pinene	0.070	0.620	Q3	Isopulegol	0.080	ND	Q3
Camphene	0.080	0.190	Q3	Menthol	0.090	ND	Q3
Terpinolene	0.040	0.080	Q3	Nerol	0.080	ND	Q3
α-Cedrene	0.080	ND	Q3	Pulegone	0.160	ND	Q3
α-Phellandrene	0.040	NR	Q3	Sabinene	0.080	ND	Q3
α-Terpinene	0.040	ND	Q3	Sabinene Hydrate	0.170	ND	Q3
Borneol	0.320	<LOQ	Q3	trans-Nerolidol	0.080	ND	Q3
Camphor	0.480	ND	Q3	trans-Ocimene	0.110	ND	Q3
Caryophyllene Oxide	0.040	ND	Q3	Valencene	0.170	ND	Q3
Cedrol	0.080	ND	Q3	<b>Total</b>		<b>22.070</b>	

## Primary Aromas



Date Tested: 05/10/2024

Instrument: ALS-GC-MS ; Method: FSL-SOP-405




 Symon Levenberg, PhD  
 Technical Lab Director  
 05/14/2024

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD

# CAP 12062023


<b>Sample ID:</b> 2405FSL0105.0853	<b>Harvest Date:</b> 04/21/2024	<b>Client</b>	<b>Lab Sample Collection Date/Time:</b> 05/03/2024 2:58
<b>Strain:</b> CAP Junky	<b>Manufacture Date:</b>	<b>CannaConnections</b>	
<b>Matrix:</b> Plant	<b>Received:</b> 05/07/2024	<b>Lic. #</b> 00000141ESYC13235553	<b>Production Method:</b> Indoor
<b>Type:</b> Flower - Cured	<b>Completed:</b> 05/14/2024	7940 S. Kolb Rd	
<b>Sample Size:</b> 15.77 g; Batch:	<b>Batch#:</b> CAP 12062023	Tucson, AZ 85756	
	<b>External Lot#:</b>		

## Pesticides

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier	Analyte	LOQ	Limit	Mass	Status	Qualifier
	µg/g	µg/g	µg/g				µg/g	µg/g	µg/g		
Abamectin	0.25	0.5	ND	Pass		Hexythiazox	0.5	1	ND	Pass	
Acephate	0.25	0.5	ND	Pass		Imazalil	0.1	0.2	ND	Pass	
Acetamiprid	0.1	0.2	ND	Pass		Imidacloprid	0.2	0.4	ND	Pass	
Aldicarb	0.2	0.4	ND	Pass		Kresoxim Methyl	0.2	0.4	ND	Pass	
Azoxystrobin	0.1	0.2	ND	Pass		Malathion	0.1	0.2	ND	Pass	
Bifenazate	0.1	0.2	ND	Pass		Metaxyl	0.1	0.2	ND	Pass	
Bifenthrin	0.1	0.2	ND	Pass		Methiocarb	0.1	0.2	ND	Pass	
Boscalid	0.2	0.4	ND	Pass		Methomyl	0.2	0.4	ND	Pass	
Carbaryl	0.1	0.2	ND	Pass		Myclobutanil	0.1	0.2	ND	Pass	
Carbofuran	0.1	0.2	ND	Pass		Naled	0.25	0.5	ND	Pass	
Chlorantraniliprole	0.1	0.2	ND	Pass		Oxamyl	0.5	1	ND	Pass	
Chlorfenapyr	0.5	1	ND	Pass		Paclobutrazol	0.2	0.4	ND	Pass	
Chlorpyrifos	0.1	0.2	ND	Pass		Permethrins	0.1	0.2	ND	Pass	
Clofentezine	0.1	0.2	ND	Pass		Phosmet	0.1	0.2	ND	Pass	
Cyfluthrin	0.5	1	ND	Pass		Piperonyl		2	<LOQ	Pass	
Cypermethrin	0.5	1	ND	Pass		Butoxide					
Daminozide	0.5	1	ND	Pass		Prallethrin	0.1	0.2	ND	Pass	
Diazinon	0.1	0.2	ND	Pass		Propiconazole	0.2	0.4	ND	Pass	
Dichlorvos	0.05	0.1	ND	Pass		Propoxur	0.1	0.2	ND	Pass	
Dimethoate	0.1	0.2	ND	Pass		Pyrethrins	0.5	1	ND	Pass	
Ethoprophos	0.1	0.2	ND	Pass		Pyridaben	0.1	0.2	ND	Pass	
Etofenprox	0.2	0.4	ND	Pass		Spinosad	0.1	0.2	ND	Pass	
Etoxazole	0.1	0.2	ND	Pass		Spiromesifen	0.1	0.2	ND	Pass	
Fenoxycarb	0.1	0.2	ND	Pass		Spirotetramat	0.1	0.2	ND	Pass	
Fenpyroximate	0.2	0.4	ND	Pass		Spiroxamine	0.2	0.4	ND	Pass	
Fipronil	0.2	0.4	ND	Pass		Tebuconazole	0.2	0.4	ND	Pass	
Fonicamid	0.5	1	ND	Pass		Thiacloprid	0.1	0.2	ND	Pass	
Fludioxonil	0.2	0.4	ND	Pass		Thiamethoxam	0.1	0.2	ND	Pass	
						Trifloxystrobin	0.1	0.2	ND	Pass	

 Date Tested: 05/07/2024  
 Instrument: LC-MS/MS ; Method: FSL-SOP-411

  
 Symon Levenberg, PhD  
 Technical Lab Director  
 05/14/2024

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD

# CAP 12062023

**Sample ID:** 2405FSL0105.0853  
**Strain:** CAP Junky  
**Matrix:** Plant  
**Type:** Flower - Cured  
**Sample Size:** 15.77 g; Batch:

**Harvest Date:** 04/21/2024  
**Manufacture Date:**  
**Received:** 05/07/2024  
**Completed:** 05/14/2024  
**Batch#:** CAP 12062023  
**External Lot#:**

**Client:** CannaConnections  
**Lic. #** 00000141ESYC13235553  
**Production Method:** Indoor  
 7940 S. Kolb Rd  
 Tucson, AZ 85756

**Lab Sample Collection Date/Time:** 05/03/2024 2:58

## Microbials

Pass

Analyte	Result	Status	Qualifier
Aspergillus flavus	Not Detected in 1g	Pass	
Aspergillus fumigatus	Not Detected in 1g	Pass	
Aspergillus niger	Not Detected in 1g	Pass	
Aspergillus terreus	Not Detected in 1g	Pass	
Salmonella SPP	Not Detected in 1g	Pass	
E. Coli	ND	Pass	

Date Tested: 05/08/2024  
 Instrument: qPCR & 3M PetriFilm; Method: FSL-SOP-301, FSL-SOP-302, FSL-SOP-303

## Mycotoxins

Not Tested

Analyte	LOQ	Limit	Units	Status	Qualifier
---------	-----	-------	-------	--------	-----------

Date Tested:


## Heavy Metals

Pass

Analyte	LOQ	Limit	Units	Status	Qualifier
Arsenic	0.2	0.4	PPM	Pass	
Cadmium	0.2	0.4	PPM	Pass	
Lead	0.5	1	<LOQ	Pass	
Mercury	0.1	0.2	PPM	Pass	

Date Tested: 05/07/2024  
 Instrument: ICP-MS; Method: FSL-SOP-404



  
 Symon Levenberg, PhD  
 Technical Lab Director  
 05/14/2024

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD