

Canamo Concentrates

9240 W. Northern Ave.
Glendale, AZ 85305
sales@canamo.com
(480) 650-9480
Lic. #00000109ESVM44878444

Sample: 2308DEL0921.3946

Strain: Grateful Breath
Lot#: ; Batch#: 230808-007; Batch Size: g

Sample Received: 08/20/2023; Report Created: 09/01/2023
Testing Completed: 08/31/2023

Canamo Live Resin Vape Indica Grateful Breath (Batch ID: 230808-007)



Concentrates & Extracts, Live Resin, Butane
Reference:

Complete Potency	Pass Microbials	Pass Residual Solvents	Pass Pesticides, Fungicides, Growth Regulators	Not Tested Herbicides	Pass Mycotoxins	Pass Heavy Metals
----------------------------	---------------------------	----------------------------------	----------------------------------------------------------	---------------------------------	---------------------------	-----------------------------



75.75%
THC Max

0.13%
CBD Max

78.83%
Regulatory Cannabinoids

81.33%
Total Cannabinoids Q3

Cannabinoids

Cannabinoid	LOQ	Concentration	Concentration	Qualifiers
	%	%	mg/g	
CBC	3.33	ND	ND	
CBD	3.33	ND	ND	
CBDa	0.13	0.15	1.5	
CBG	0.13	0.37	3.7	
CBGa	0.13	1.87	18.7	
CBN	3.33	ND	ND	
Δ8-THC	3.33	ND	ND	
Δ9-THC	3.33	54.85	548.5	████████████████████
THCa	3.33	23.83	238.3	████████████████
THCV	0.13	0.26	2.6	
Total		81.33	813.3	

Qualifiers: M4,D1
Date Tested: 08/22/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (M4,D1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021. SOP-134; THC Max = THCa * 0.877 + Δ9-THC; CBD Max = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Canamo Concentrates

9240 W. Northern Ave.
Glendale, AZ 85305
sales@canamo.com
(480) 650-9480
Lic. #00000109ESVM44878444

Sample: 2308DEL0921.3946

Strain: Grateful Breath
Lot#: ; Batch#: 230808-007; Batch Size: g

Sample Received: 08/20/2023; Report Created: 09/01/2023
Testing Completed: 08/31/2023

Canamo Live Resin Vape Indica Grateful Breath (Batch ID: 230808-007)






Concentrates & Extracts, Live Resin, Butane
Reference:

Terpenes

Analyte	LOQ	Mass	Mass
	PPM	PPM	%
α-Pinene	315	791	0.08
Camphene	315	<LOQ	<LOQ
β-Myrcene	315	10157	1.02
β-Pinene	315	1602	0.16
δ-3-Carene	315	ND	ND
α-Terpinene	315	ND	ND
trans-Ocimene	315	ND	ND
δ-Limonene	315	10653	1.07
p-Cymene	315	ND	ND
cis-Ocimene	315	ND	ND
Eucalyptol	315	ND	ND
γ-Terpinene	315	ND	ND
Terpinolene	315	<LOQ	<LOQ
Linalool	315	4082	0.41
Isopulegol	315	ND	ND
Geraniol	315	ND	ND
β-Caryophyllene	315	8854	0.89
α-Humulene	315	3702	0.37
cis-Nerolidol	315	ND	ND
trans-Nerolidol	315	ND	ND
Guaiol	315	ND	ND
α-Bisabolol	315	805	0.08
Caryophyllene Oxide	315	ND	ND

Primary Aromas



4.06%
40,646 PPM
Total Terpenes

Qualifiers: Q3

Date Tested: 08/21/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (Q3), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Canamo Concentrates

9240 W. Northern Ave.
Glendale, AZ 85305
sales@canamo.com
(480) 650-9480
Lic. #00000109ESVM44878444

Sample: 2308DEL0921.3946

Strain: Grateful Breath
Lot#: ; Batch#: 230808-007; Batch Size: g

Sample Received: 08/20/2023; Report Created: 09/01/2023
Testing Completed: 08/31/2023

Canamo Live Resin Vape Indica Grateful Breath (Batch ID: 230808-007)



Concentrates & Extracts, Live Resin, Butane
Reference:

Microbials

Pass

Analyte	Limit	Results	Status
Salmonella	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus (flavus, fumigatus, niger, and terreus)	Not Detected in 1g	Not Detected in 1g	Pass

Analyte	Limit	Results	Status
E. Coli	CFU/g 100	CFU/g < 10 CFU/g	Pass



Date Tested: 08/23/2023
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.
MTD-134, PRD-111; LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only.
Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Canamo Concentrates

9240 W. Northern Ave.
Glendale, AZ 85305
sales@canamo.com
(480) 650-9480
Lic. #00000109ESVM44878444

Sample: 2308DEL0921.3946

Strain: Grateful Breath
Lot#: ; Batch#: 230808-007; Batch Size: g

Sample Received: 08/20/2023; Report Created: 09/01/2023
Testing Completed: 08/31/2023

Canamo Live Resin Vape Indica Grateful Breath (Batch ID: 230808-007)



Concentrates & Extracts, Live Resin, Butane
Reference:

Pesticides

Pass

Analyte	LOQ	Limit	Units	Qualifiers	Status	Analyte	LOQ	Limit	Units	Qualifiers	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.01	0.50	ND	M2	Pass	Hexythiazox	0.03	1.00	ND	M2	Pass
Acephate	0.01	0.40	ND		Pass	Imazalil	0.01	0.20	ND	L1	Pass
Acequinocyl	0.05	2.00	ND	M2 V1	Pass	Imidacloprid	0.01	0.40	ND	L1	Pass
Acetamiprid	0.01	0.20	ND		Pass	Kresoxim Methyl	0.01	0.40	ND	V1	Pass
Aldicarb	0.01	0.40	ND		Pass	Malathion	0.01	0.20	ND	V1	Pass
Azoxystrobin	0.01	0.20	ND		Pass	Metalaxyl	0.01	0.20	ND		Pass
Bifenazate	0.01	0.20	ND	M2	Pass	Methiocarb	0.01	0.20	ND	L1 M2 V1	Pass
Bifenthrin	0.01	0.20	ND	M2	Pass	Methomyl	0.01	0.40	ND	R1 V1	Pass
Boscalid	0.01	0.40	ND		Pass	Myclobutanil	0.01	0.20	ND		Pass
Carbaryl	0.01	0.20	ND	L1 R1 M2	Pass	Naled	0.01	0.50	ND	M2 V1	Pass
Carbofuran	0.01	0.20	ND		Pass	Oxamyl	0.03	1.00	ND	R1 V1	Pass
Chlorantraniliprole	0.01	0.20	ND	M2	Pass	Paclobutrazol	0.01	0.40	ND	L1 M1 V1	Pass
Chlorfenapyr	0.03	1.00	ND		Pass	Permethrins (cis- and trans-isomers)	0.01	0.20	ND	M2	Pass
Chlorpyrifos	0.01	0.20	ND	L1 R1 M2 V1	Pass	Phosmet	0.01	0.20	ND	L1 M2 V1	Pass
Clofentezine	0.01	0.20	ND		Pass	Piperonyl Butoxide	0.05	2.00	ND		Pass
Cyfluthrin	0.03	1.00	ND	M2	Pass	Prallethrin	0.01	0.20	ND		Pass
Cypermethrin	0.03	1.00	ND	M2	Pass	Propiconazole	0.01	0.40	ND		Pass
Daminozide	0.03	1.00	ND		Pass	Propoxur	0.01	0.20	ND	M2	Pass
DDVP	0.00	0.10	ND	L1 R1 M2	Pass	Pyrethrins (Pyrethrin I, Cinerin I, and Jasmolin I)	0.03	1.00	ND	M2	Pass
Diazinon	0.01	0.20	ND		Pass	Pyridaben	0.01	0.20	ND		Pass
Dimethoate	0.01	0.20	ND		Pass	Spinosad (A and D)	0.01	0.20	ND	L1	Pass
Ethoprophos	0.01	0.20	ND		Pass	Spiromesifen	0.01	0.20	ND	V1	Pass
Etofenprox	0.01	0.40	ND	M2	Pass	Spirotetramat	0.01	0.20	ND	V1	Pass
Etoxazole	0.01	0.20	ND	V1	Pass	Spiroxamine	0.01	0.40	ND	L1 V1	Pass
Fenoxycarb	0.01	0.20	ND		Pass	Tebuconazole	0.01	0.40	ND		Pass
Fenpyroximate	0.01	0.40	ND		Pass	Thiacloprid	0.01	0.20	ND	L1	Pass
Fipronil	0.01	0.40	ND	L1 R1 V1	Pass	Thiamethoxam	0.01	0.20	ND		Pass
Fonicamid	0.03	1.00	ND		Pass	Trifloxystrobin	0.01	0.20	ND		Pass
Fludioxonil	0.01	0.40	ND	R1 M2	Pass						

Herbicides

Not Tested

Analyte	LOQ	Limit	Units	Qualifiers	Status
---------	-----	-------	-------	------------	--------

Qualifiers: L1 R1 M1 M2 V1

Date Tested: 08/30/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 M1 M2 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Canamo Concentrates

9240 W. Northern Ave.
Glendale, AZ 85305
sales@canamo.com
(480) 650-9480
Lic. #00000109ESVM44878444

Sample: 2308DEL0921.3946

Strain: Grateful Breath
Lot#: ; Batch#: 230808-007; Batch Size: g

Sample Received: 08/20/2023; Report Created: 09/01/2023
Testing Completed: 08/31/2023

Canamo Live Resin Vape Indica Grateful Breath (Batch ID: 230808-007)



Concentrates & Extracts, Live Resin, Butane
Reference:

Residual Solvents

Pass

Analyte	LOQ	Limit	Mass	Qualifiers	Status
	PPM	PPM	PPM		
Acetone	200	1000	ND		Pass
Acetonitrile	82	410	ND		Pass
Benzene	0	2	ND		Pass
Butanes (n-butane and iso-butane)	500	5000	<LOQ		Pass
Chloroform	12	60	ND	M1	Pass
Dichloromethane	120	600	ND		Pass
Ethanol	1000	5000	ND		Pass
Ethyl Acetate	1000	5000	ND		Pass
Ethyl-Ether	1000	5000	ND		Pass
Heptane	1000	5000	ND		Pass
Hexanes (n-hexane, 2-methylpentane, 3-methylpentane, 2,2-dimethylbutane, and 2,3-dimethylbutane)	145	290	ND		Pass
Isopropanol	1000	5000	ND		Pass
Isopropyl-Acetate	1000	5000	ND		Pass
Methanol	600	3000	ND		Pass
Pentanes (n-pentane, iso-pentane, and neo-pentane)	1000	5000	ND		Pass
Propane	500	5000	ND		Pass
Toluene	178	890	ND		Pass
Xylenes (1,2-dimethylbenzene, 1,3-dimethylbenzene, 1,4-dimethylbenzene, and ethyl benzene)	868	2170	ND		Pass

Qualifiers: Analyzed by Green Scientific Labs 00000020LCVT89602592

Date Tested: 08/25/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (Analyzed by Green Scientific Labs 00000020LCVT89602592), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-135; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



Canamo Concentrates

9240 W. Northern Ave.
Glendale, AZ 85305
sales@canamo.com
(480) 650-9480
Lic. #00000109ESVM44878444

Sample: 2308DEL0921.3946

Strain: Grateful Breath
Lot#: ; Batch#: 230808-007; Batch Size: g

Sample Received: 08/20/2023; Report Created: 09/01/2023
Testing Completed: 08/31/2023

Canamo Live Resin Vape Indica Grateful Breath (Batch ID: 230808-007)



Concentrates & Extracts, Live Resin, Butane
Reference:

Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Qualifiers	Status
	PPM	PPM	PPM		
Arsenic	0.20	0.40	ND		Pass
Cadmium	0.20	0.40	ND		Pass
Mercury	0.60	1.20	ND		Pass
Lead	0.50	1.00	ND		Pass

Date Tested: 08/25/2023
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



12620 N. Cave Creek Road Suite 2
Phoenix, AZ 85022
(602) 466-9730
<https://www.deltaverdelabs.com>
Lic# 0000008LCXF00023166

Raju Kandell
Technical Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Canamo Concentrates

9240 W. Northern Ave.
Glendale, AZ 85305
sales@canamo.com
(480) 650-9480
Lic. #00000109ESVM44878444

Sample: 2308DEL0921.3946

Strain: Grateful Breath
Lot#: ; Batch#: 230808-007; Batch Size: g

Sample Received: 08/20/2023; Report Created: 09/01/2023
Testing Completed: 08/31/2023

Canamo Live Resin Vape Indica Grateful Breath (Batch ID: 230808-007)



Concentrates & Extracts, Live Resin, Butane
Reference:

Mycotoxins

Pass

Analyte	LOQ	Limit	Units	Status	Qualifiers
	PPB	PPB	PPB		
B1	0.50		ND	Tested	
B2	0.50		ND	Tested	V1
G1	0.50		ND	Tested	
G2	0.50		ND	Tested	L1 R1 M1 V1
Ochratoxin A	0.50	20.00	ND	Pass	M2
Total Aflatoxins	0.50	20.00	ND	Pass	L1 R1 M1 V1

Qualifiers: L1 R1 M1 M2 V1

Date Tested: 08/30/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 M1 M2 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

