

CHILL PILL | Life Is Chill | Avid Biotech, LLC dba Ally Biotech
License# 00000024DCTZ00479209 (Desert Medical Campus, Inc)

Warning: Using marijuana during pregnancy could cause birth defects or
other health issues to your unborn child

Distribution Chain Information:

Obtained from Uncle Harry Corp (lic# 00000129ESRG43839179)
Manufactured at Desert Medical Campus, Inc. (lic# 00000024DCTZ00479209)
Tested at Green Scientific Labs (lic# 00000020LCVT89602592)
Distributed to Arizona licensed medical marijuana dispensaries and marijuana
establishments

Batch ID: ICP-0100-B0009

Extraction Method: Other Hydrocarbon

Harvest Date: 06.13.2022

Manufacture Date: 10.20.2023

Strain: Indica Blend



Ally BioTech
 200 N. Tonto Street
 Payson, AZ 85541
 License #: 00000024DCTZ00479209
 Sample ID: 2310SMAZ0222.0674
 Batch #: ICP-0100-B0009



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1273

Chill Pill - Capsules - Indica 100mg B0009

Batch #: ICP-0100-B0009 Sample ID: 2310SMAZ0222.0674
 Strain: Indica Blend Amount Received: 5.8 g
 Parent Batch #:
 Sample Collected: 10/26/2023 11:17:00 Received: 10/26/2023
 Published: 11/02/2023



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	

33.657% Total THC
0.065% Total CBD
3.683% CBN
0.412% CBG
38.518% Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Ally BioTech
 200 N. Tonto Street
 Payson, AZ 85541
 License #: 00000024DCTZ00479209
 Sample ID: 2310SMAZ0222.0674
 Batch #: ICP-0100-B0009



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1273

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 10/30/2023
 SOP: 418.AZ
 Batch Number: 263

Sample Analysis

Date: 11/01/2023
 SOP: 417.AZ - HPLC
 Sample Weight: 0.201 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.128	0.389	2	0.448	4.483	1.390	1.390	
CBD	0.128	0.389	2	0.065	0.650	0.202	0.202	
CBDA	0.128	0.389	2	ND	ND	ND	ND	
CBDV	0.128	0.389	2	ND	ND	ND	ND	
CBG	0.128	0.389	2	0.412	4.117	1.276	1.276	
CBGA	0.128	0.389	2	<LOQ	<LOQ	<LOQ	<LOQ	
CBN	0.128	0.389	2	3.683	36.826	11.416	11.416	
d8-THC	0.128	0.389	2	ND	ND	ND	ND	
d9-THC	0.128	0.389	2	33.657	336.568	104.336	104.336	
THCA	0.128	0.389	2	ND	ND	ND	ND	
THCV	0.128	0.389	2	0.254	2.535	0.786	0.786	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	33.657	336.568	104.336	104.336	
Total CBD	0.065	0.650	0.202	0.202	
Total Cannabinoids	38.518	385.178	119.405	119.405	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 0.31 None; Servings/Package: 1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Ally BioTech
 200 N. Tonto Street
 Payson, AZ 85541
 License #: 00000024DCTZ00479209
 Sample ID: 2310SMAZ0222.0674
 Batch #: ICP-0100-B0009



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1273

Microbial Analysis
Pass

Sample Prep

Batch Date: 10/31/2023
 SOP: 431.AZ
 Batch Number: 272

Sample Analysis

Date: 11/01/2023
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.032 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 10/30/2023
 SOP: 406.AZ
 Batch Number: 257

Sample Analysis

Date: 11/01/2023
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.014 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Ally BioTech
 200 N. Tonto Street
 Payson, AZ 85541
 License #: 00000024DCTZ00479209
 Sample ID: 2310SMAZ0222.0674
 Batch #: ICP-0100-B0009



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1273

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 10/30/2023
 SOP: 405.AZ
 Batch Number: 256

Sample Analysis

Date: 11/01/2023
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	ND		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	ND		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Ally BioTech
 200 N. Tonto Street
 Payson, AZ 85541
 License #: 00000024DCTZ00479209
 Sample ID: 2310SMAZ0222.0674
 Batch #: ICP-0100-B0009



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1273

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 11/01/2023
 SOP: 428.AZ
 Batch Number: 276

Sample Analysis
 Date: 11/01/2023
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.220 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.018	0.182	10	0.4	ND	
Cadmium	0.018	0.182	10	0.4	ND	
Lead	0.018	0.455	10	1	<LOQ	
Mercury	0.018	0.091	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 10/30/2023
 SOP: 432.AZ
 Batch Number: 258

Sample Analysis
 Date: 11/01/2023
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.508 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.94	9.84	1	20	ND	R1V1
Aflatoxin B1	3.94	9.47	1	0	ND	
Aflatoxin B2	3.94	9.47	1	0	ND	R1V1
Aflatoxin G1	3.94	9.47	1	0	ND	
Aflatoxin G2	3.94	4.73	1	0	ND	R1V1
Ochratoxin A	9.84	9.47	1	20	ND	M1V1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Ally BioTech
 200 N. Tonto Street
 Payson, AZ 85541
 License #: 00000024DCTZ00479209
 Sample ID: 2310SMAZ0222.0674
 Batch #: ICP-0100-B0009



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1273

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 10/30/2023
 SOP: 432.AZ
 Batch Number: 258

Sample Analysis

Date: 11/01/2023
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.508 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.246	1	0.5	ND	M2	Hexythiazox	0.164 / 0.492	1	1	ND	M2
Acephate	0.066 / 0.197	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	M2
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.066 / 0.197	1	0.4	ND	V1
Aldicarb	0.066 / 0.197	1	0.4	ND		Kresoxim-methyl	0.066 / 0.197	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND		Metaxalyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND	M2	Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.066 / 0.197	1	0.4	ND		Methomyl	0.066 / 0.197	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND		Myclobutanil	0.032 / 0.098	1	0.2	ND	
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.082 / 0.246	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND	L1	Oxamyl	0.164 / 0.492	1	1	ND	
Chlorfenapyr	0.164 / 0.492	1	1	ND	M2 V1	Pacllobutrazol	0.066 / 0.197	1	0.4	ND	L1
Chlorpyrifos	0.032 / 0.098	1	0.2	ND	M2	Permethrins	0.032 / 0.098	1	0.2	ND	
Clofentezine	0.032 / 0.098	1	0.2	ND	M2	Phosmet	0.032 / 0.098	1	0.2	ND	
Cyfluthrin	0.164 / 0.492	1	1	ND	M2 V1	Piperonyl Butoxide	0.328 / 0.984	1	2	ND	
Cypermethrin	0.164 / 0.492	1	1	ND	M2	Prallethrin	0.032 / 0.098	1	0.2	ND	M1
Daminozide	0.164 / 0.492	1	1	ND		Propiconazole	0.066 / 0.197	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND	M2	Pyrethrins	0.138 / 0.412	1	1	ND	V1
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	M2
Etofenprox	0.066 / 0.197	1	0.4	ND	M2	Spiromesifen	0.032 / 0.098	1	0.2	ND	M2
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	V1
Fenoxycarb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.066 / 0.197	1	0.4	ND	
Fenpyroximate	0.066 / 0.197	1	0.4	ND	M2	Tebuconazole	0.066 / 0.197	1	0.4	ND	V1
Fipronil	0.066 / 0.197	1	0.4	ND		Thiacloprid	0.032 / 0.098	1	0.2	ND	
Fonicamid	0.164 / 0.492	1	1	ND		Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.197	1	0.4	ND	M2	Trifloxystrobin	0.032 / 0.098	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Ally BioTech
 200 N. Tonto Street
 Payson, AZ 85541
 License #: 00000024DCTZ00479209
 Sample ID: 2310SMAZ0222.0674
 Batch #: ICP-0100-B0009



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1273

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>