

CHILL PILL | Life Is Chill | Avid Biotech, LLC dba Ally Biotech  
(DRC#0000141DRCDP24213459 (Payson Dreams LLC)

Warning: Using marijuana during pregnancy could cause birth defects or  
other health issues to your unborn child

**Batch ID: ICP-0010-B0053**

Extraction Method: Butane

Harvest Date: 06/03/2025

Manufacture Date: 11/18/2025

Strain: Pineapple Fruz

Obtained From: Total Accountability Patient Care DRC#00000114ESQS66067289	
Manufactured at: Total Accountability Patient Care DRC#00000114ESQS66067289	
Distributed by: Total Accountability Patient Care DRC#00000114ESQS66067289	
Tested at: Smithers CTS (lic# 0000020LCVT89602592)	
Cultivated by: Total Accountability Patient Care DRC#00000114ESQS66067289	
46 Wellness LLC - D2 Dispensary, 480 License Holdings, LLC - Ponderosa Dispensary - Florence	DRC#00000116DCJL00597353, MEL#00000128ESJJ0069914 MEL#0000154ESTQ13148041
ABACA Ponderosa, LLC, AllGreens, Inc., Arizona Organix, Arizona Wellness Collective 3, Inc - Key Cannabis Mesa, AZ Compassionate Care Inc - TruMed, Border Health, Inc - Sticky Saguaro, Cactus Bloom Facilities Management, LLC - Re-Leaf 85624, Compassionate Care of AZ, Inc. - Kompo, Copper State Herbal Center - Botanica, Desert Boyz - Deeply Rooted, Desert Medical Campus Inc - JARS- Metrocenter, Desertview Wellness & Healing Solutions, LLC, Dreem Green Inc. - JARS - University, Earth's Healing, Inc. - Earth's Healing South, Forever 46 LLC - The Downtown Dispensary, FWA Inc - Farm Fresh, Gila Dreams X, LLC - JARS- Payson, Globe Farmacy, Inc. - Earth's Healing North, Green Hills Patient Center Inc - Phoenix Cannabis Co., Green Medicine - Southern Arizona Integrated Therapies- Greenmed, Inc - JARS- East Tucson, H4L Ponderosa, LLC	DRC#00000075DCPP00704676, MEL#00000116ESSM79524188, DRC#00000111DCM200182361 DRC#00000099DCPL00826691, MEL#00000095ESIP13817359 DRC#00000119DCCK00583347, MEL#00000044ESZW01555573 MEL#00000076ESCN21559195, DRC#00000079DCUU00478781 DRC#00000108DCVB00423429, MEL#00000022ESMC44584355 MEL#00000144ESQK21738687 DRC#00000068DCJU00476804, MEL#00000091ESHS96689917 DRC#00000058DCQU00115543, MEL#00000127ESET800222360 MEL#0000153ESTXW47689762 DRC#0000024DCTZ00479209, MEL#00000038ESPN59181329 DRC#0000004DCDKF00438872, MEL#00000038DCAL00224416 DRC#00000073DCSV00210732, MEL#00000078ESQG10647381 DRC#0000027DCPI00457346, MEL#00000112ESWR37460976 DRC#0000057DCHF00477864, MEL#00000126ESDQ50929013 DRC#00000043DCBC00869823 MEL# 00000137ESPF58509627 DRC#00000045DCYU00647140, MEL#00000108ESND56774062 DRC#0000051DCYH00987523, MEL#00000103SEK38100955 DRC#00000071DCXX00288765, MEL#00000094ESMX02282810 DRC#0000017DCEX00412883, MEL#00000113ESLZ23317951 DRC#00000093DCBC00293679, MEL#00000118ESDH66162163 DRC#00000050DCB00239922, MEL#00000087ESWR93327597 DRC#0000032DCOW00232310, MEL#00000046ESTW28902560 DRC#0000031DCPP00603866, MEL#00000045ESYU34105986 DRC#0000078DCBK00628996, MEL#00000088ESUZ76069650 DRC#00000043DCBC00869823 MEL#00000136ESTJ56415147 DRC# 0000006DCDX00478035, MEL#00000079ESTS64678211 MEL#0000164ESTEB22806734 MEL#0000169ESTMB88870542 MEL#0000165ESTJX05511145 DRC#00000081DCPK00962019 MEL#00000039ESEZ33667642 DRC#00000062DCAY00861940, MEL#00000100ESEC12878172 DRC#00000002DCJK00811479, MEL#00000098ESAA47054477 DRC#00000111DCCI00384281, MEL#00000119ESKK32735375 DRC#00000133DCEJ00283862, MEL#00000122ESRN95872973 DRC#00000123DCYU00460808, MEL# 00000107ESVJ79465811 DRC#00000138ESOA91816349 DRC#00000066DCB000410690, MEL#00000109ESVM44878444 DRC#00000039DCVR00320237 MEL#00000124ESOS02903622 DRC#00000069DCFG00710475 DRC#00000131DCYQ00924714, MEL#00000035ESBO39198288 DRC#00000113DCUX00454549 MEL#00000057ESJG92466754 DRC#00000094DCCTJ00667966, MEL#00000117ESPN93487198 DRC#00000065DCLV00799347 MEL#00000123ESYS35386603 DRC#00000060DCIS00424661, MEL#00000089ESLW87335751 DRC#0000026DCOM00244803, MEL#00000120ESGW29293058 DRC#00000004DCFK00438872, MEL#00000074ESMJ87013698 DRC#00000041DCEN00861221, MEL#00000115ESJB22990289 DRC#0000025DCPT00084389, DRC# 00000114ESQS66067289 DRC#00000048DCDKJ00945635, MEL#00000072ESRF58078256 DRC#00000089DCQY00546716, MEL#00000063ESQI60809124 DRC#0000061DCMK00381513, MEL#00000097ESKC38985532 MEL#00000145ESPN1237 DRC#00000128DCNB00202967, MEL#00000034ESEZ92106085 MEL#00000129ESRG43839179, DRC#00000110DCDE00541508 DRC#00000136DCSK00208201, MEL#00000036ESXU42814428 MEL#0000161ESTOJ23023764 DRC#00000080DCQI00709964, MEL#00000101ESZO30906924 DRC#00000072DCMU00762354, MEL#00000068ESZM96727661 MEL#0000167ESTML86118201 MEL#0000168ESTBM41952754 DRC#00000109DCIT00443532, MEL#00000051ESYP04501588 DRC#0000012DCJTO0224887, MEL#00000111ESTX14447382 MEL#0000148ESTMY68096274 MEL#0000160ESTDY36165846 DRC#0000009DCYP00763819, MEL#00000110ESBL46708127 MEL#0000170ESTVG68678199 DRC#00000015DCGC00626237, MEL#00000121ESBM38825533 MEL#0000156ESTDP70697204 DRC#000000DCYO00463840, MEL#00000085ESFV25061802
Flower: Pineapple Fruz - F.PIF250603.A06.006	
Mother Oil: C.NP251002TFG.HYD-I	Manufacture Date: 10/2/2025



Ally Biotech  
200 N. Tonto Street  
Payson, AZ 85541  
License #: 0000141DRCDP24213459  
Sample ID: 2511SMAZ2090.6260  
Batch #: ICP-0010-B0053



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 18465

**Chill Pill - Capsule - Nighttime 10mg B0053**

Batch #: ICP-0010-B0053

Strain: Pineapple Fruz

Parent Batch #:

Production Method: Butane

Harvest Date: 06/03/2025

Received: 11/25/2025

Sample ID: 2511SMAZ2090.6260

Amount Received: 12.7 g

Sample Type: Capsules

Sample Collected: 11/25/2025 14:23:00

Manufacture Date: 11/18/2025

Published: 12/02/2025



**COMPLIANCE FOR RETAIL**

**Regulated Analytes**

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

10.3185 mg/serving

Total THC

Pesticides, Fungicides,  
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

ND mg/serving

Total CBD

**Additional Analytes (Not Regulated)**

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial  
Contaminants (Q3)

Not Tested

2.1534 mg/serving

CBN

0.3168 mg/serving

CBG

12.7884 mg/serving

Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

*Ahmed Munshi*

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Ally Biotech**  
 200 N. Tonto Street  
 Payson, AZ 85541  
 License #: 0000141DRCDP24213459  
 Sample ID: 2511SMAZ2090.6260  
 Batch #: ICP-0010-B0053



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 18465

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 11/25/2025  
 SOP: 418.AZ  
 Batch Number: 4624  
 Test ID: 102537

**Sample Analysis**

Date: 11/26/2025  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.041 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	Qualifier
CBC	0.3140	0.9530	1	<LOQ	<LOQ	<LOQ	
CBD	0.3140	0.9530	1	<LOQ	<LOQ	<LOQ	
CBDA	0.3140	0.9530	1	ND	ND	ND	
CBDV	0.3140	0.9530	1	ND	ND	ND	
CBG	0.3140	0.9530	1	0.1056	1.0560	0.3168	
CBGA	0.3140	0.9530	1	ND	ND	ND	
CBN	0.3140	0.9530	1	0.7178	7.1780	2.1534	
d8-THC	0.3140	0.9530	1	ND	ND	ND	
d9-THC	0.3140	0.9530	1	3.4395	34.3950	10.3185	
THCA	0.3140	0.9530	1	ND	ND	ND	
THCV	0.3140	0.9530	1	<LOQ	<LOQ	<LOQ	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	Qualifier
Total THC	3.4395	34.3950	10.3185	
Total CBD	ND	ND	ND	
Total Cannabinoids	4.2628	42.6280	12.7884	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation  
 Serving Weight: 0.3 None

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
 Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Ally Biotech**  
200 N. Tonto Street  
Payson, AZ 85541  
License #: 0000141DRCDP24213459  
Sample ID: 2511SMAZ2090.6260  
Batch #: ICP-0010-B0053



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 18465

**Microbial Analysis**

**Pass**

**Sample Prep**

**Batch Date:** 12/01/2025  
**SOP:** 412.AZ  
**Batch Number:** 4636  
**Test ID:** 102566

**Sample Analysis**

**Date:** 12/02/2025  
**SOP:** 412.AZ - 3M Petrifilm  
**Sample Weight:** 1.005 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

**Batch Date:** 12/01/2025  
**SOP:** 406.AZ  
**Batch Number:** 4634  
**Test ID:** 102567

**Sample Analysis**

**Date:** 12/02/2025  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.022 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Ally Biotech**  
 200 N. Tonto Street  
 Payson, AZ 85541  
 License #: 0000141DRCDP24213459  
 Sample ID: 2511SMAZ2090.6260  
 Batch #: ICP-0010-B0053



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

**Certificate:** 18465

**Residual Solvents**

**HS-GC-MS**

**Pass**

**Sample Prep**

**Batch Date:** 11/26/2025  
**SOP:** 405.AZ  
**Batch Number:** 4626  
**Test ID:** 102538

**Sample Analysis**

**Date:** 12/01/2025  
**SOP:** 405.AZ - HS-GC-MS  
**Sample Weight:** 0.052 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	321 / 962	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	321 / 962	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	192 / 577	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	321 / 962	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	321 / 962	1	5000	ND	
Ethanol	321 / 962	1	5000	ND		Toluene	58 / 171	1	890	ND	
Ethyl acetate	321 / 962	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	321 / 962	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Ally Biotech**  
 200 N. Tonto Street  
 Payson, AZ 85541  
 License #: 0000141DRCDP24213459  
 Sample ID: 2511SMAZ2090.6260  
 Batch #: ICP-0010-B0053



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

**Certificate: 18465**

**Heavy Metals**

ICP-MS

**Pass**

**Sample Prep**

**Batch Date:** 12/01/2025  
**SOP:** 428.AZ  
**Batch Number:** 4633  
**Test ID:** 102539

**Sample Analysis**

**Date:** 12/02/2025  
**SOP:** 428.AZ - ICP-MS  
**Sample Weight:** 0.206 g  
**Volume:** 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.058	0.194	10	0.4	ND	
Cadmium	0.058	0.194	10	0.4	ND	
Lead	0.058	0.486	10	1	ND	
Mercury	0.058	0.097	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS

**Pass**

**Sample Prep**

**Batch Date:** 11/24/2025  
**SOP:** 432.AZ  
**Batch Number:** 4616  
**Test ID:** 102541

**Sample Analysis**

**Date:** 11/26/2025  
**SOP:** 424.AZ - LC-MS/MS  
**Sample Weight:** 0.510 g  
**Volume:** 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.92	9.80	1	20	ND	L1
Aflatoxin B1	3.92	9.80	1		ND	L1
Aflatoxin B2	3.92	9.80	1		ND	L1
Aflatoxin G1	3.92	9.80	1		ND	L1
Aflatoxin G2	3.92	4.90	1		ND	I1
Ochratoxin A	9.80	9.80	1	20	ND	I1, L1 V1

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Ally Biotech**  
 200 N. Tonto Street  
 Payson, AZ 85541  
 License #: 0000141DRCDP24213459  
 Sample ID: 2511SMAZ2090.6260  
 Batch #: ICP-0010-B0053



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

**Certificate: 18465**

**Pesticides, Fungicides, and  
Growth Regulators**

LC-MS/MS

**Pass**

**Sample Prep**

Batch Date: 11/24/2025  
 SOP: 432.AZ  
 Batch Number: 4616  
 Test ID: 102540

**Sample Analysis**

Date: 11/26/2025  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.510 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.081 / 0.245	1	0.5	ND	L1	Hexythiazox	0.164 / 0.490	1	1	ND	L1
Acephate	0.066 / 0.196	1	0.4	ND	L1	Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.066 / 0.196	1	0.4	ND	
Aldicarb	0.066 / 0.196	1	0.4	ND	L1	Kresoxim-methyl	0.066 / 0.196	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND	L1	Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND	L1	Metalaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND	L1	Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.066 / 0.196	1	0.4	ND	L1	Methomyl	0.066 / 0.196	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND	L1	Myclobutanil	0.032 / 0.098	1	0.2	ND	L1
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.081 / 0.245	1	0.5	ND	L1
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND		Oxamyl	0.164 / 0.490	1	1	ND	
Chlorfenapyr	0.164 / 0.490	1	1	ND		Pacllobutrazol	0.066 / 0.196	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND		Permethrins	0.032 / 0.098	1	0.2	ND	
Clofentezine	0.032 / 0.098	1	0.2	ND		Phosmet	0.032 / 0.098	1	0.2	ND	L1
Cyfluthrin	0.164 / 0.490	1	1	ND		Piperonyl Butoxide	0.326 / 0.980	1	2	ND	L1
Cypermethrin	0.164 / 0.490	1	1	ND		Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.164 / 0.490	1	1	ND	L1	Propiconazole	0.066 / 0.196	1	0.4	ND	L1
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.137 / 0.411	1	1	ND	
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	L1
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	
Etofenprox	0.066 / 0.196	1	0.4	ND	L1	Spiromesifen	0.032 / 0.098	1	0.2	ND	
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxy carb	0.032 / 0.098	1	0.2	ND	L1	Spiroxamine	0.066 / 0.196	1	0.4	ND	
Fenpyroximate	0.066 / 0.196	1	0.4	ND	I1, L1	Tebuconazole	0.066 / 0.196	1	0.4	ND	L1
Fipronil	0.066 / 0.196	1	0.4	ND	I1, R1	Thiaclorpid	0.032 / 0.098	1	0.2	ND	
Flonicamid	0.164 / 0.490	1	1	ND	L1	Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.196	1	0.4	ND		Trifloxystrobin	0.032 / 0.098	1	0.2	ND	

**Ahmed Munshi**

Technical Laboratory Director

*A. Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Ally Biotech**  
200 N. Tonto Street  
Payson, AZ 85541  
License #: 0000141DRCDP24213459  
Sample ID: 2511SMAZ2090.6260  
Batch #: ICP-0010-B0053



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 18465

**Qualifier Legend**

**B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

**B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

**D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.

**I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

**L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

**M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

**M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

**M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

**M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

**M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

**M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

**Q1** Sample integrity was not maintained.

**Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

**Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

**R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

**R2** The relative percent difference for a sample and duplicate exceeded the limit.

**V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:** Total Accountability Patient Care

**Manufactured By:** Ally Biotech

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Ally Biotech  
200 N. Tonto Street  
Payson, AZ 85541  
License #: 0000141DRCDP24213459  
Sample ID: 2511SMAZ2090.6260  
Batch #: ICP-0010-B0053



## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18465

**Notes:** Fill Wt: 0.30



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>