


Drip Rosin Syrup White Grape (Motorbreath OG)

Sample ID: 2405APO2270.10500
Strain: Motorbreath OG
Matrix: Ingestible
Type: Syrup/Honey
Source Batch #:

Produced:
Collected: 05/24/2024 12:14 pm
Received: 05/24/2024
Completed: 06/10/2024
Batch #: 5-25-24-62MB150GCROS-WHG-100
Harvest Date:

Client
Tru Med
Lic. # 00000079DCUU00478781

Lot #:
Production Date:
Production Method: Ice/Water



Summary

| Test | Date Tested | Result |
|-------------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | 05/29/2024 | Complete |
| Residual Solvents | 05/29/2024 | Pass |
| Microbials | 05/30/2024 | Pass |
| Mycotoxins | 05/28/2024 | Pass |
| Pesticides | 05/28/2024 | Pass |
| Heavy Metals | 05/28/2024 | Pass |

Cannabinoids by SOP-6

Complete

| | | | |
|--|-------------------------------------|---|---|
| 11.2555 mg/serving 112.5546 mg/container Total THC | ND ND Total CBD | 11.7630 mg/serving 117.6303 mg/container Total Cannabinoids ^(Q3) | NT Total Terpenes ^(Q3) |
|--|-------------------------------------|---|---|

| Analyte | LOD mg/container | LOQ mg/container | Result mg/container | Result mg/g | Q |
|------------------|---------------------|---------------------|------------------------|----------------|--|
| THCa | | 2.2188 | ND | ND | |
| Δ9-THC | | 2.2188 | 112.5546 | 3.0437 | <div style="width: 100%; height: 10px; background-color: blue;"></div> |
| Δ8-THC | | 2.2188 | ND | ND | |
| THCV | | 2.2188 | ND | ND | |
| CBDa | | 2.2188 | ND | ND | |
| CBD | | 2.2188 | ND | ND | |
| CBDVa | | 2.2188 | ND | ND | |
| CBDV | | 2.2188 | ND | ND | |
| CBN | | 2.2188 | ND | ND | |
| CBGa | | 2.2188 | ND | ND | |
| CBG | | 2.2188 | 5.0758 | 0.1373 | <div style="width: 10%; height: 10px; background-color: blue;"></div> |
| CBC | | 2.2188 | <LOQ | <LOQ | |
| Total THC | | | 112.5546 | 3.0437 | |
| Total CBD | | | ND | ND | |
| Total | | | 117.6303 | 3.1809 | |

Date Tested: 05/29/2024 07:00 am
10 servings per container.



Bryant Kearl
Lab Director
06/10/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Rosin Syrup White Grape (Motorbreath OG)

Sample ID: 2405APO2270.10500
Strain: Motorbreath OG

Matrix: Ingestible
Type: Syrup/Honey
Source Batch #:

Produced:
Collected: 05/24/2024 12:14 pm
Received: 05/24/2024
Completed: 06/10/2024
Batch #: 5-25-24-62MB150GCROS-
WHG-100
Harvest Date:

Client
Tru Med
Lic. # 00000079DCUU00478781

Lot #:
Production Date:
Production Method: Ice/Water

Pesticides by SOP-22

Pass

| Analyte | LOQ | Limit | Mass | Q | Status | Analyte | LOQ | Limit | Mass | Q | Status |
|---------------------|--------|--------|------|---|--------|-----------------|--------|--------|------|---|--------|
| | PPM | PPM | PPM | | | | PPM | PPM | PPM | | |
| Abamectin | 0.2500 | 0.5000 | ND | | Pass | Hexythiazox | 0.5000 | 1.0000 | ND | | Pass |
| Acephate | 0.2000 | 0.4000 | ND | | Pass | Imazalil | 0.1000 | 0.2000 | ND | | Pass |
| Acetamiprid | 0.1000 | 0.2000 | ND | | Pass | Imidacloprid | 0.2000 | 0.4000 | ND | | Pass |
| Aldicarb | 0.2000 | 0.4000 | ND | | Pass | Kresoxim Methyl | 0.2000 | 0.4000 | ND | | Pass |
| Azoxystrobin | 0.1000 | 0.2000 | ND | | Pass | Malathion | 0.1000 | 0.2000 | ND | | Pass |
| Bifenazate | 0.1000 | 0.2000 | ND | | Pass | Metalaxyl | 0.1000 | 0.2000 | ND | | Pass |
| Bifenthrin | 0.1000 | 0.2000 | ND | | Pass | Methiocarb | 0.1000 | 0.2000 | ND | | Pass |
| Boscalid | 0.2000 | 0.4000 | ND | | Pass | Methomyl | 0.2000 | 0.4000 | ND | | Pass |
| Carbaryl | 0.1000 | 0.2000 | ND | | Pass | Myclobutanil | 0.1000 | 0.2000 | ND | | Pass |
| Carbofuran | 0.1000 | 0.2000 | ND | | Pass | Naled | 0.2500 | 0.5000 | ND | | Pass |
| Chlorantraniliprole | 0.1000 | 0.2000 | ND | | Pass | Oxamyl | 0.5000 | 1.0000 | ND | | Pass |
| Chlorfenapyr | 0.5000 | 1.0000 | ND | | Pass | Paclobotrazol | 0.2000 | 0.4000 | ND | | Pass |
| Chlorpyrifos | 0.1000 | 0.2000 | ND | | Pass | Permethrins | 0.1000 | 0.2000 | ND | | Pass |
| Clofentezine | 0.1000 | 0.2000 | ND | | Pass | Phosmet | 0.1000 | 0.2000 | ND | | Pass |
| Cyfluthrin | 0.5000 | 1.0000 | ND | | Pass | Piperonyl | 1.0000 | 2.0000 | ND | | Pass |
| Cypermethrin | 0.5000 | 1.0000 | ND | | Pass | Butoxide | 0.1000 | 0.2000 | ND | | Pass |
| Daminozide | 0.5000 | 1.0000 | ND | | Pass | Prallethrin | 0.2000 | 0.4000 | ND | | Pass |
| Diazinon | 0.1000 | 0.2000 | ND | | Pass | Propiconazole | 0.2000 | 0.4000 | ND | | Pass |
| Dichlorvos | 0.0500 | 0.1000 | ND | | Pass | Propoxur | 0.1000 | 0.2000 | ND | | Pass |
| Dimethoate | 0.1000 | 0.2000 | ND | | Pass | Pyrethrins | 0.5000 | 1.0000 | ND | | Pass |
| Ethoprophos | 0.1000 | 0.2000 | ND | | Pass | Pyridaben | 0.1000 | 0.2000 | ND | | Pass |
| Etofenprox | 0.2000 | 0.4000 | ND | | Pass | Spinosad | 0.1000 | 0.2000 | ND | | Pass |
| Etoxazole | 0.1000 | 0.2000 | ND | | Pass | Spiromesifen | 0.1000 | 0.2000 | ND | | Pass |
| Fenoxycarb | 0.1000 | 0.2000 | ND | | Pass | Spirotetramat | 0.1000 | 0.2000 | ND | | Pass |
| Fenpyroximate | 0.2000 | 0.4000 | ND | | Pass | Spiroxamine | 0.2000 | 0.4000 | ND | | Pass |
| Fipronil | 0.2000 | 0.4000 | ND | | Pass | Tebuconazole | 0.2000 | 0.4000 | ND | | Pass |
| Flonicamid | 0.5000 | 1.0000 | ND | | Pass | Thiacloprid | 0.1000 | 0.2000 | ND | | Pass |
| Fludioxonil | 0.2000 | 0.4000 | ND | | Pass | Thiamethoxam | 0.1000 | 0.2000 | ND | | Pass |
| | | | | | | Trifloxystrobin | 0.1000 | 0.2000 | ND | | Pass |

Date Tested: 05/28/2024 07:00 am



Bryant Kearl
Lab Director
06/10/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Rosin Syrup White Grape (Motorbreath OG)

Sample ID: 2405APO2270.10500
Strain: Motorbreath OG

Matrix: Ingestible
Type: Syrup/Honey
Source Batch #:

Produced:
Collected: 05/24/2024 12:14 pm
Received: 05/24/2024
Completed: 06/10/2024
Batch #: 5-25-24-62MB15OGCROS-WHG-100
Harvest Date:

Client
Tru Med
Lic. # 00000079DCUU00478781

Lot #:
Production Date:
Production Method: Ice/Water

Microbials

Pass

| Analyte | Limit | Result | Status | Q |
|---|-----------------------------|--------|--------|---|
| Salmonella SPP by QPCR: SOP-15 | Detected/Not Detected in 1g | ND | Pass | |
| Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14 | Detected/Not Detected in 1g | NR | NT | |
| Aspergillus Terreus by QPCR: SOP-14 | Detected/Not Detected in 1g | NR | NT | |

| Analyte | LOQ | Limit | Result | Status | Q |
|--|---------------|---------------|---------------------|--------|---|
| E. Coli by traditional plating: SOP-13 | CFU/g 10.0 | CFU/g 10.0 | CFU/g < 10 CFU/g | Pass | |

Date Tested: 05/30/2024 12:00 am

Mycotoxins by SOP-22

Pass

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|------------------|-------|-------|-------|-------|--------|------|
| | µg/kg | µg/kg | µg/kg | µg/kg | | |
| B1 | 5 | 10 | 20 | ND | Pass | |
| B2 | 5 | 10 | 20 | ND | Pass | |
| G1 | 5 | 10 | 20 | ND | Pass | |
| G2 | 5 | 10 | 20 | ND | Pass | |
| Total Aflatoxins | 5 | 10 | 20 | ND | Pass | |
| Ochratoxin A | 5 | 10 | 20 | ND | Pass | V1L1 |

Date Tested: 05/28/2024 07:00 am

Heavy Metals by SOP-21

Pass

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|---------|--------|--------|--------|-------|--------|---|
| | PPM | PPM | PPM | PPM | | |
| Arsenic | 0.0660 | 0.1330 | 0.4000 | ND | Pass | |
| Cadmium | 0.0660 | 0.1330 | 0.4000 | ND | Pass | |
| Lead | 0.1660 | 0.3330 | 1.0000 | ND | Pass | |
| Mercury | 0.2000 | 0.4000 | 1.2000 | ND | Pass | |

Date Tested: 05/28/2024 07:00 am



Bryant Kearl
Lab Director
06/10/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Rosin Syrup White Grape (Motorbreath OG)

Sample ID: 2405APO2270.10500
Strain: Motorbreath OG

Matrix: Ingestible
Type: Syrup/Honey
Source Batch #:

Produced:
Collected: 05/24/2024 12:14 pm
Received: 05/24/2024
Completed: 06/10/2024
Batch #: 5-25-24-62MB150GCROS-
WHG-100
Harvest Date:

Client
Tru Med
Lic. # 00000079DCUU00478781

Lot #:
Production Date:
Production Method: Ice/Water

Residual Solvents by SOP-3

| Analyte | LOQ | Limit | Mass | Status | Q |
|-------------------------|-----------|-----------|------|--------|------|
| | PPM | PPM | PPM | | Pass |
| Acetone | 381.0000 | 1000.0000 | ND | Pass | |
| Acetonitrile | 154.0000 | 410.0000 | ND | Pass | |
| Benzene | 1.0000 | 2.0000 | ND | Pass | |
| Butanes | 1914.0000 | 5000.0000 | ND | Pass | |
| Chloroform | 24.0000 | 60.0000 | ND | Pass | |
| Dichloromethane | 231.0000 | 600.0000 | ND | Pass | |
| Ethanol | 1910.0000 | 5000.0000 | ND | Pass | |
| Ethyl-Acetate | 1907.0000 | 5000.0000 | ND | Pass | |
| Ethyl-Ether | 1901.0000 | 5000.0000 | ND | Pass | |
| n-Heptane | 1892.0000 | 5000.0000 | ND | Pass | |
| Hexanes | 115.0000 | 290.0000 | ND | Pass | |
| Isopropanol | 1915.0000 | 5000.0000 | ND | Pass | |
| Isopropyl-Acetate | 1908.0000 | 5000.0000 | ND | Pass | |
| Methanol | 1141.0000 | 3000.0000 | ND | Pass | |
| Pentane | 1923.0000 | 5000.0000 | ND | Pass | |
| Toluene | 343.0000 | 890.0000 | ND | Pass | |
| Xylenes + Ethyl Benzene | 841.0000 | 2170.0000 | ND | Pass | |

Date Tested: 05/29/2024 07:00 am



Bryant Kearl
Lab Director
06/10/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Rosin Syrup White Grape (Motorbreath OG)

Sample ID: 2405APO2270.10500
Strain: Motorbreath OG

Matrix: Ingestible
Type: Syrup/Honey
Source Batch #:

Produced:
Collected: 05/24/2024 12:14 pm
Received: 05/24/2024
Completed: 06/10/2024
Batch #: 5-25-24-62MB150GCROS-
WHG-100
Harvest Date:

Client
Tru Med
Lic. # 00000079DCUU00478781

Lot #:
Production Date:
Production Method: Ice/Water

Qualifiers Definitions

| Qualifier Notation | Qualifier Description |
|--------------------|--|
| I1 | The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference |
| L1 | When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| M1 | The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| M2 | The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| M3 | The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| R1 | The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria |
| V1 | The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| Q2 | The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis |
| Q3 | Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 |

Notes and Addenda:



Bryant Kearl
Lab Director
06/10/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Rosin Syrup White Grape (Motorbreath OG)


Sample ID: 2405APO2270.10500
Strain: Motorbreath OG

Matrix: Ingestible
Type: Syrup/Honey
Source Batch #:


Produced:
Collected: 05/24/2024 12:14 pm
Received: 05/24/2024
Completed: 06/10/2024
Batch #: 5-25-24-62MB15OGCROS-
WHG-100
Harvest Date:

Client
Tru Med
Lic. # 00000079DCUU00478781

Lot #:
Production Date:
Production Method: Ice/Water



Apollo Labs



Change Request Form

| Client information | |
|---|----------------------|
| Person(s) requesting change: | Christine Van Hout |
| FAIRLA# of person(s) requesting change: | 1658435FAJX579979347 |
| Organization Name/License #: | 00000013LCRK62049775 |
| Date update requested: | 6/5/2024 |
| Initials of Requesting Individual: | CVH |

By signing this Change Request Form submitter understands Apollo Labs is not responsible for any compliance related matter caused by the change and that submitter's internal compliance professionals previously determined the change complies with applicable rules and regulations of the Arizona Department of Health Services.

| FOR INTERNAL LABORATORY TRACKING USE ONLY | |
|--|--------------|
| Internal Tracking ID: | 06052024-005 |
| Individual(s) Performing CoA/Testing Request Update: | Darby Deak |
| Date(s) of change: | 6/5/2024 |
| Change tracking information updated: | Yes |
| Additional Notes: | |

| Change Index | Accessioning Number/Confident Cannabis ID | Field to be Changed | Original Value | Updated Value | Reason for Change |
|--------------|---|---------------------|--|--|-------------------|
| 1 | 2405APO2270.10501 | Sample Name | Drip Rosin Syrup Blue Raspberry (Motorbreath #15 OG) | Drip Rosin Syrup Blue Raspberry (Motorbreath OG) | no #15 |
| 2 | 2405APO2270.10500 | Sample Name | Drip Rosin Syrup Blue Raspberry (Motorbreath #15 OG) | Drip Rosin Syrup Blue Raspberry (Motorbreath OG) | OG No #15 |
| 3 | 2405APO2270.10500 | Strain Name | Motorbreath #15 | Motorbreath OG | OG No #15 |
| 4 | 2405APO2270.10501 | Strain Name | Motorbreath #15 | Motorbreath OG | OG No #15 |



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



06/10/2024

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Rosin Syrup White Grape (Motorbreath OG)



Sample ID: 2405APO2270.10500
Strain: Motorbreath OG

Matrix: Ingestible
Type: Syrup/Honey
Source Batch #:

Produced:
Collected: 05/24/2024 12:14 pm
Received: 05/24/2024
Completed: 06/10/2024
Batch #: 5-25-24-62MB150GCROS-
WHG-100
Harvest Date:

Client
Tru Med
Lic. # 00000079DCUU00478781

Lot #:
Production Date:
Production Method: Ice/Water

|  | Apollo Labs | | | |  |
|---|--|---------------------|--|------------------------------|---|
| Change Request Form | | | | | |
| <small>Client information</small> | | | | | |
| Person(s) requesting change: | Christine Van Hout | | | | |
| FA/LA# of person(s) requesting change: | 1658435FAIX579979347 | | | | |
| Organization Name/License #: | 00000013LCRK62049775 | | | | |
| Date update requested: | 6/10/2024 | | | | |
| Initials of Requesting Individual: | CVH | | | | |
| <small>FOR INTERNAL LABORATORY TRACKING USE ONLY</small> | | | | | |
| Internal Tracking ID: | 06102024-006 | | | | |
| Individual(s) Performing CoA/Testing Request Update: | Darby Deak | | | | |
| Date(s) of change: | 6/10/2024 | | | | |
| Change tracking information updated: | Yes | | | | |
| Additional Notes: | | | | | |
| Change Index | Accession Number/Confident Cannabis ID | Field to be Changed | Original Value | Updated Value | Reason for Change |
| 1 | | | | | |
| 2 | 2405APO2270.10500 | Sample Name | Drip Rosin Syrup Blue Raspberry (Motorbreath #15 OG) | Drip Rosin Syrup White Grape | White Grape not blue rasp |



06/10/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.