Summary

Bubble Hash Joint Gelonade x Cherry Paloma

Sample ID: 2405APO1986.9284 Strain: Gelonade x Cherry Paloma Matrix: Concentrates & Extracts Type: Hash - Ice Water Source Batch #:

Produced: Collected: 05/08/2024 01:37 pm Received: 05/09/2024 Completed: 05/15/2024 Batch #: 04GELOBHJ Harvest Date:


Client Tru Med

Lic. # 00000079DCUU00478781

Lot #:

Production Date:

Production Method: Ice/Water



Summary		
Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/09/2024	Complete
Terpenes	05/13/2024	Complete
Residual Solvents	05/10/2024	Pass
Microbials	05/13/2024	Pass
Mycotoxins	05/13/2024	Pass
Pesticides	05/13/2024	Pass
Heavy Metals	05/10/2024	Pass

Cannabinoids by SOP-6

Complete

Carma								
	27.3859%		0.1155	%	31.7462	2%	1.6876%	
	Total THC		Total CI	3D	Total Cannal	oinoids (Q3)	Total Terpenes	(Q3)
Analyte		LOD	LOQ	Result	Result			(
		%	%	%	mg/g			
THCa			0.1000	30.0451	300.451			

	100	100	B 1		
Analyte	LOD	LOQ	Result	Result	
	%	%	%	mg/g	
THCa		0.1000	30.0451	300.451	
Δ9-THC		0.1000	1.0363	10.363	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	ND	ND	
CBDa		0.1000	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD		0.1000	0.1155	1.155	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	ND	ND	
CBGa		0.1000	0.5492	5.492	
CBG		0.1000	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBC		0.1000	ND	ND	
Total THC			27.3859	273.8590	
Total CBD			0.1155	1.1550	
Total			31.7462	317.462	

Date Tested: 05/09/2024 07:00 am



Bryant Kearl Lab Director 05/15/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

2 of 8

Bubble Hash Joint Gelonade x Cherry Paloma

Sample ID: 2405APO1986.9284 Strain: Gelonade x Cherry Paloma Matrix: Concentrates & Extracts Type: Hash - Ice Water Source Batch #:

Produced: Collected: 05/08/2024 01:37 pm Received: 05/09/2024 Completed: 05/15/2024 Batch #: 04GELOBHJ Harvest Date:

Client Tru Med

Lic. # 00000079DCUU00478781

Lot #:

Production Date: Production Method: Ice/Water

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Mass	Q	Status	Analyte	LOQ	Limit	Mass	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	lmazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Butoxide					
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spinosad	0.1000	0.2000	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Spiroxamine	0.2000	0.4000 0.4000	ND		Pass Pass
Fipronil Flonicamid	0.2000		ND		Pass	Tebuconazole			ND		
	0.5000	1.0000 0.4000	ND ND		Pass	Thiacloprid Thiamethoxam	0.1000 0.1000	0.2000	ND		Pass Pass
Fludioxonil	0.2000	0.4000	ND		Pass		0.1000	0.2000	ND ND		Pass
						Trifloxystrobin	0.1000	0.2000	טט		Pass

Date Tested: 05/13/2024 07:00 am





Bryant Kearl Lab Director 05/15/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

3 of 8

Bubble Hash Joint Gelonade x Cherry Paloma

Sample ID: 2405APO1986.9284 Strain: Gelonade x Cherry Paloma Matrix: Concentrates & Extracts Type: Hash - Ice Water Source Batch #:

Collected: 05/08/2024 01:37 pm Received: 05/09/2024 Completed: 05/15/2024 Batch #: 04GELOBHJ Harvest Date:

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #:

Production Date:

Production Method: Ice/Water

N. 41	D.
Microbials	Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli by traditional plating: SOP-13	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 05/13/2024 12:00 am

Mycotoxins by SOP-22

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	μg/kg	µg/kg	μg/kg	μg/kg		
B1	5	10	20	ND	Pass	
B2	5	10	20	ND	Pass	
G1	5	10	20	ND	Pass	
G2	5	10	20	ND	Pass	
Total Aflatoxins	5	10	20	ND	Pass	
Ochratoxin A	5	10	20	ND	Pass	

Date Tested: 05/13/2024 07:00 am

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.0660	0.1330	0.4000	ND	Pass	
Cadmium	0.0660	0.1330	0.4000	ND	Pass	
Lead	0.1660	0.3330	1.0000	ND	Pass	
Mercury	0.0330	0.0660	0.2000	ND	Pass	

Date Tested: 05/10/2024 07:00 am



Brvant Kearl Lab Director 05/15/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

4 of 8

Bubble Hash Joint Gelonade x Cherry Paloma

Sample ID: 2405APO1986.9284 Strain: Gelonade x Cherry Paloma Matrix: Concentrates & Extracts Type: Hash - Ice Water Source Batch #:

Produced: Collected: 05/08/2024 01:37 pm Received: 05/09/2024 Completed: 05/15/2024 Batch #: 04GELOBHJ Harvest Date:

Client Tru Med

Lic. # 00000079DCUU00478781

Lot #:

Production Date:

Production Method: Ice/Water

Residual Solvents by SOP-3

Analyte	LOQ	Limit	Mass	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

Date Tested: 05/10/2024 07:00 am



Bryant Kearl

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



05/15/2024 ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of

Lab Director



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

5 of 8

Bubble Hash Joint Gelonade x Cherry Paloma

Sample ID: 2405APO1986.9284 Strain: Gelonade x Cherry Paloma Matrix: Concentrates & Extracts Type: Hash - Ice Water Source Batch #:

Collected: 05/08/2024 01:37 pm Received: 05/09/2024 Completed: 05/15/2024 Batch #: 04GELOBHJ Harvest Date:

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #:

Production Date:

Production Method: Ice/Water

Terpenes

Analyte	LOQ	Mass	Mass	Q	
	%	%	mg/g		
D,L-Limonene	0.0010	0.5402	5.402	Q3	
Linalool	0.0010	0.2485	2.485	Q3	
β-Caryophyllene	0.0010	0.1461	1.461	Q3	
β-Myrcene	0.0010	0.1445	1.445	Q3	
β-Pinene	0.0010	0.1075	1.075	Q3	
Fenchone	0.0010	0.0912	0.912	Q3	
α-Terpineol	0.0010	0.0880	0.880	Q3	
α-Humulene	0.0010	0.0641	0.641	Q3	
α-Pinene	0.0010	0.0545	0.545	Q3	
cis-beta-Ocimene	0.0010	0.0480	0.480	Q3	
trans-Nerolidol	0.0010	0.0456	0.456	Q3	
α-Bisabolol	0.0010	0.0391	0.391	Q3	
Valencene	0.0010	0.0223	0.223	Q3	
Camphene	0.0010	0.0153	0.153	Q3	
Caryophyllene Oxide	0.0010	0.0080	0.080	Q3	
Terpinolene	0.0010	0.0078	0.078	Q3	
Endo-Fenchyl Alcohol	0.0010	0.0061	0.061	Q3	
Camphor	0.0010	0.0060	0.060	Q3	
trans-Citral	0.0010	0.0048	0.048	Q3	
3-Carene	0.0010	ND	ND	Q3	
α-Cedrene	0.0010	ND	ND	Q3	
α-Phellandrene	0.0010	ND	ND	Q3	
α-Terpinene	0.0010	ND	ND	Q3	
α-Thujone	0.0010	ND	ND	Q3	
trans-β-Farnesene	0.0010	ND	ND	Q3	
D,L-Borneol	0.0010	ND	ND	Q3	
Carvacrol	0.0010	ND	ND	Q3	
Carvone	0.0010	ND	ND	Q3	
Cedrol	0.0010	ND	ND	Q3	

Analyte	LOQ	Mass	Mass	Q	
	%	%	mg/g		
cis-Citral	0.0010	ND	ND	Q3	
cis-Farnesol	0.0010	ND	ND	Q3	
cis-Nerolidol	0.0010	ND	ND	Q3	
Citronellol	0.0010	ND	ND	Q3	
Eucalyptol	0.0010	ND	ND	Q3	
y-Terpinene	0.0010	ND	ND	Q3	
Geraniol	0.0010	ND	ND	Q3	
Geranyl Acetate	0.0010	ND	ND	Q3	
Guaiol	0.0010	ND	ND	Q3	
Isoborneol	0.0010	ND	ND	Q3	
Isobornyl Acetate	0.0010	ND	ND	Q3	
Isopulegol	0.0010	ND	ND	Q3	
m-Cymene	0.0010	ND	ND	Q3	
Menthol	0.0010	ND	ND	Q3	
L-Menthone	0.0010	ND	ND	Q3	
Nerol	0.0010	ND	ND	Q3	
Nootkatone	0.0010	ND	ND	Q3	
o,p-Cymene	0.0010	ND	ND	Q3	
Octyl Acetate	0.0010	ND	ND	Q3	
Phytane	0.0010	ND	ND	Q3	
Piperitone	0.0010	ND	ND	Q3	
Pulegone	0.0010	ND	ND	Q3	
Sabinene	0.0010	ND	ND	Q3	
Sabinene Hydrate	0.0010	ND	ND	Q3	
Safranal	0.0010	ND	ND	Q3	
Terpinen-4-ol	0.0010	ND	ND	Q3	
Thymol	0.0010	ND	ND	Q3	
trans-beta-Ocimene	0.0010	ND	ND	Q3	
Verbenone	0.0010	ND	ND	Q3	
Total		1.6876	16.876		

Primary Aromas







Lavender



Cinnamon





Date Tested: 05/13/2024 12:00 am Terpenes analysis is not regulated by AZDHS.





Bryant Kearl Lab Director 05/15/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of

product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.





(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

6 of 8

Bubble Hash Joint Gelonade x Cherry Paloma

Sample ID: 2405APO1986.9284 Strain: Gelonade x Cherry Paloma Matrix: Concentrates & Extracts Type: Hash - Ice Water Source Batch #:

Collected: 05/08/2024 01:37 pm Received: 05/09/2024 Completed: 05/15/2024 Batch #: 04GELOBHJ Harvest Date:

Client Tru Med Lic. # 00000079DCUU00478781

Lot #: Production Date: Production Method: Ice/Water

Qualifiers Definitions

Qualifier Notation	Qualifier Description
l1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection $(K)(2)(c)$, but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
М3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection $(K)(3)$, but the recovery in subsection $(K)(2)$ was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) (1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:





Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



05/15/2024 ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of

Lab Director

(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

7 of 8

Bubble Hash Joint Gelonade x Cherry Paloma

Sample ID: 2405APO1986.9284 Strain: Gelonade x Cherry Paloma Matrix: Concentrates & Extracts Type: Hash - Ice Water Source Batch #:

Produced: Collected: 05/08/2024 01:37 pm Received: 05/09/2024 Completed: 05/15/2024 Batch #: 04GELOBHJ Harvest Date:

Client Tru Med Lic. # 00000079DCUU00478781

Lot #: Production Date: Production Method: Ice/Water





Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



05/15/2024

8 of 8


Bubble Hash Joint Gelonade x Cherry Paloma

Sample ID: 2405APO1986.9284 Strain: Gelonade x Cherry Paloma Matrix: Concentrates & Extracts Type: Hash - Ice Water Source Batch #:

Collected: 05/08/2024 01:37 pm Received: 05/09/2024 Completed: 05/15/2024 Batch #: 04GELOBHJ Harvest Date:

Client Tru Med Lic. # 00000079DCUU00478781

Lot #: Production Date: Production Method: Ice/Water





Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



05/15/2024