

Drip Drops High CBG Natural

Sample ID: 2509APO4311.21544

Strain: Natural

Matrix: Ingestible

Type: Tincture

Source Batch #: 9399

Collected: 09/29/2025 10:43 am

Received: 09/29/2025

Completed: 10/30/2025

Batch #: TINCBGN008

Harvest Date: 08/22/2025

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #: 9399

Production/Manufacture Date:

Production/Manufacture Method: Alcohol



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/01/2025	Complete
Residual Solvents	09/29/2025	Pass
Microbials	10/01/2025	Pass
Mycotoxins	09/30/2025	Pass
Pesticides	09/30/2025	Pass
Heavy Metals	09/29/2025	Pass

Cannabinoids by SOP-6

Complete

ND ND Total THC	ND ND Total CBD	2.4622 % 652.9872 mg/container Total Cannabinoids ^(Q3)	NT Total Terpenes ^(Q3)
-----------------------	-----------------------	---	--------------------------------------

Analyte	LOD mg/container	LOQ mg/container	Result mg/container	Result mg/g	Q
THCa		1.5912	ND	ND	
Δ9-THC		1.5912	ND	ND	
Δ8-THC		1.5912	ND	ND	
THCV		1.5912	ND	ND	
CBDa		1.5912	ND	ND	
CBD		1.5912	ND	ND	
CBDVa		1.5912	ND	ND	
CBDV		1.5912	ND	ND	
CBN		1.5912	ND	ND	
CBGa		1.5912	ND	ND	
CBG		1.5912	652.9873	24.6224	
CBC		1.5912	ND	ND	
Total THC			ND	ND	
Total CBD			ND	ND	
Total			652.9872	24.6224	

Date Tested: 10/01/2025 07:00 am
1 servings per container.



Anthony Settanni
Anthony Settanni
Lab Director
10/30/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Drops High CBG Natural

Sample ID: 2509APO4311.21544

Strain: Natural

Matrix: Ingestible

Type: Tincture

Source Batch #: 9399

Collected: 09/29/2025 10:43 am

Received: 09/29/2025

Completed: 10/30/2025

Batch #: TINCBN008

Harvest Date: 08/22/2025

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #: 9399

Production/Manufacture Date:

Production/Manufacture Method: Alcohol

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Result	Q	Status	Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND	R1	Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND	R1	Pass	Imidacloprid	0.2000	0.4000	ND	R1	Pass
Aldicarb	0.2000	0.4000	ND	R1	Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND	R1	Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND	R1	Pass	Metaxyl	0.1000	0.2000	ND	R1	Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND	R1	Pass
Boscalid	0.2000	0.4000	ND	R1	Pass	Methomyl	0.2000	0.4000	ND	R1	Pass
Carbaryl	0.1000	0.2000	ND	R1	Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND	R1	Pass	Naled	0.2500	0.5000	ND	R1	Pass
Chlorantraniliprole	0.1000	0.2000	ND	R1	Pass	Oxamyl	0.5000	1.0000	ND	R1	Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND	R1	Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND	R1	Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Butoxide					
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND	R1	Pass
Diazinon	0.1000	0.2000	ND	R1	Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND	R1	Pass	Propoxur	0.1000	0.2000	ND	R1	Pass
Dimethoate	0.1000	0.2000	ND	R1	Pass	Pyrethrins	0.5000	1.0000	ND		Pass
Ethoprophos	0.1000	0.2000	ND	R1	Pass	Pyridaben	0.1000	0.2000	ND	R1	Pass
Etofenprox	0.2000	0.4000	ND	R1	Pass	Spinosad	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND	R1	Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Spiroxamine	0.2000	0.4000	ND		Pass
Fipronil	0.2000	0.4000	ND	R1	Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Thiacloprid	0.1000	0.2000	ND	R1	Pass
Fludioxonil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND	R1	Pass
						Trifloxystrobin	0.1000	0.2000	ND	R1	Pass

Date Tested: 09/30/2025 07:00 am



Anthony Settanni
Anthony Settanni
Lab Director
10/30/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Drops High CBG Natural

Sample ID: 2509APO4311.21544

Strain: Natural

Matrix: Ingestible

Type: Tincture

Source Batch #: 9399

Collected: 09/29/2025 10:43 am

Received: 09/29/2025

Completed: 10/30/2025

Batch #: TINCBGN008

Harvest Date: 08/22/2025

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #: 9399

Production/Manufacture Date:

Production/Manufacture Method: Alcohol

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	NR	NT	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	NR	NT	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli by traditional plating: SOP-13	10.0	10.0	< 10 CFU/g	Pass	

Date Tested: 10/01/2025 12:00 am

Mycotoxins by SOP-22

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	µg/kg	µg/kg	µg/kg	µg/kg		
B1	5	10	20	ND	Pass	
B2	5	10	20	ND	Pass	
G1	5	10	20	ND	Pass	
G2	5	10	20	ND	Pass	
Total Aflatoxins	5	10	20	ND	Pass	
Ochratoxin A	5	10	20	ND	Pass	

Date Tested: 09/30/2025 07:00 am

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.0660	0.1330	0.4000	ND	Pass	
Cadmium	0.0660	0.1330	0.4000	ND	Pass	
Lead	0.1660	0.3330	1.0000	ND	Pass	
Mercury	0.2000	0.4000	1.2000	ND	Pass	

Date Tested: 09/29/2025 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
10/30/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Drops High CBG Natural

Sample ID: 2509APO4311.21544

Strain: Natural

Matrix: Ingestible

Type: Tincture

Source Batch #: 9399

Collected: 09/29/2025 10:43 am

Received: 09/29/2025

Completed: 10/30/2025

Batch #: TINCBGN008

Harvest Date: 08/22/2025

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #: 9399

Production/Manufacture Date:

Production/Manufacture Method: Alcohol

Residual Solvents by SOP-3

Analyte	LOQ	Limit	Result	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

Date Tested: 09/29/2025 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
10/30/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Drops High CBG Natural

Sample ID: 2509APO4311.21544

Strain: Natural

Matrix: Ingestible

Type: Tincture

Source Batch #: 9399

Collected: 09/29/2025 10:43 am

Received: 09/29/2025

Completed: 10/30/2025

Batch #: TINCBGN008

Harvest Date: 08/22/2025

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #: 9399

Production/Manufacture Date:

Production/Manufacture Method: Alcohol

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



[Signature]

Bryant Kearl
Chief Scientific Officer
10/30/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Drops High CBG Natural

Sample ID: 2509APO4311.21544

Strain: Natural

Matrix: Ingestible

Type: Tincture

Source Batch #: 9399

Collected: 09/29/2025 10:43 am

Received: 09/29/2025

Completed: 10/30/2025

Batch #: TINCBGN008

Harvest Date: 08/22/2025

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #: 9399

Production/Manufacture Date:

Production/Manufacture Method: Alcohol

Customer Supplied Information:





Bryant Kearl
Chief Scientific Officer
10/30/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Drops High CBG Natural

Sample ID: 2509APO4311.21544

Strain: Natural

Matrix: Ingestible

Type: Tincture

Source Batch #: 9399

Collected: 09/29/2025 10:43 am

Received: 09/29/2025

Completed: 10/30/2025

Batch #: TINCBN008

Harvest Date: 08/22/2025

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #: 9399

Production/Manufacture Date:

Production/Manufacture Method: Alcohol



Apollo Labs



Change Request Form

Client Information	
Person(s) requesting change:	Christine Van Hout
FA/LAS of person(s) requesting change:	1721862FABR526209193
Organization Name/License #:	TRUMED 0000013LCRK62049775
Date update requested:	10/3/2025
Initials of Requesting Individual:	CVH

By signing this Change Request Form, submitter understands Apollo Labs is not responsible for any compliance related matter caused by the change and that submitter's internal compliance professionals previously determined the change complies with applicable rules and regulations of the Arizona Department of Health Services.

FOR INTERNAL LABORATORY TRACKING USE ONLY

Internal Tracking ID:	10062025-002
Individual(s) Performing CMA/Testing Request Update:	Darby Deak
Date(s) of change:	10/6/2025
Change tracking information updated:	Yes
Additional Notes:	

Change Index	Accessioning Number/Confident Cannabis ID	Field to be Changed	Original Value	Updated Value	Reason for Change
1	2509APO4311.21539	Source Batch #	na	/9399	needs source batch
2	2509APO4311.21539	Harvest Date	na	8/22/2025	needs harvest date
3	2509APO4311.21541	Source Batch #	na	/9399	needs source batch
4	2509APO4311.21541	Harvest Date	na	8/22/2025	needs harvest date
5	2509APO4311.21544	Source Batch #	na	/9399	needs source batch
6	2509APO4311.21544	Harvest Date	na	8/22/2025	needs harvest date
7	2509APO4311.21652	Source Batch #	na	/9399	needs source batch
8	2509APO4311.21652	Harvest Date	na	8/22/2025	needs harvest date
9	2509APO4311.21545	Source Batch #	na	/9399	needs source batch
10	2509APO4311.21545	Harvest Date	na	8/22/2025	needs harvest date
11	2509APO4311.21542	Source Batch #	na	/9399	needs source batch
12	2509APO4311.21542	Harvest Date	na	8/22/2025	needs harvest date
13	2509APO4311.21543	Source Batch #	na	/9399	needs source batch
14	2509APO4311.21543	Harvest Date	na	8/22/2025	needs harvest date
15	2509APO4311.21547	Source Batch #	na	/9399	needs source batch
16	2509APO4311.21547	Harvest Date	na	8/22/2025	needs harvest date
17	2509APO4311.21540	Source Batch #	na	/9127	needs source batch
18	2509APO4311.21540	Harvest Date	na	6/10/2025	needs harvest date
19	2509APO4311.21577	Source Batch #	na	/9127	needs source batch
20	2509APO4311.21577	Harvest Date	na	6/10/2025	needs harvest date
21	2509APO4311.21548	Source Batch #	na	/9127	needs source batch
22	2509APO4311.21548	Harvest Date	na	6/10/2025	needs harvest date



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



10/30/2025

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Drops High CBG Natural

Sample ID: 2509APO4311.21544

Strain: Natural

Matrix: Ingestible

Type: Tincture

Source Batch #: 9399

Collected: 09/29/2025 10:43 am

Received: 09/29/2025

Completed: 10/30/2025

Batch #: TINCBGN008

Harvest Date: 08/22/2025

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #: 9399

Production/Manufacture Date:

Production/Manufacture Method: Alcohol

Apollo Labs					
Change Request Form					
Client Information					
Person(s) requesting change:	Christine Van Hout				
FA/LAB of person(s) requesting change:	1721862FABR526209193				
Organization Name/License #:	TRU MED 0000079DCUU00478781				
Date update requested:	10/31/2025				
Initials of Requesting Individual:	CVH				
By signing this Change Request Form, submitter understands Apollo Labs is not responsible for any compliance related matter caused by the change and that submitter's internal compliance professionals previously determined the change complies with applicable rules and regulations of the Arizona Department of Health Services.					
FOR INTERNAL LABORATORY TRACKING USE ONLY					
Internal Tracking ID:	10062025-006				
Individual(s) Performing QA/Testing Request Update:	Darby Deak				
Date(s) of change:	10/31/2025				
Change tracking information updated:	Yes				
Additional Notes:					
Change Index	Accessioning Number/Confident Cannabis ID	Field to be Changed	Original Value	Updated Value	Reason for Change
1	2509APO4311.21539	External Lot ID	na	/9399	needs source batch
2					
3	2509APO4311.21541	External Lot ID	na	/9399	needs source batch
4					
5	2509APO4311.21544	External Lot ID	na	/9399	needs source batch
6					
7	2509APO4311.21652	External Lot ID	na	/9399	needs source batch
8					
9	2509APO4311.21545	External Lot ID	na	/9399	needs source batch
10					
11	2509APO4311.21542	External Lot ID	na	/9399	needs source batch
12					
13	2509APO4311.21543	External Lot ID	na	/9399	needs source batch
14					
15	2509APO4311.21547	External Lot ID	na	/9399	needs source batch
16					
17	2509APO4311.21540	External Lot ID	na	/9127	needs source batch
18					
19	2509APO4311.21577	External Lot ID	na	/9127	needs source batch
20					
21	2509APO4311.21546	External Lot ID	na	/9127	needs source batch



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



10/30/2025

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Drip Drops High CBG Natural

Sample ID: 2509APO4311.21544

Strain: Natural

Matrix: Ingestible

Type: Tincture

Source Batch #: 9399

Collected: 09/29/2025 10:43 am

Received: 09/29/2025

Completed: 10/30/2025

Batch #: TINCBGN008

Harvest Date: 08/22/2025

Client

Tru Med

Lic. # 00000079DCUU00478781

Lot #: 9399

Production/Manufacture Date:

Production/Manufacture Method: Alcohol



Apollo Labs



Change Request Form

Client information	
Person(s) requesting change:	Bevilyn Ruiz Sanchez
FA/LA# of person(s) requesting change:	1715120FAHJ308767996
Organization Name/License #:	00000079DCUU00478781
Date update requested:	10/30/2025
Initials of Requesting Individual:	B.R.S.

By signing this Change Request Form submitter understands Apollo Labs is not responsible for any compliance related matter caused by the change and that submitter's internal compliance professionals previously determined the change complies with applicable rules and regulations of the Arizona Department of Health Services.

FOR INTERNAL LABORATORY TRACKING USE ONLY

Internal Tracking ID:	10302025-002
Individual(s) Performing CoA/Testing Request Update:	Darby Deak
Date(s) of change:	10/30/2025
Change tracking information updated:	Yes
Additional Notes:	

Change Index	Accession Number/Confident Cannabis ID	Field to be Changed	Original Value	Updated Value	Reason for Change
1	2509APO4311.21544	Production Method	Coconut Oil	Alcohol	Change (Method of Production)



10/30/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.