

Arizona Department of Health Services Warning	Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child
--	--

Final Product Information:			
Product Form	Flower		
Strain	Kiwi Drip	Sativa-Hybrid	
Batch Number	KWDR 0530 R206		
Date of Harvest	05/30/2025		
Cultivated By	GTL LLC (00000128DCNB00202967)		
Distributed By	GTL LLC (00000128DCNB00202967)		

Marijuana Establishment(s)			
Establishment Name	Establishment License	Establishment Name	Establishment License
MCD-SE Venture 25, LLC	0000167ESTML86118201	4245 Investments LLC	00000036ESXU42814428
MCD-SE Venture 26, LLC	0000162ESTOS80671885	EBA Holdings, Inc	00000068ESZM96727661
Swallowtail 3, LLC	0000161ESTOJ23023764	GTL LLC	00000034ESEZ92106085
Uncle Harry Inc	00000129ESRG43839179	M&T Retail Facility 1 LLC	00000101ESZO30906924
Woodstock 1	0000168ESTBM41952754	Life Changers Investments	0000156ESTDP70697204

Kiwi Drip

Sample ID: 2507EAZ0501.2399
Strain: Kiwi Drip
Matrix: Plant
Type: Flower - Cured
Batch#: KWDR 0530 R206

Collected: 07/10/2025 07:15 AM
Received: 07/10/2025
Completed: 07/14/2025
Sample Size: 9.92 g;

Harvest Date: 05/30/2025
Manufacture Date:
External Lot ID#:
Production Method: Indoor

Client
High Rollin CC
Lic. # 00000128DCNB00202967
500 W Misty Willow Lane,
Phoenix, AZ, 85085



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	07/10/2025	LC-UV VIS	Complete
Pesticides	07/11/2025	LC-MS	Pass
Microbial Impurities	07/11/2025	3M Plating & qPCR	Pass
Heavy Metals	07/14/2025	ICP-MS	Pass

Cannabinoids

Method: SOPAZ_M-CANNABINOIDS

23.069 %

Total THC

0.037 %

Total CBD

24.523 %

Total Cannabinoids ^{Q3}

Analytes	LOQ	Result	Result	Q
	mg/g	%	mg/g	
THCA	0.184	25.820	258.20	
Δ9 THC	0.184	0.425	4.25	
Δ8 THC	0.184	ND	ND	
THCVA	0.184	0.087	0.87	
THCV	0.184	ND	ND	
CBDA	0.184	0.043	0.43	
CBD	0.184	ND	ND	
CBN	0.184	ND	ND	
CBGA	0.184	0.870	8.70	
CBG	0.184	0.145	1.45	
CBCA	0.184	0.492	4.92	
CBC	0.184	ND	ND	
Total THC		23.069	230.69	
Total CBD		0.037	0.37	
Total Cannabinoids		24.523	245.23	Q3
Sum of Cannabinoids		27.883	278.83	Q3

Date Tested: 07/10/2025

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected Moisture Method: SOPAZ_M-MOISTURE



Kevin Nolan
Laboratory Technical Director | 07/14/2025

Firas Haddad
Laboratory Manager | 07/14/2025



Kiwi Drip

Sample ID: 2507EAZ0501.2399

Strain: Kiwi Drip

Matrix: Plant

Type: Flower - Cured

Batch#: KWDR 0530 R206

Collected: 07/10/2025 07:15 AM

Received: 07/10/2025

Completed: 07/14/2025

Sample Size: 9.92 g;

Harvest Date: 05/30/2025

Manufacture Date:

External Lot ID#:

Production Method: Indoor

Client

High Rollin CC

Lic. # 00000128DCNB00202967

500 W Misty Willow Lane,
Phoenix, AZ, 85085

Pesticides

Method: SOPAZ_M-PESTICIDES

Analytes	LOQ	Limit	Result	Status	Q	Analytes	LOQ	Limit	Result	Status	Q
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin B1a	0.112	0.500	ND	Pass		Imidacloprid	0.184	0.400	ND	Pass	
Acephate	0.184	0.400	ND	Pass		Kresoxim-methyl	0.184	0.400	ND	Pass	
Acetamiprid	0.092	0.200	ND	Pass		Malathion	0.092	0.200	ND	Pass	
Aldicarb	0.184	0.400	ND	Pass		Metalaxyl	0.092	0.200	ND	Pass	
Azoxystrobin	0.092	0.200	ND	Pass		Methiocarb	0.092	0.200	ND	Pass	
Bifenazate	0.092	0.200	ND	Pass		Methomyl	0.184	0.400	ND	Pass	
Bifenthrin	0.046	0.200	ND	Pass		Myclobutanil	0.092	0.200	ND	Pass	
Boscalid	0.184	0.400	ND	Pass		Naled	0.230	0.500	ND	Pass	
Carbaryl	0.092	0.200	ND	Pass	R1	Oxamyl	0.460	1.000	ND	Pass	
Carbofuran	0.092	0.200	ND	Pass		Paclobutrazol	0.184	0.400	ND	Pass	
Chlorantraniliprole	0.092	0.200	ND	Pass		Permethrins	0.046	0.200	ND	Pass	
Chlorpyrifos	0.046	0.200	ND	Pass		Phosmet	0.092	0.200	ND	Pass	
Clofentezine	0.092	0.200	ND	Pass		Piperonyl Butoxide	0.460	2.000	ND	Pass	
Cypermethrin	0.460	1.000	ND	Pass		Prallethrin	0.092	0.200	ND	Pass	
Daminozide	0.460	1.000	ND	Pass		Propiconazole	0.184	0.400	ND	Pass	
Diazinon	0.092	0.200	ND	Pass		Propoxur	0.092	0.200	ND	Pass	
Dichlorvos	0.046	0.100	ND	Pass		Pyrethrins	0.419	1.000	ND	Pass	
Dimethoate	0.092	0.200	ND	Pass		Pyridaben	0.046	0.200	ND	Pass	
Ethoprophos	0.092	0.200	ND	Pass		Spinosad	0.092	0.200	ND	Pass	
Etofenprox	0.092	0.400	ND	Pass		Spiromesifen	0.092	0.200	ND	Pass	
Etiozazole	0.092	0.200	ND	Pass		Spirotetramat	0.092	0.200	ND	Pass	
Fenoxycarb	0.092	0.200	ND	Pass		Spiroxamine	0.184	0.200	ND	Pass	
Fenpyroximate	0.184	0.400	ND	Pass		Tebuconazole	0.184	0.400	ND	Pass	
Fipronil	0.184	0.400	ND	Pass		Thiacloprid	0.092	0.200	ND	Pass	
Flonicamid	0.460	1.000	ND	Pass	V1	Thiamethoxam	0.092	0.200	ND	Pass	
Fludioxonil	0.184	0.400	ND	Pass		Trifloxystrobin	0.092	0.200	ND	Pass	
Hexythiazox	0.230	1.000	ND	Pass		Chlorfenapyr	0.460	1.000	ND	Pass	
Imazalil	0.092	0.200	ND	Pass		Cyfluthrin	0.460	1.000	ND	Pass	

Date Tested: 07/11/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.



Kevin Nolan
Laboratory Technical Director | 07/14/2025

Firas Haddad
Laboratory Manager | 07/14/2025



Kiwi Drip

Sample ID: 2507EAO501.2399

Strain: Kiwi Drip

Matrix: Plant

Type: Flower - Cured

Batch#: KWDR 0530 R206

Collected: 07/10/2025 07:15 AM

Received: 07/10/2025

Completed: 07/14/2025

Sample Size: 9.92 g;

Harvest Date: 05/30/2025

Manufacture Date:

External Lot ID#:

Production Method: Indoor

Client

High Rollin CC

Lic. # 00000128DCNB00202967

500 W Misty Willow Lane,
Phoenix, AZ, 85085

Microbial Impurities

Method: SOPAZ_M-ECOLI

Analytes	Result	Limit	Status	Q
Escherichia coli	<10 CFU/g	100 CFU/g	Pass	

Date Tested: 07/11/2025

Method: SOPAZ_M-MICROBIALS

Analytes	Result	Limit	Status	Q
Salmonella spp	Not Detected	Not Detected in One Gram	Pass	
Aspergillus flavus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected	Not Detected in One Gram	Pass	

Date Tested: 07/11/2025

Heavy Metals

Method: SOPAZ_M-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status	Q
	ppm	ppm	ppm	ppm		
Arsenic	0.032	0.096	0.400	ND	Pass	
Cadmium	0.034	0.096	0.400	ND	Pass	
Mercury	0.025	0.072	0.200	ND	Pass	
Lead	0.135	0.409	1.000	ND	Pass	

Date Tested: 07/14/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.



Kevin Nolan
Kevin Nolan
Laboratory Technical Director | 07/14/2025

Firas Haddad
Firas Haddad
Laboratory Manager | 07/14/2025



Kiwi Drip

Sample ID: 2507EAZ0501.2399

Strain: Kiwi Drip

Matrix: Plant

Type: Flower - Cured

Batch#: KWDR 0530 R206

Collected: 07/10/2025 07:15 AM

Received: 07/10/2025

Completed: 07/14/2025

Sample Size: 9.92 g;

Harvest Date: 05/30/2025

Manufacture Date:

External Lot ID#:

Production Method: Indoor

Client

High Rollin CC

Lic. # 00000128DCNB00202967

500 W Misty Willow Lane,


Phoenix, AZ, 85085

Qualifier Legend

- B1** The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, growth regulators, mycotoxins, heavy metals, or residual solvents, is below the maximum allowable concentration.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- N1** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii)
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from initial or continuing calibration verification standards is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

Report Notes




Kevin Nolan
Laboratory Technical Director | 07/14/2025


Firas Haddad
Laboratory Manager | 07/14/2025

