


## DIME Berry White

Sample ID: 2402APO0854.3976  
Strain: Berry White  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #: DBS-100123

Produced:  
Collected: 02/27/2024 10:31 am  
Received: 02/27/2024  
Completed: 03/01/2024  
Batch #: BW0226  
Harvest Date: 09/15/2023

Client  
**Dime Industries**  
Lic. # 00000075ESJK64208740  
  
Lot #: DBS-100123  
Production Date:  
Production Method: Alcohol



### Summary

| Test         | Date Tested | Result   |
|--------------|-------------|----------|
| Batch        |             |          |
| Cannabinoids | 02/28/2024  | Complete |
| Microbials   | 03/01/2024  | Pass     |

### Cannabinoids

Complete

|                 |                |                                    |                                |
|-----------------|----------------|------------------------------------|--------------------------------|
| <b>92.1514%</b> | <b>0.1696%</b> | <b>97.0200%</b>                    | <b>NT</b>                      |
| Total THC       | Total CBD      | Total Cannabinoids <sup>(Q3)</sup> | Total Terpenes <sup>(Q3)</sup> |

| Analyte          | LOD | LOQ    | Result         | Result          | Q                                    |
|------------------|-----|--------|----------------|-----------------|--------------------------------------|
|                  | %   | %      | %              | mg/g            |                                      |
| THCa             |     | 0.1000 | ND             | ND              |                                      |
| Δ9-THC           |     | 0.1000 | 92.1514        | 921.514         | <div style="width: 92.1514%;"></div> |
| Δ8-THC           |     | 0.1000 | ND             | ND              |                                      |
| THCV             |     | 0.1000 | 0.3030         | 3.030           | <div style="width: 0.3030%;"></div>  |
| CBDa             |     | 0.1000 | ND             | ND              |                                      |
| CBD              |     | 0.1000 | 0.1696         | 1.696           | <div style="width: 0.1696%;"></div>  |
| CBDVa            |     | 0.1000 | ND             | ND              |                                      |
| CBDV             |     | 0.1000 | ND             | ND              |                                      |
| CBN              |     | 0.1000 | 0.6256         | 6.256           | <div style="width: 0.6256%;"></div>  |
| CBGa             |     | 0.1000 | ND             | ND              |                                      |
| CBG              |     | 0.1000 | 1.3834         | 13.834          | <div style="width: 1.3834%;"></div>  |
| CBC              |     | 0.1000 | 2.3870         | 23.870          | <div style="width: 2.3870%;"></div>  |
| <b>Total THC</b> |     |        | <b>92.1514</b> | <b>921.5140</b> |                                      |
| <b>Total CBD</b> |     |        | <b>0.1696</b>  | <b>1.6960</b>   |                                      |
| <b>Total</b>     |     |        | <b>97.0200</b> | <b>970.200</b>  |                                      |

Date Tested: 02/28/2024 07:00 am



Bryant Kearl  
Lab Director  
03/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

**KEEP OUT OF REACH OF CHILDREN.**

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## DIME Berry White

Sample ID: 2402APO0854.3976  
Strain: Berry White  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #: DBS-100123

Produced:  
Collected: 02/27/2024 10:31 am  
Received: 02/27/2024  
Completed: 03/01/2024  
Batch #: BW0226  
Harvest Date: 09/15/2023

Client  
**Dime Industries**  
Lic. # 00000075ESJK64208740  
  
Lot #: DBS-100123  
Production Date:  
Production Method: Alcohol

### Microbials

Pass

| Analyte                                                       | Limit                       | Result | Status | Q |
|---------------------------------------------------------------|-----------------------------|--------|--------|---|
| Salmonella SPP                                                | Detected/Not Detected in 1g | ND     | Pass   |   |
| Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger | Detected/Not Detected in 1g | ND     | Pass   |   |
| Aspergillus terreus                                           | Detected/Not Detected in 1g | ND     | Pass   |   |

| Analyte | LOQ           | Limit          | Result              | Status | Q |
|---------|---------------|----------------|---------------------|--------|---|
| E. Coli | CFU/g<br>10.0 | CFU/g<br>100.0 | CFU/g<br>< 10 CFU/g | Pass   |   |

Date Tested: 03/01/2024 12:00 am

### Mycotoxins

Not Tested

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|---------|-----|-----|-------|-------|--------|---|
|---------|-----|-----|-------|-------|--------|---|

Date Tested:

### Heavy Metals

Not Tested

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|---------|-----|-----|-------|-------|--------|---|
|---------|-----|-----|-------|-------|--------|---|

Date Tested:



Bryant Kearl  
Lab Director  
03/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**  
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;  
**KEEP OUT OF REACH OF CHILDREN.**  
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

**DIME Berry White**

Sample ID: 2402APO0854.3976  
Strain: Berry White  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #: DBS-100123

Produced:  
Collected: 02/27/2024 10:31 am  
Received: 02/27/2024  
Completed: 03/01/2024  
Batch #: BW0226  
Harvest Date: 09/15/2023

Client  
**Dime Industries**  
Lic. # 00000075ESJK64208740  
  
Lot #: DBS-100123  
Production Date:  
Production Method: Alcohol

**Qualifiers Definitions**

| Qualifier Notation | Qualifier Description                                                                                                                                                                                                                                                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| I1                 | The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference                                                                                                                                                                                  |
| L1                 | When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| M1                 | The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                                                                                                            |
| M2                 | The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                                                                                                             |
| M3                 | The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                              |
| R1                 | The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria                                                                                                                                                                            |
| V1                 | The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample                                                                                                        |
| Q2                 | The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis                                                                                                                         |
| Q3                 | Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317                                                                                                                                                                                                 |

**Notes and Addenda:**



Bryant Kearl  
Lab Director  
03/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**  
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;  
**KEEP OUT OF REACH OF CHILDREN.**  
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.


## DIME DBS-100123

Sample ID: 2402APO0876.4074  
Strain: Clear - Bulk  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #: DBS-100123

Produced:  
Collected: 02/28/2024 10:38 am  
Received: 02/28/2024  
Completed: 03/01/2024  
Batch #: DBS-100123  
Harvest Date: 09/15/2023

Client  
**Dime Industries**  
Lic. # 00000075ESJK64208740

Lot #: DBS-100123  
Production Date:  
Production Method: Alcohol



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 02/28/2024  | Complete |
| Residual Solvents | 02/28/2024  | Pass     |
| Microbials        | 03/01/2024  | Pass     |
| Mycotoxins        | 02/28/2024  | Pass     |
| Pesticides        | 02/29/2024  | Pass     |
| Heavy Metals      | 02/29/2024  | Pass     |

### Cannabinoids

Complete

|                 |                |                                    |                                |
|-----------------|----------------|------------------------------------|--------------------------------|
| <b>94.2834%</b> | <b>0.1831%</b> | <b>99.8943%</b>                    | <b>NT</b>                      |
| Total THC       | Total CBD      | Total Cannabinoids <sup>(Q3)</sup> | Total Terpenes <sup>(Q3)</sup> |

| Analyte          | LOD | LOQ    | Result         | Result          | Q                                    |
|------------------|-----|--------|----------------|-----------------|--------------------------------------|
|                  | %   | %      | %              | mg/g            |                                      |
| THCa             |     | 0.1000 | ND             | ND              |                                      |
| Δ9-THC           |     | 0.1000 | 94.2834        | 942.834         | <div style="width: 94.2834%;"></div> |
| Δ8-THC           |     | 0.1000 | ND             | ND              |                                      |
| THCV             |     | 0.1000 | 0.3825         | 3.825           | <div style="width: 0.3825%;"></div>  |
| CBDa             |     | 0.1000 | ND             | ND              |                                      |
| CBD              |     | 0.1000 | 0.1831         | 1.831           | <div style="width: 0.1831%;"></div>  |
| CBDVa            |     | 0.1000 | ND             | ND              |                                      |
| CBDV             |     | 0.1000 | ND             | ND              |                                      |
| CBN              |     | 0.1000 | 0.5088         | 5.088           | <div style="width: 0.5088%;"></div>  |
| CBGa             |     | 0.1000 | ND             | ND              |                                      |
| CBG              |     | 0.1000 | 2.0488         | 20.488          | <div style="width: 2.0488%;"></div>  |
| CBC              |     | 0.1000 | 2.4876         | 24.876          | <div style="width: 2.4876%;"></div>  |
| <b>Total THC</b> |     |        | <b>94.2834</b> | <b>942.8340</b> |                                      |
| <b>Total CBD</b> |     |        | <b>0.1831</b>  | <b>1.8310</b>   |                                      |
| <b>Total</b>     |     |        | <b>99.8943</b> | <b>998.943</b>  |                                      |

Date Tested: 02/28/2024 07:00 am



Bryant Kearl  
Lab Director  
03/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

**KEEP OUT OF REACH OF CHILDREN.**

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## DIME DBS-100123

Sample ID: 2402APO0876.4074  
Strain: Clear - Bulk  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #: DBS-100123

Produced:  
Collected: 02/28/2024 10:38 am  
Received: 02/28/2024  
Completed: 03/01/2024  
Batch #: DBS-100123  
Harvest Date: 09/15/2023

Client  
**Dime Industries**  
Lic. # 00000075ESJK64208740  
  
Lot #: DBS-100123  
Production Date:  
Production Method: Alcohol

### Pesticides

Pass

| Analyte             | LOQ    | Limit  | Mass | Q  | Status | Analyte         | LOQ    | Limit  | Mass | Q  | Status |
|---------------------|--------|--------|------|----|--------|-----------------|--------|--------|------|----|--------|
|                     | PPM    | PPM    | PPM  |    |        |                 | PPM    | PPM    | PPM  |    |        |
| Abamectin           | 0.2500 | 0.5000 | ND   | M2 | Pass   | Hexythiazox     | 0.5000 | 1.0000 | ND   |    | Pass   |
| Acephate            | 0.2000 | 0.4000 | ND   |    | Pass   | Imazalil        | 0.1000 | 0.2000 | ND   |    | Pass   |
| Acetamiprid         | 0.1000 | 0.2000 | ND   |    | Pass   | Imidacloprid    | 0.2000 | 0.4000 | ND   |    | Pass   |
| Aldicarb            | 0.2000 | 0.4000 | ND   |    | Pass   | Kresoxim Methyl | 0.2000 | 0.4000 | ND   |    | Pass   |
| Azoxystrobin        | 0.1000 | 0.2000 | ND   |    | Pass   | Malathion       | 0.1000 | 0.2000 | ND   |    | Pass   |
| Bifenazate          | 0.1000 | 0.2000 | <LOQ |    | Pass   | Metalaxyl       | 0.1000 | 0.2000 | ND   |    | Pass   |
| Bifenthrin          | 0.1000 | 0.2000 | ND   |    | Pass   | Methiocarb      | 0.1000 | 0.2000 | ND   |    | Pass   |
| Boscalid            | 0.2000 | 0.4000 | ND   |    | Pass   | Methomyl        | 0.2000 | 0.4000 | ND   |    | Pass   |
| Carbaryl            | 0.1000 | 0.2000 | ND   |    | Pass   | Myclobutanil    | 0.1000 | 0.2000 | ND   |    | Pass   |
| Carbofuran          | 0.1000 | 0.2000 | ND   |    | Pass   | Naled           | 0.2500 | 0.5000 | ND   |    | Pass   |
| Chlorantraniliprole | 0.1000 | 0.2000 | ND   |    | Pass   | Oxamyl          | 0.5000 | 1.0000 | ND   |    | Pass   |
| Chlorfenapyr        | 0.5000 | 1.0000 | ND   | M2 | Pass   | Paclbutrazol    | 0.2000 | 0.4000 | ND   |    | Pass   |
| Chlorpyrifos        | 0.1000 | 0.2000 | ND   |    | Pass   | Permethrins     | 0.1000 | 0.2000 | ND   | M2 | Pass   |
| Clofentezine        | 0.1000 | 0.2000 | ND   |    | Pass   | Phosmet         | 0.1000 | 0.2000 | ND   |    | Pass   |
| Cyfluthrin          | 0.5000 | 1.0000 | ND   | M2 | Pass   | Piperonyl       | 1.0000 | 2.0000 | ND   |    | Pass   |
| Cypermethrin        | 0.5000 | 1.0000 | ND   |    | Pass   | Butoxide        |        |        | ND   |    | Pass   |
| Daminozide          | 0.5000 | 1.0000 | ND   |    | Pass   | Prallethrin     | 0.1000 | 0.2000 | ND   |    | Pass   |
| Diazinon            | 0.1000 | 0.2000 | ND   |    | Pass   | Propiconazole   | 0.2000 | 0.4000 | ND   | M2 | Pass   |
| Dichlorvos          | 0.0500 | 0.1000 | ND   |    | Pass   | Propoxur        | 0.1000 | 0.2000 | ND   |    | Pass   |
| Dimethoate          | 0.1000 | 0.2000 | ND   |    | Pass   | Pyrethrins      | 0.5000 | 1.0000 | ND   |    | Pass   |
| Ethoprophos         | 0.1000 | 0.2000 | ND   |    | Pass   | Pyridaben       | 0.1000 | 0.2000 | ND   |    | Pass   |
| Etofenprox          | 0.2000 | 0.4000 | ND   | M2 | Pass   | Spinosad        | 0.1000 | 0.2000 | ND   | M2 | Pass   |
| Etoxazole           | 0.1000 | 0.2000 | ND   |    | Pass   | Spiromesifen    | 0.1000 | 0.2000 | ND   | M2 | Pass   |
| Fenoxycarb          | 0.1000 | 0.2000 | ND   |    | Pass   | Spirotetramat   | 0.1000 | 0.2000 | ND   |    | Pass   |
| Fenpyroximate       | 0.2000 | 0.4000 | ND   | M2 | Pass   | Spiroxamine     | 0.2000 | 0.4000 | ND   |    | Pass   |
| Fipronil            | 0.2000 | 0.4000 | ND   |    | Pass   | Tebuconazole    | 0.2000 | 0.4000 | ND   | M2 | Pass   |
| Flonicamid          | 0.5000 | 1.0000 | ND   |    | Pass   | Thiacloprid     | 0.1000 | 0.2000 | ND   |    | Pass   |
| Fludioxonil         | 0.2000 | 0.4000 | ND   |    | Pass   | Thiamethoxam    | 0.1000 | 0.2000 | ND   |    | Pass   |
|                     |        |        |      |    |        | Trifloxystrobin | 0.1000 | 0.2000 | ND   |    | Pass   |

Date Tested: 02/29/2024 12:00 am



Bryant Kearl  
Lab Director  
03/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**  
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;  
**KEEP OUT OF REACH OF CHILDREN.**  
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## DIME DBS-100123

Sample ID: 2402APO0876.4074  
Strain: Clear - Bulk  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #: DBS-100123

Produced:  
Collected: 02/28/2024 10:38 am  
Received: 02/28/2024  
Completed: 03/01/2024  
Batch #: DBS-100123  
Harvest Date: 09/15/2023

Client  
**Dime Industries**  
Lic. # 00000075ESJK64208740  
  
Lot #: DBS-100123  
Production Date:  
Production Method: Alcohol

### Microbials

Pass

| Analyte                                                       | Limit                       | Result | Status | Q |
|---------------------------------------------------------------|-----------------------------|--------|--------|---|
| Salmonella SPP                                                | Detected/Not Detected in 1g | ND     | Pass   |   |
| Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger | Detected/Not Detected in 1g | ND     | Pass   |   |
| Aspergillus terreus                                           | Detected/Not Detected in 1g | ND     | Pass   |   |

| Analyte | LOQ           | Limit          | Result              | Status | Q |
|---------|---------------|----------------|---------------------|--------|---|
| E. Coli | CFU/g<br>10.0 | CFU/g<br>100.0 | CFU/g<br>< 10 CFU/g | Pass   |   |

Date Tested: 03/01/2024 12:00 am

### Mycotoxins

Pass

| Analyte          | LOD   | LOQ   | Limit | Units | Status | Q |
|------------------|-------|-------|-------|-------|--------|---|
|                  | µg/kg | µg/kg | µg/kg | µg/kg |        |   |
| B1               | 5     | 10    | 20    | ND    | Pass   |   |
| B2               | 5     | 10    | 20    | ND    | Pass   |   |
| G1               | 5     | 10    | 20    | ND    | Pass   |   |
| G2               | 5     | 10    | 20    | ND    | Pass   |   |
| Total Aflatoxins | 5     | 10    | 20    | ND    | Pass   |   |
| Ochratoxin A     | 5     | 10    | 20    | ND    | Pass   |   |

Date Tested: 02/28/2024 07:00 am

### Heavy Metals

Pass

| Analyte | LOD    | LOQ    | Limit  | Units | Status | Q |
|---------|--------|--------|--------|-------|--------|---|
|         | PPM    | PPM    | PPM    | PPM   |        |   |
| Arsenic | 0.0660 | 0.1330 | 0.4000 | ND    | Pass   |   |
| Cadmium | 0.0660 | 0.1330 | 0.4000 | ND    | Pass   |   |
| Lead    | 0.1660 | 0.3330 | 1.0000 | ND    | Pass   |   |
| Mercury | 0.0330 | 0.0660 | 0.2000 | ND    | Pass   |   |

Date Tested: 02/29/2024 12:00 am



Bryant Kearl  
Lab Director  
03/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

**KEEP OUT OF REACH OF CHILDREN.**

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## DIME DBS-100123

Sample ID: 2402APO0876.4074  
Strain: Clear - Bulk  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #: DBS-100123

Produced:  
Collected: 02/28/2024 10:38 am  
Received: 02/28/2024  
Completed: 03/01/2024  
Batch #: DBS-100123  
Harvest Date: 09/15/2023

Client  
**Dime Industries**  
Lic. # 00000075ESJK64208740  
  
Lot #: DBS-100123  
Production Date:  
Production Method: Alcohol

### Residual Solvents

| Analyte                 | LOQ       | Limit     | Mass | Status | Q    |
|-------------------------|-----------|-----------|------|--------|------|
|                         | PPM       | PPM       | PPM  |        | Pass |
| Acetone                 | 381.0000  | 1000.0000 | ND   | Pass   |      |
| Acetonitrile            | 154.0000  | 410.0000  | ND   | Pass   |      |
| Benzene                 | 1.0000    | 2.0000    | ND   | Pass   |      |
| Butanes                 | 1914.0000 | 5000.0000 | ND   | Pass   |      |
| Chloroform              | 24.0000   | 60.0000   | ND   | Pass   |      |
| Dichloromethane         | 231.0000  | 600.0000  | ND   | Pass   |      |
| Ethanol                 | 1910.0000 | 5000.0000 | ND   | Pass   |      |
| Ethyl-Acetate           | 1907.0000 | 5000.0000 | ND   | Pass   |      |
| Ethyl-Ether             | 1901.0000 | 5000.0000 | ND   | Pass   |      |
| n-Heptane               | 1892.0000 | 5000.0000 | ND   | Pass   |      |
| Hexanes                 | 115.0000  | 290.0000  | ND   | Pass   |      |
| Isopropanol             | 1915.0000 | 5000.0000 | ND   | Pass   |      |
| Isopropyl-Acetate       | 1908.0000 | 5000.0000 | ND   | Pass   |      |
| Methanol                | 1141.0000 | 3000.0000 | ND   | Pass   |      |
| Pentane                 | 1923.0000 | 5000.0000 | ND   | Pass   |      |
| Toluene                 | 343.0000  | 890.0000  | ND   | Pass   |      |
| Xylenes + Ethyl Benzene | 841.0000  | 2170.0000 | ND   | Pass   |      |

Date Tested: 02/28/2024 07:00 am



Bryant Kearl  
Lab Director  
03/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

**KEEP OUT OF REACH OF CHILDREN.**

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

**DIME DBS-100123**

Sample ID: 2402APO0876.4074  
Strain: Clear - Bulk  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #: DBS-100123

Produced:  
Collected: 02/28/2024 10:38 am  
Received: 02/28/2024  
Completed: 03/01/2024  
Batch #: DBS-100123  
Harvest Date: 09/15/2023

Client  
**Dime Industries**  
Lic. # 00000075ESJK64208740

Lot #: DBS-100123  
Production Date:  
Production Method: Alcohol

**Terpenes**

| Analyte | LOQ | Mass | Mass | Q | Analyte | LOQ | Mass | Mass | Q |
|---------|-----|------|------|---|---------|-----|------|------|---|
|---------|-----|------|------|---|---------|-----|------|------|---|



**Primary Aromas**

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

Date Tested:



Bryant Kearl  
Lab Director  
03/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;  
**KEEP OUT OF REACH OF CHILDREN.**  
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



**DIME DBS-100123**

Sample ID: 2402APO0876.4074  
Strain: Clear - Bulk  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #: DBS-100123

Produced:  
Collected: 02/28/2024 10:38 am  
Received: 02/28/2024  
Completed: 03/01/2024  
Batch #: DBS-100123  
Harvest Date: 09/15/2023

Client  
**Dime Industries**  
Lic. # 00000075ESJK64208740  
  
Lot #: DBS-100123  
Production Date:  
Production Method: Alcohol

**Qualifiers Definitions**

| Qualifier Notation | Qualifier Description                                                                                                                                                                                                                                                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| I1                 | The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference                                                                                                                                                                                  |
| L1                 | When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| M1                 | The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                                                                                                            |
| M2                 | The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                                                                                                             |
| M3                 | The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                              |
| R1                 | The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria                                                                                                                                                                            |
| V1                 | The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample                                                                                                        |
| Q2                 | The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis                                                                                                                         |
| Q3                 | Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317                                                                                                                                                                                                 |

**Notes and Addenda:**



Bryant Kearl  
Lab Director  
03/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**  
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;  
**KEEP OUT OF REACH OF CHILDREN.**  
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.