


# DIME Mango Diesel

<b>Sample ID:</b> 2407FSL0175.1251	<b>Harvest Date:</b> 04/18/2024	<b>Client</b>	<b>Lab Sample Collection Date/Time:</b> 07/08/2024 12pm
<b>Strain:</b> Mango Diesel	<b>Manufacture Date:</b>	<b>Dime Industries</b>	
<b>Matrix:</b> Concentrates & Extracts	<b>Received:</b> 07/08/2024	<b>Lic. #</b> 00000075ESJK64208740	<b>Production Method:</b> Alcohol
<b>Type:</b> Distillate	<b>Completed:</b> 07/10/2024	2985 W Osbourn Road	
<b>Sample Size:</b> ; Batch:	<b>Batch#:</b> MD0708	Phoenix, AZ 85017	
	<b>External Lot#:</b> 245NW0524		



## Summary

<b>Test</b>	<b>Date Tested</b>	<b>Result</b>
Batch		Pass
Cannabinoids	07/09/2024	Complete
Microbials	07/09/2024	Pass

## Cannabinoids


Complete

<b>95.46%</b>	<b>0.10%</b>	<b>99.50%</b>
Total THC	Total CBD	Total Cannabinoids (Q3)

Analyte	LOQ	Result	Result	Qualifier
	mg/g	mg/g	%	
THCa	1.00	ND	ND	
Δ9-THC	1.00	954.58	95.458	
Δ8-THC	1.00	ND	ND	
THCV	1.00	5.38	0.538	
CBDa	1.00	ND	ND	
CBD	1.00	1.04	0.104	
CBDV	1.00	ND	ND	
CBN	1.00	3.25	0.325	
CBGa	1.00	ND	ND	
CBG	1.00	23.84	2.384	
CBC	1.00	6.96	0.696	
<b>Total</b>		<b>995.04</b>	<b>99.504</b>	

Date Tested: 07/09/2024

Total THC = THCa \* 0.877 + Δ9-THC Total CBD = CBDa \* 0.877 + CBD Instrument: HPLC-DAD ; Method: FSL-SOP-401

Symon Levenberg, PhD  
 Technical Lab Director  
 07/10/2024

 Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD

# DIME Mango Diesel

**Sample ID:** 2407FSL0175.1251  
**Strain:** Mango Diesel  
**Matrix:** Concentrates & Extracts  
**Type:** Distillate  
**Sample Size:** ; Batch:

**Harvest Date:** 04/18/2024  
**Manufacture Date:**  
**Received:** 07/08/2024  
**Completed:** 07/10/2024  
**Batch#:** MD0708  
**External Lot#:** 245NW0524

**Client:** Dime Industries  
**Lab Sample Collection Date/Time:** 07/08/2024 12pm  
**Lic. #** 00000075ESJK64208740 **Production Method:** Alcohol  
 2985 W Osbourn Road  
 Phoenix, AZ 85017

## Microbials

Pass

Analyte	Result	Status	Qualifier
Aspergillus flavus	Not Detected in 1g	Pass	
Aspergillus fumigatus	Not Detected in 1g	Pass	
Aspergillus niger	Not Detected in 1g	Pass	
Aspergillus terreus	Not Detected in 1g	Pass	
Salmonella SPP	Not Detected in 1g	Pass	
E. Coli	ND	Pass	

Date Tested: 07/09/2024  
 Instrument: qPCR & 3M PetriFilm ; Method: FSL-SOP-301, FSL-SOP-302, FSL-SOP-303

## Mycotoxins

Not Tested

Analyte	LOQ	Limit	Units	Status	Qualifier
---------	-----	-------	-------	--------	-----------

Date Tested:

## Heavy Metals

Not Tested

Analyte	LOQ	Limit	Units	Status	Qualifier
---------	-----	-------	-------	--------	-----------

Date Tested:



Symon Levenberg, PhD  
 Technical Lab Director  
 07/10/2024


Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD

# DIME 245NW0524 Mother Oil

<b>Sample ID:</b> 2406FSL0142.1042	<b>Harvest Date:</b> 04/18/2024	<b>Client</b>	<b>Lab Sample Collection Date/Time:</b> 06/11/2024 4pm
<b>Strain:</b> RAW	<b>Manufacture Date:</b>	<b>Dime Industries</b>	
<b>Matrix:</b> Concentrates & Extracts	<b>Received:</b> 06/11/2024	<b>Lic. #</b> 00000075ESJK64208740	<b>Production Method:</b> Alcohol
<b>Type:</b> Distillate	<b>Completed:</b> 06/14/2024	2985 W Osbourn Road	
<b>Sample Size:</b> ; Batch:	<b>Batch#:</b> 245NW0524	Phoenix, AZ 85017	
	<b>External Lot#:</b> 245NW0524		



## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	06/12/2024	Complete
Residual Solvents	06/12/2024	Pass
Microbials	06/14/2024	Pass
Mycotoxins	06/13/2024	Pass
Pesticides	06/13/2024	Pass
Heavy Metals	06/12/2024	Pass

## Cannabinoids

**Complete**

<b>95.63%</b> Total THC	<b>0.17%</b> Total CBD	<b>99.32%</b> Total Cannabinoids (Q3)
----------------------------	---------------------------	--

Analyte	LOQ	Result	Result	Qualifier
	mg/g	mg/g	%	
THCa	1.00	ND	ND	
Δ9-THC	1.00	956.26	95.626	
Δ8-THC	1.00	ND	ND	
THCV	1.00	5.26	0.526	
CBDa	1.00	ND	ND	
CBD	1.00	1.70	0.170	
CBDV	1.00	ND	ND	
CBN	1.00	2.84	0.284	
CBGa	1.00	ND	ND	
CBG	1.00	21.27	2.127	
CBC	1.00	5.90	0.590	
<b>Total</b>		<b>993.24</b>	<b>99.324</b>	

Date Tested: 06/12/2024

Total THC = THCa \* 0.877 + Δ9-THC Total CBD = CBDa \* 0.877 + CBD Instrument: HPLC-DAD ; Method: FSL-SOP-401




 Symon Levenberg, PhD  
 Technical Lab Director  
 06/14/2024

 Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD

# DIME 245NW0524 Mother Oil

<b>Sample ID:</b> 2406FSL0142.1042	<b>Harvest Date:</b> 04/18/2024	<b>Client:</b>	<b>Lab Sample Collection Date/Time:</b> 06/11/2024 4pm
<b>Strain:</b> RAW	<b>Manufacture Date:</b>	<b>Dime Industries</b>	
<b>Matrix:</b> Concentrates & Extracts	<b>Received:</b> 06/11/2024	<b>Lic. #</b> 0000075ESJK64208740	<b>Production Method:</b> Alcohol
<b>Type:</b> Distillate	<b>Completed:</b> 06/14/2024	2985 W Osbourn Road	
<b>Sample Size:</b> ; Batch:	<b>Batch#:</b> 245NW0524	Phoenix, AZ 85017	
	<b>External Lot#:</b> 245NW0524		

## Pesticides

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier	Analyte	LOQ	Limit	Mass	Status	Qualifier
	µg/g	µg/g	µg/g				µg/g	µg/g	µg/g		
Abamectin	0.25	0.5	ND	Pass		Hexythiazox	0.5	1	ND	Pass	
Acephate	0.25	0.5	ND	Pass		Imazalil	0.1	0.2	ND	Pass	
Acetamiprid	0.1	0.2	ND	Pass		Imidacloprid	0.2	0.4	ND	Pass	
Aldicarb	0.2	0.4	ND	Pass		Kresoxim Methyl	0.2	0.4	ND	Pass	
Azoxystrobin	0.1	0.2	ND	Pass		Malathion	0.1	0.2	ND	Pass	
Bifenazate	0.1	0.2	ND	Pass		Metaxyl	0.1	0.2	ND	Pass	
Bifenthrin	0.1	0.2	ND	Pass		Methiocarb	0.1	0.2	ND	Pass	
Boscalid	0.2	0.4	ND	Pass		Methomyl	0.2	0.4	ND	Pass	
Carbaryl	0.1	0.2	ND	Pass		Myclobutanil	0.1	0.2	ND	Pass	
Carbofuran	0.1	0.2	ND	Pass		Naled	0.25	0.5	ND	Pass	
Chlorantraniliprole	0.1	0.2	ND	Pass		Oxamyl	0.5	1	ND	Pass	
Chlorfenapyr	0.5	1	ND	Pass		Paclobutrazol	0.2	0.4	ND	Pass	
Chlorpyrifos	0.1	0.2	ND	Pass		Permethrins	0.1	0.2	ND	Pass	
Clofentezine	0.1	0.2	ND	Pass		Phosmet	0.1	0.2	ND	Pass	
Cyfluthrin	0.5	1	ND	Pass		Piperonyl		2	ND	Pass	
Cypermethrin	0.5	1	ND	Pass		Butoxide					
Daminozide	0.5	1	ND	Pass		Prallethrin	0.1	0.2	ND	Pass	
Diazinon	0.1	0.2	ND	Pass		Propiconazole	0.2	0.4	ND	Pass	
Dichlorvos	0.05	0.1	ND	Pass		Propoxur	0.1	0.2	ND	Pass	
Dimethoate	0.1	0.2	ND	Pass		Pyrethrins	0.5	1	ND	Pass	
Ethoprophos	0.1	0.2	ND	Pass		Pyridaben	0.1	0.2	ND	Pass	
Etofenprox	0.2	0.4	ND	Pass		Spinosad	0.1	0.2	ND	Pass	
Etoxazole	0.1	0.2	ND	Pass		Spiromesifen	0.1	0.2	ND	Pass	
Fenoxycarb	0.1	0.2	ND	Pass		Spirotetramat	0.1	0.2	ND	Pass	
Fenpyroximate	0.2	0.4	ND	Pass		Spiroxamine	0.2	0.4	ND	Pass	
Fipronil	0.2	0.4	ND	Pass		Tebuconazole	0.2	0.4	ND	Pass	
Flonicamid	0.5	1	ND	Pass		Thiacloprid	0.1	0.2	ND	Pass	
Fludioxonil	0.2	0.4	ND	Pass		Thiamethoxam	0.1	0.2	ND	Pass	
						Trifloxystrobin	0.1	0.2	ND	Pass	

Date Tested: 06/13/2024  
Instrument: LC-MS/MS ; Method: FSL-SOP-411



*Symon Levenberg*  
Symon Levenberg, PhD  
Technical Lab Director  
06/14/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD

## DIME 245NW0524 Mother Oil

<b>Sample ID:</b> 2406FSL0142.1042	<b>Harvest Date:</b> 04/18/2024	<b>Client</b>	<b>Lab Sample Collection Date/Time:</b> 06/11/2024 4pm
<b>Strain:</b> RAW	<b>Manufacture Date:</b>	<b>Dime Industries</b>	
<b>Matrix:</b> Concentrates & Extracts	<b>Received:</b> 06/11/2024	<b>Lic. #</b> 00000075ESJK64208740	<b>Production Method:</b> Alcohol
<b>Type:</b> Distillate	<b>Completed:</b> 06/14/2024	2985 W Osbourn Road	
<b>Sample Size:</b> ; Batch:	<b>Batch#:</b> 245NW0524	Phoenix, AZ 85017	
	<b>External Lot#:</b> 245NW0524		

### Microbials

**Pass**

Analyte	Result	Status	Qualifier
Aspergillus flavus	Not Detected in 1g	Pass	
Aspergillus fumigatus	Not Detected in 1g	Pass	
Aspergillus niger	Not Detected in 1g	Pass	
Aspergillus terreus	Not Detected in 1g	Pass	
Salmonella SPP	Not Detected in 1g	Pass	
E. Coli	ND	Pass	

Date Tested: 06/14/2024  
 Instrument: qPCR & 3M PetriFilm ; Method: FSL-SOP-301, FSL-SOP-302, FSL-SOP-303

### Mycotoxins

**Pass**

Analyte	LOQ	Limit	Units	Status	Qualifier
	µg/kg	µg/kg	µg/kg		
B1	10		ND	Tested	
B2	10		ND	Tested	
G1	10		ND	Tested	
G2	10		ND	Tested	
Total Aflatoxins	10	20	ND	Pass	
Ochratoxin A	10	20	ND	Pass	

Date Tested: 06/13/2024  
 Instrument: LC-MS/MS ; Method: FSL-SOP-411

### Heavy Metals

**Pass**

Analyte	LOQ	Limit	Units	Status	Qualifier
	PPM	PPM	PPM		
Arsenic	0.2	0.4	ND	Pass	
Cadmium	0.2	0.4	ND	Pass	
Lead	0.5	1	<LOQ	Pass	
Mercury	0.1	0.2	ND	Pass	

Date Tested: 06/12/2024  
 Instrument: ICP-MS ; Method: FSL-SOP-404



Symon Levenberg, PhD  
 Technical Lab Director  
 06/14/2024

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD

## DIME 245NW0524 Mother Oil

<b>Sample ID:</b> 2406FSL0142.1042	<b>Harvest Date:</b> 04/18/2024	<b>Client</b>	<b>Lab Sample Collection Date/Time:</b> 06/11/2024 4pm
<b>Strain:</b> RAW	<b>Manufacture Date:</b>	<b>Dime Industries</b>	
<b>Matrix:</b> Concentrates & Extracts	<b>Received:</b> 06/11/2024	<b>Lic. #</b> 00000075ESJK64208740	<b>Production Method:</b> Alcohol
<b>Type:</b> Distillate	<b>Completed:</b> 06/14/2024	2985 W Osbourn Road	
<b>Sample Size:</b> ; Batch:	<b>Batch#:</b> 245NW0524	Phoenix, AZ 85017	
	<b>External Lot#:</b> 245NW0524		

### Residual Solvents

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	µg/g	µg/g	µg/g		
Acetone	500	1000	ND	Pass	
Acetonitrile	205	410	ND	Pass	
Benzene	1	2	ND	Pass	
Butanes	2500	5000	ND	Pass	
Chloroform	30	60	ND	Pass	
Dichloromethane	300	600	ND	Pass	
Ethanol	2500	5000	ND	Pass	
Ethyl-Acetate	2500	5000	ND	Pass	
Ethyl-Ether	2500	5000	ND	Pass	
Heptane	2500	5000	ND	Pass	
Hexanes	145	290	ND	Pass	
Isopropanol	2500	5000	ND	Pass	
Isopropyl-Acetate	2500	5000	ND	Pass	
Methanol	1500	3000	ND	Pass	
Pentanes	2500	5000	ND	Pass	
Toluene	445	890	ND	Pass	
Xylenes	1085	2170	ND	Pass	

Date Tested: 06/12/2024  
 Instrument: HS-GC-MS ; Method: FSL-SOP-406



Symon Levenberg, PhD  
 Technical Lab Director  
 06/14/2024

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD