



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2101.6304
Batch #: KLP1128



SMITHERS

CERTIFICATE OF ANALYSIS


License #: 00000020LCVT89602592

Certificate: 18716

DIME Key Lime Pie

Batch #: KLP1128
Strain: Key Lime Pie
Parent Batch #: LCD-10125Di
Production Method: Alcohol
Harvest Date: 05/26/2025
Received: 12/01/2025

Sample ID: 2512SMAZ2101.6304
Amount Received: 9.2 g
Sample Type: Distillate
Sample Collected: 12/01/2025 09:59:00
Manufacture Date: 11/26/2025
Published: 12/08/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Not Tested	92.7426% Total THC
Pesticides, Fungicides, and Growth Regulators Not Tested	Mycotoxins Not Tested	Heavy Metals Not Tested	3.2169% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	0.1286% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.1234% CBG

96.2115%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2512SMAZ2101.6304
 Batch #: KLP1128



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18716

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 12/01/2025
SOP: 418.AZ
Batch Number: 4639
Test ID: 102770

Sample Analysis

Date: 12/02/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.041 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3140	0.9530	1	ND	ND	
CBD	0.3140	0.9530	1	3.2169	32.1690	
CBDA	0.3140	0.9530	1	ND	ND	
CBDV	0.3140	0.9530	1	ND	ND	
CBG	0.3140	0.9530	1	0.1234	1.2340	
CBGA	0.3140	0.9530	1	ND	ND	
CBN	0.3140	0.9530	1	0.1286	1.2860	
d8-THC	0.3140	0.9530	1	ND	ND	
d9-THC	0.3140	0.9530	1	92.7426	927.4260	
THCA	0.3140	0.9530	1	ND	ND	
THCV	0.3140	0.9530	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	92.7426	927.4260	
Total CBD	3.2169	32.1690	
Total Cannabinoids	96.2115	962.1150	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
 Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2512SMAZ2101.6304
 Batch #: KLP1128



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18716

Terpene Total

GC-FID

Tested (ND)

Sample Prep

Batch Date: 12/01/2025
SOP: 419
Batch Number: 4632

Sample Analysis

Date: 12/02/2025
SOP: 419 - GC-FID
Sample Weight: 0.407 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	ND	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	ND	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	ND	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	ND	Q3	Limonene	0.0010 / 0.0029	1	ND	Q3
Borneol	0.0010 / 0.0029	1	ND	Q3	Linalool	0.0010 / 0.0029	1	ND	Q3
Camphephene	0.0010 / 0.0029	1	ND	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	ND	Q3	Terpineol	0.0010 / 0.0029	1	ND	Q3
Cedrol	0.0010 / 0.0029	1	ND	Q3	Terpinolene	0.0010 / 0.0029	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	ND	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	ND	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					

Valencene
 trans-Ocimene
 trans-Nerolidol
 trans-Caryophyllene
 Terpinolene
 Terpineol
 Sabinene Hydrate
 Pulegone (+)
 Nerol
 Linalool

Weight %: 0.0000% 0.0003% 0.0007% 0.0010% 0.0013% 0.0017% 0.0020% 0.0023% 0.0027% 0.0030%

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2512SMAZ2101.6304
 Batch #: KLP1128



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18716

Microbial Analysis

Pass

Sample Prep

Batch Date: 12/02/2025
SOP: 412.AZ
Batch Number: 4643
Test ID: 102778

Sample Analysis

Date: 12/03/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.010 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 12/02/2025
SOP: 406.AZ
Batch Number: 4642
Test ID: 102780

Sample Analysis

Date: 12/03/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 12/02/2025
SOP: 406.AZ
Batch Number: 4642
Test ID: 102781

Sample Analysis

Date: 12/03/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2101.6304
Batch #: KLP1128



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18716

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2101.6304
Batch #: KLP1128



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18716

Notes: External Lot ID: LCD-10125Di



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2511SMAZ2054.6154
Batch #: LCD-10125Di



SMITHERS

CERTIFICATE OF ANALYSIS


License #: 00000020LCVT89602592

Certificate: 18316

LCD-10125Di Mother Oil

Batch #: LCD-10125Di
Strain: Raw
Parent Batch #:
Production Method: Alcohol
Harvest Date: 05/26/2025
Received: 11/19/2025

Sample ID: 2511SMAZ2054.6154
Amount Received: 15.2 g
Sample Type: Distillate
Sample Collected: 11/19/2025 15:35:00
Manufacture Date: 10/01/2025
Published: 11/21/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	93.3252% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	3.2730% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	0.1155% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.1235% CBG

96.8373%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18316

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/20/2025
SOP: 418.AZ
Batch Number: 4595
Test ID: 101780

Sample Analysis

Date: 11/21/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.042 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	ND	ND	
CBD	0.3070	0.9300	1	3.2730	32.7300	
CBDA	0.3070	0.9300	1	ND	ND	
CBDV	0.3070	0.9300	1	<LOQ	<LOQ	
CBG	0.3070	0.9300	1	0.1235	1.2350	
CBGA	0.3070	0.9300	1	ND	ND	
CBN	0.3070	0.9300	1	0.1155	1.1550	
d8-THC	0.3070	0.9300	1	ND	ND	
d9-THC	0.3070	0.9300	1	93.3252	933.2520	
THCA	0.3070	0.9300	1	ND	ND	
THCV	0.3070	0.9300	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	93.3252	933.2520	
Total CBD	3.2730	32.7300	
Total Cannabinoids	96.8373	968.3730	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
 Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18316

Terpene Total

GC-FID

Tested (ND)

Sample Prep

Batch Date: 11/20/2025
SOP: 419
Batch Number: 4586

Sample Analysis

Date: 11/21/2025
SOP: 419 - GC-FID
Sample Weight: 0.412 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	ND	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	ND	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	ND	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	ND	Q3	Limonene	0.0010 / 0.0029	1	ND	Q3
Borneol	0.0010 / 0.0029	1	ND	Q3	Linalool	0.0010 / 0.0029	1	ND	Q3
Camphene	0.0010 / 0.0029	1	ND	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	ND	Q3	Terpineol	0.0010 / 0.0029	1	ND	Q3
Cedrol	0.0010 / 0.0029	1	ND	Q3	Terpinolene	0.0010 / 0.0029	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	ND	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	ND	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					

Valencene
 trans-Ocimene
 trans-Nerolidol
 trans-Caryophyllene
 Terpinolene
 Terpineol
 Sabinene Hydrate
 Pulegone (+)
 Nerol
 Linalool

Weight %: 0.0000% 0.0003% 0.0007% 0.0010% 0.0013% 0.0017% 0.0020% 0.0023% 0.0027% 0.0030%

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18316

Microbial Analysis

Pass

Sample Prep

Batch Date: 11/20/2025
SOP: 412.AZ
Batch Number: 4590
Test ID: 101788

Sample Analysis

Date: 11/21/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.014 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/20/2025
SOP: 406.AZ
Batch Number: 4588
Test ID: 101789

Sample Analysis

Date: 11/21/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.009 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 11/20/2025
SOP: 406.AZ
Batch Number: 4588
Test ID: 101790

Sample Analysis

Date: 11/21/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.009 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18316

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 11/20/2025
SOP: 405.AZ
Batch Number: 4585
Test ID: 101781

Sample Analysis

Date: 11/21/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	ND		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	ND		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18316

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 11/20/2025
SOP: 428.AZ
Batch Number: 4587
Test ID: 101782

Sample Analysis

Date: 11/21/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.206 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.058	0.194	10	0.4	ND	
Cadmium	0.058	0.194	10	0.4	ND	
Lead	0.058	0.486	10	1	ND	
Mercury	0.058	0.097	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 11/20/2025
SOP: 432.AZ
Batch Number: 4584
Test ID: 101785

Sample Analysis

Date: 11/21/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.548 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.65	9.12	1	20	ND	R1,V1
Aflatoxin B1	3.65	9.12	1		ND	
Aflatoxin B2	3.65	9.12	1		ND	I1,V1
Aflatoxin G1	3.65	9.12	1		ND	
Aflatoxin G2	3.65	4.56	1		ND	I1,R1,V1
Ochratoxin A	9.12	9.12	1	20	ND	I1,V1

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18316

**Pesticides, Fungicides, and
Growth Regulators**

LC-MS/MS

Pass

Sample Prep

Batch Date: 11/20/2025
SOP: 432.AZ
Batch Number: 4584
Test ID: 101784

Sample Analysis

Date: 11/21/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.548 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.076 / 0.228	1	0.5	ND	V1	Hexythiazox	0.152 / 0.456	1	1	ND	
Acephate	0.061 / 0.182	1	0.4	ND		Imazalil	0.030 / 0.091	1	0.2	ND	R1
Acetamiprid	0.030 / 0.091	1	0.2	ND	V1	Imidacloprid	0.061 / 0.182	1	0.4	ND	V1
Aldicarb	0.061 / 0.182	1	0.4	ND		Kresoxim-methyl	0.061 / 0.182	1	0.4	ND	
Azoxystrobin	0.030 / 0.091	1	0.2	ND	V1	Malathion	0.030 / 0.091	1	0.2	ND	V1
Bifenazate	0.030 / 0.091	1	0.2	ND		Metalaxyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND		Methiocarb	0.030 / 0.091	1	0.2	ND	V1
Boscalid	0.061 / 0.182	1	0.4	ND	V1	Methomyl	0.061 / 0.182	1	0.4	ND	
Carbaryl	0.030 / 0.091	1	0.2	ND		Myclobutanil	0.030 / 0.091	1	0.2	ND	V1
Carbofuran	0.030 / 0.091	1	0.2	ND		Naled	0.076 / 0.228	1	0.5	ND	V1
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND	V1	Oxamyl	0.152 / 0.456	1	1	ND	
Chlorfenapyr	0.152 / 0.456	1	1	ND	I1, V1	Paclobutrazol	0.061 / 0.182	1	0.4	ND	V1
Chlorpyrifos	0.030 / 0.091	1	0.2	ND		Permethrins	0.030 / 0.091	1	0.2	ND	V1
Clofentezine	0.030 / 0.091	1	0.2	ND		Phosmet	0.030 / 0.091	1	0.2	ND	V1
Cyfluthrin	0.152 / 0.456	1	1	ND	V1	Piperonyl Butoxide	0.304 / 0.912	1	2	ND	
Cypermethrin	0.152 / 0.456	1	1	ND		Prallethrin	0.030 / 0.091	1	0.2	ND	V1
Daminozide	0.152 / 0.456	1	1	ND		Propiconazole	0.061 / 0.182	1	0.4	ND	V1
Diazinon	0.030 / 0.091	1	0.2	ND		Propoxur	0.030 / 0.091	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.128 / 0.382	1	1	ND	V1
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	V1
Ethoprophos	0.030 / 0.091	1	0.2	ND		Spinosad	0.030 / 0.091	1	0.2	ND	
Etofenprox	0.061 / 0.182	1	0.4	ND		Spiromesifen	0.030 / 0.091	1	0.2	ND	
Etoxazole	0.030 / 0.091	1	0.2	ND		Spirotetramat	0.030 / 0.091	1	0.2	ND	V1
Fenoxy carb	0.030 / 0.091	1	0.2	ND	V1	Spiroxamine	0.061 / 0.182	1	0.4	ND	R1
Fenpyroximate	0.061 / 0.182	1	0.4	ND	V1	Tebuconazole	0.061 / 0.182	1	0.4	ND	V1
Fipronil	0.061 / 0.182	1	0.4	ND	I1, V1	Thiacloprid	0.030 / 0.091	1	0.2	ND	
Flonicamid	0.152 / 0.456	1	1	ND	V1	Thiamethoxam	0.030 / 0.091	1	0.2	ND	
Fludioxonil	0.061 / 0.182	1	0.4	ND		Trifloxystrobin	0.030 / 0.091	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2511SMAZ2054.6154
Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18316

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2511SMAZ2054.6154
Batch #: LCD-10125Di



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18316

Notes: External Lot ID: LCD-10125D



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2511SMAZ2054.6154
Batch #: LCD-10125Di



SMITHERS

CERTIFICATE OF ANALYSIS


License #: 00000020LCVT89602592

Certificate: 18316

LCD-10125Di Mother Oil

Batch #: LCD-10125Di
Strain: Raw
Parent Batch #:
Production Method: Alcohol
Harvest Date: 05/26/2025
Received: 11/19/2025

Sample ID: 2511SMAZ2054.6154
Amount Received: 15.2 g
Sample Type: Distillate
Sample Collected: 11/19/2025 15:35:00
Manufacture Date: 10/01/2025
Published: 11/21/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	93.3252% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	3.2730% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	0.1155% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.1235% CBG

96.8373%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18316

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/20/2025
SOP: 418.AZ
Batch Number: 4595
Test ID: 101780

Sample Analysis

Date: 11/21/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.042 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	ND	ND	
CBD	0.3070	0.9300	1	3.2730	32.7300	
CBDA	0.3070	0.9300	1	ND	ND	
CBDV	0.3070	0.9300	1	<LOQ	<LOQ	
CBG	0.3070	0.9300	1	0.1235	1.2350	
CBGA	0.3070	0.9300	1	ND	ND	
CBN	0.3070	0.9300	1	0.1155	1.1550	
d8-THC	0.3070	0.9300	1	ND	ND	
d9-THC	0.3070	0.9300	1	93.3252	933.2520	
THCA	0.3070	0.9300	1	ND	ND	
THCV	0.3070	0.9300	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	93.3252	933.2520	
Total CBD	3.2730	32.7300	
Total Cannabinoids	96.8373	968.3730	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
 Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18316

Terpene Total

GC-FID

Tested (ND)

Sample Prep

Batch Date: 11/20/2025
SOP: 419
Batch Number: 4586

Sample Analysis

Date: 11/21/2025
SOP: 419 - GC-FID
Sample Weight: 0.412 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	ND	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	ND	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	ND	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	ND	Q3	Limonene	0.0010 / 0.0029	1	ND	Q3
Borneol	0.0010 / 0.0029	1	ND	Q3	Linalool	0.0010 / 0.0029	1	ND	Q3
Camphene	0.0010 / 0.0029	1	ND	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	ND	Q3	Terpineol	0.0010 / 0.0029	1	ND	Q3
Cedrol	0.0010 / 0.0029	1	ND	Q3	Terpinolene	0.0010 / 0.0029	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	ND	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	ND	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					

Valencene
 trans-Ocimene
 trans-Nerolidol
 trans-Caryophyllene
 Terpinolene
 Terpineol
 Sabinene Hydrate
 Pulegone (+)
 Nerol
 Linalool

Weight %: 0.0000% 0.0003% 0.0007% 0.0010% 0.0013% 0.0017% 0.0020% 0.0023% 0.0027% 0.0030%

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18316

Microbial Analysis

Pass

Sample Prep

Batch Date: 11/20/2025
SOP: 412.AZ
Batch Number: 4590
Test ID: 101788

Sample Analysis

Date: 11/21/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.014 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/20/2025
SOP: 406.AZ
Batch Number: 4588
Test ID: 101789

Sample Analysis

Date: 11/21/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.009 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 11/20/2025
SOP: 406.AZ
Batch Number: 4588
Test ID: 101790

Sample Analysis

Date: 11/21/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.009 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18316

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 11/20/2025
SOP: 405.AZ
Batch Number: 4585
Test ID: 101781

Sample Analysis

Date: 11/21/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	ND		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	ND		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18316

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 11/20/2025
SOP: 428.AZ
Batch Number: 4587
Test ID: 101782

Sample Analysis

Date: 11/21/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.206 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.058	0.194	10	0.4	ND	
Cadmium	0.058	0.194	10	0.4	ND	
Lead	0.058	0.486	10	1	ND	
Mercury	0.058	0.097	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 11/20/2025
SOP: 432.AZ
Batch Number: 4584
Test ID: 101785

Sample Analysis

Date: 11/21/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.548 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.65	9.12	1	20	ND	R1,V1
Aflatoxin B1	3.65	9.12	1		ND	
Aflatoxin B2	3.65	9.12	1		ND	I1,V1
Aflatoxin G1	3.65	9.12	1		ND	
Aflatoxin G2	3.65	4.56	1		ND	I1,R1,V1
Ochratoxin A	9.12	9.12	1	20	ND	I1,V1

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2511SMAZ2054.6154
 Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18316

**Pesticides, Fungicides, and
Growth Regulators**

LC-MS/MS

Pass

Sample Prep

Batch Date: 11/20/2025
SOP: 432.AZ
Batch Number: 4584
Test ID: 101784

Sample Analysis

Date: 11/21/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.548 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.076 / 0.228	1	0.5	ND	V1	Hexythiazox	0.152 / 0.456	1	1	ND	
Acephate	0.061 / 0.182	1	0.4	ND		Imazalil	0.030 / 0.091	1	0.2	ND	R1
Acetamiprid	0.030 / 0.091	1	0.2	ND	V1	Imidacloprid	0.061 / 0.182	1	0.4	ND	V1
Aldicarb	0.061 / 0.182	1	0.4	ND		Kresoxim-methyl	0.061 / 0.182	1	0.4	ND	
Azoxystrobin	0.030 / 0.091	1	0.2	ND	V1	Malathion	0.030 / 0.091	1	0.2	ND	V1
Bifenazate	0.030 / 0.091	1	0.2	ND		Metalaxyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND		Methiocarb	0.030 / 0.091	1	0.2	ND	V1
Boscalid	0.061 / 0.182	1	0.4	ND	V1	Methomyl	0.061 / 0.182	1	0.4	ND	
Carbaryl	0.030 / 0.091	1	0.2	ND		Myclobutanil	0.030 / 0.091	1	0.2	ND	V1
Carbofuran	0.030 / 0.091	1	0.2	ND		Naled	0.076 / 0.228	1	0.5	ND	V1
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND	V1	Oxamyl	0.152 / 0.456	1	1	ND	
Chlorfenapyr	0.152 / 0.456	1	1	ND	I1, V1	Paclobutrazol	0.061 / 0.182	1	0.4	ND	V1
Chlorpyrifos	0.030 / 0.091	1	0.2	ND		Permethrins	0.030 / 0.091	1	0.2	ND	V1
Clofentezine	0.030 / 0.091	1	0.2	ND		Phosmet	0.030 / 0.091	1	0.2	ND	V1
Cyfluthrin	0.152 / 0.456	1	1	ND	V1	Piperonyl Butoxide	0.304 / 0.912	1	2	ND	
Cypermethrin	0.152 / 0.456	1	1	ND		Prallethrin	0.030 / 0.091	1	0.2	ND	V1
Daminozide	0.152 / 0.456	1	1	ND		Propiconazole	0.061 / 0.182	1	0.4	ND	V1
Diazinon	0.030 / 0.091	1	0.2	ND		Propoxur	0.030 / 0.091	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.128 / 0.382	1	1	ND	V1
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	V1
Ethoprophos	0.030 / 0.091	1	0.2	ND		Spinosad	0.030 / 0.091	1	0.2	ND	
Etofenprox	0.061 / 0.182	1	0.4	ND		Spiromesifen	0.030 / 0.091	1	0.2	ND	
Etoxazole	0.030 / 0.091	1	0.2	ND		Spirotetramat	0.030 / 0.091	1	0.2	ND	V1
Fenoxy carb	0.030 / 0.091	1	0.2	ND	V1	Spiroxamine	0.061 / 0.182	1	0.4	ND	R1
Fenpyroximate	0.061 / 0.182	1	0.4	ND	V1	Tebuconazole	0.061 / 0.182	1	0.4	ND	V1
Fipronil	0.061 / 0.182	1	0.4	ND	I1, V1	Thiacloprid	0.030 / 0.091	1	0.2	ND	
Flonicamid	0.152 / 0.456	1	1	ND	V1	Thiamethoxam	0.030 / 0.091	1	0.2	ND	
Fludioxonil	0.061 / 0.182	1	0.4	ND		Trifloxystrobin	0.030 / 0.091	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2511SMAZ2054.6154
Batch #: LCD-10125Di



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18316

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2511SMAZ2054.6154
Batch #: LCD-10125Di



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18316

Notes: External Lot ID: LCD-10125D



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>