



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2207.6741
Batch #: MD1213



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19248

DIME Mango Diesel

Batch #: MD1213
Strain: Mango Diesel
Parent Batch #: LCD-0819D
Production Method: Alcohol
Harvest Date: 05/05/2025
Received: 12/15/2025

Sample ID: 2512SMAZ2207.6741
Amount Received: 7.9 g
Sample Type: Distillate
Sample Collected: 12/15/2025 09:44:00
Manufacture Date: 12/12/2025
Published: 12/17/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Not Tested	92.0686% Total THC
Pesticides, Fungicides, and Growth Regulators Not Tested	Mycotoxins Not Tested	Heavy Metals Not Tested	2.8684% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	<LOQ CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	<LOQ CBG

94.9370%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2512SMAZ2207.6741
 Batch #: MD1213



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19248

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 12/16/2025
SOP: 418.AZ
Batch Number: 4767
Test ID: 106289

Sample Analysis

Date: 12/17/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.042 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.6130	1.8610	2	ND	ND	
CBD	0.6130	1.8610	2	2.8684	28.6840	
CBDA	0.6130	1.8610	2	ND	ND	
CBDV	0.6130	1.8610	2	<LOQ	<LOQ	
CBG	0.6130	1.8610	2	<LOQ	<LOQ	
CBGA	0.6130	1.8610	2	ND	ND	
CBN	0.6130	1.8610	2	<LOQ	<LOQ	
d8-THC	0.6130	1.8610	2	ND	ND	
d9-THC	0.6130	1.8610	2	92.0686	920.6860	
THCA	0.6130	1.8610	2	ND	ND	
THCV	0.6130	1.8610	2	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	92.0686	920.6860	
Total CBD	2.8684	28.6840	
Total Cannabinoids	94.9370	949.3700	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
 Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2207.6741
Batch #: MD1213



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19248

Microbial Analysis

Pass

Sample Prep

Batch Date: 12/16/2025
SOP: 412.AZ
Batch Number: 4769
Test ID: 105791

Sample Analysis

Date: 12/17/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.035 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 12/16/2025
SOP: 406.AZ
Batch Number: 4768
Test ID: 105796

Sample Analysis

Date: 12/17/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.005 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 12/16/2025
SOP: 406.AZ
Batch Number: 4768
Test ID: 105810

Sample Analysis

Date: 12/17/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.005 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2207.6741
Batch #: MD1213



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19248

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2207.6741
Batch #: MD1213



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19248

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2508SMAZ1401.4148
Batch #: LCD-0819D



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17476

Distill-LCD-0819D

Batch #: LCD-0819D
Strain: Hybrid
Parent Batch #:
Production Method: Alcohol
Harvest Date: 05/05/2025
Received: 08/22/2025

Sample ID: 2508SMAZ1401.4148
Amount Received: 7.8 g
Sample Type: Distillate
Sample Collected: 08/22/2025 12:50:00
Manufacture Date: 08/19/2025
Published: 10/24/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	91.289% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	2.712% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	ND CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	ND CBG

94.814%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 0000156ESTDP70697204
 Sample ID: 2508SMAZ1401.4148
 Batch #: LCD-0819D



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 17476

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 08/22/2025
SOP: 418.AZ
Batch Number: 3953
Test ID: 87057

Sample Analysis

Date: 08/26/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.0418 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.616	1.870	2	ND	ND	
CBD	0.616	1.870	2	2.712	27.120	
CBDA	0.616	1.870	2	ND	ND	
CBDV	0.616	1.870	2	ND	ND	
CBG	0.616	1.870	2	ND	ND	
CBGA	0.616	1.870	2	ND	ND	
CBN	0.616	1.870	2	ND	ND	
d8-THC	0.616	1.870	2	ND	ND	
d9-THC	0.616	1.870	2	91.289	912.890	
THCA	0.616	1.870	2	ND	ND	
THCV	0.616	1.870	2	0.813	8.128	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	91.289	912.890	
Total CBD	2.712	27.120	
Total Cannabinoids	94.814	948.138	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
 Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2508SMAZ1401.4148
Batch #: LCD-0819D



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17476

Microbial Analysis

Pass

Sample Prep

Batch Date: 08/25/2025
SOP: 412.AZ
Batch Number: 3961
Test ID: 87064

Sample Analysis

Date: 08/26/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.019 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 08/25/2025
SOP: 406.AZ
Batch Number: 3963
Test ID: 87065

Sample Analysis

Date: 08/26/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 08/25/2025
SOP: 406.AZ
Batch Number: 3963
Test ID: 87066

Sample Analysis

Date: 08/26/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 0000156ESTDP70697204
 Sample ID: 2508SMAZ1401.4148
 Batch #: LCD-0819D



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 17476

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 08/25/2025
SOP: 405.AZ
Batch Number: 3957
Test ID: 87058

Sample Analysis

Date: 08/26/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.0511 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 196	1	1000	ND		Heptane	327 / 978	1	5000	ND	
Acetonitrile	27 / 80	1	410	ND		Hexanes	47 / 142	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	327 / 978	1	5000	ND	
Butanes	162 / 489	1	5000	ND		Methanol	196 / 587	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	327 / 978	1	5000	ND	
Dichloromethane	39 / 117	1	600	ND		2-Propanol (IPA)	327 / 978	1	5000	ND	
Ethanol	327 / 978	1	5000	ND		Toluene	59 / 174	1	890	ND	
Ethyl acetate	327 / 978	1	5000	ND		Xylenes	284 / 849	1	2170	ND	
Ethyl ether	327 / 978	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

AMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 0000156ESTDP70697204
 Sample ID: 2508SMAZ1401.4148
 Batch #: LCD-0819D



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 17476

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 08/26/2025
SOP: 428.AZ
Batch Number: 3973
Test ID: 87059

Sample Analysis

Date: 08/27/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.202 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.198	10	0.4	ND	
Cadmium	0.059	0.198	10	0.4	ND	
Lead	0.059	0.495	10	1	ND	
Mercury	0.059	0.099	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 08/21/2025
SOP: 432.AZ
Batch Number: 3948
Test ID: 87061

Sample Analysis

Date: 08/25/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.571 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.50	8.76	1	20	ND	L1 V1
Aflatoxin B1	3.50	8.76	1		ND	
Aflatoxin B2	3.50	8.76	1		ND	L1 V1
Aflatoxin G1	3.50	8.76	1		ND	
Aflatoxin G2	3.50	4.38	1		ND	V1
Ochratoxin A	8.76	8.76	1	20	ND	I1 V1, L1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 0000156ESTDP70697204
 Sample ID: 2508SMAZ1401.4148
 Batch #: LCD-0819D



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 17476

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 08/21/2025
SOP: 432.AZ
Batch Number: 3948
Test ID: 87060

Sample Analysis

Date: 08/25/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.571 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.073 / 0.219	1	0.5	ND	R1	Hexythiazox	0.146 / 0.438	1	1	ND	
Acephate	0.059 / 0.175	1	0.4	ND		Imazalil	0.029 / 0.088	1	0.2	ND	
Acetamiprid	0.029 / 0.088	1	0.2	ND		Imidacloprid	0.059 / 0.175	1	0.4	ND	R1
Aldicarb	0.059 / 0.175	1	0.4	ND		Kresoxim-methyl	0.059 / 0.175	1	0.4	ND	
Azoxystrobin	0.029 / 0.088	1	0.2	ND		Malathion	0.029 / 0.088	1	0.2	ND	
Bifenazate	0.029 / 0.088	1	0.2	ND	R1	Metalaxyl	0.029 / 0.088	1	0.2	ND	R1
Bifenthrin	0.029 / 0.088	1	0.2	ND		Methiocarb	0.029 / 0.088	1	0.2	ND	
Boscalid	0.059 / 0.175	1	0.4	ND		Methomyl	0.059 / 0.175	1	0.4	ND	V1
Carbaryl	0.029 / 0.088	1	0.2	ND		Myclobutanil	0.029 / 0.088	1	0.2	ND	
Carbofuran	0.029 / 0.088	1	0.2	ND		Naled	0.073 / 0.219	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.088	1	0.2	ND	L1	Oxamyl	0.146 / 0.438	1	1	ND	V1
Chlorfenapyr	0.146 / 0.438	1	1	ND	R1	Paclobutrazol	0.059 / 0.175	1	0.4	ND	
Chlorpyrifos	0.029 / 0.088	1	0.2	ND		Permethrins	0.029 / 0.088	1	0.2	ND	
Clofentezine	0.029 / 0.088	1	0.2	ND		Phosmet	0.029 / 0.088	1	0.2	ND	
Cyfluthrin	0.146 / 0.438	1	1	ND	R1	Piperonyl Butoxide	0.292 / 0.876	1	2	ND	
Cypermethrin	0.146 / 0.438	1	1	ND		Prallethrin	0.029 / 0.088	1	0.2	ND	
Daminozide	0.146 / 0.438	1	1	ND		Propiconazole	0.059 / 0.175	1	0.4	ND	
Diazinon	0.029 / 0.088	1	0.2	ND		Propoxur	0.029 / 0.088	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.122 / 0.367	1	1	ND	
Dimethoate	0.029 / 0.088	1	0.2	ND		Pyridaben	0.029 / 0.088	1	0.2	ND	L1
Ethoprophos	0.029 / 0.088	1	0.2	ND		Spinosad	0.029 / 0.088	1	0.2	ND	
Etofenprox	0.059 / 0.175	1	0.4	ND		Spiromesifen	0.029 / 0.088	1	0.2	ND	
Etoxazole	0.029 / 0.088	1	0.2	ND		Spirotetramat	0.029 / 0.088	1	0.2	ND	
Fenoxy carb	0.029 / 0.088	1	0.2	ND		Spiroxamine	0.059 / 0.175	1	0.4	ND	
Fenpyroximate	0.059 / 0.175	1	0.4	ND		Tebuconazole	0.059 / 0.175	1	0.4	ND	
Fipronil	0.059 / 0.175	1	0.4	ND	I1	Thiacloprid	0.029 / 0.088	1	0.2	ND	
Flonicamid	0.146 / 0.438	1	1	ND		Thiamethoxam	0.029 / 0.088	1	0.2	ND	V1, R1
Fludioxonil	0.059 / 0.175	1	0.4	ND		Trifloxystrobin	0.029 / 0.088	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2508SMAZ1401.4148
Batch #: LCD-0819D



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17476

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2508SMAZ1401.4148
Batch #: LCD-0819D



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17476

Notes: 10/24/2025 Revision:

Client license # revised from "000156ESTDP70697204" to "0000156ESTDP70697204"



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2183.6640
Batch #: TD00819d



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19121

DIME TD00819d Mother Oil

Batch #: TD00819d
Strain: raw
Parent Batch #: TD00819-DIS
Production Method: Alcohol
Harvest Date: 05/05/2025
Received: 12/11/2025

Sample ID: 2512SMAZ2183.6640
Amount Received: 13.5 g
Sample Type: Distillate
Sample Collected: 12/11/2025 11:35:00
Manufacture Date:
Published: 12/16/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	94.8171% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	3.1811% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	0.1434% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.1226% CBG

98.2642%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2512SMAZ2183.6640
 Batch #: TD00819d



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19121

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 12/11/2025
SOP: 418.AZ
Batch Number: 4740
Test ID: 105237

Sample Analysis

Date: 12/12/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.041 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3140	0.9530	1	ND	ND	
CBD	0.3140	0.9530	1	3.1811	31.8110	
CBDA	0.3140	0.9530	1	ND	ND	
CBDV	0.3140	0.9530	1	ND	ND	
CBG	0.3140	0.9530	1	0.1226	1.2260	
CBGA	0.3140	0.9530	1	ND	ND	
CBN	0.3140	0.9530	1	0.1434	1.4340	
d8-THC	0.3140	0.9530	1	ND	ND	
d9-THC	0.3140	0.9530	1	94.8171	948.1710	
THCA	0.3140	0.9530	1	ND	ND	
THCV	0.3140	0.9530	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	94.8171	948.1710	
Total CBD	3.1811	31.8110	
Total Cannabinoids	98.2642	982.6420	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
 Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2512SMAZ2183.6640
 Batch #: TD00819d



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19121

Terpene Total

GC-FID

Tested (<LOQ)

Sample Prep

Batch Date: 12/15/2025
SOP: 419
Batch Number: 4752

Sample Analysis

Date: 12/16/2025
SOP: 419 - GC-FID
Sample Weight: 0.404 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	ND	Q3	gamma-Terpinene	0.0010 / 0.0030	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0030	1	ND	Q3	Geraniol	0.0010 / 0.0030	1	ND	Q3
alpha-Humulene	0.0010 / 0.0030	1	ND	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	ND	Q3	Guaiol	0.0010 / 0.0030	1	ND	Q3
alpha-Pinene	0.0010 / 0.0030	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0030	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0030	1	ND	Q3	Isoborneol	0.0010 / 0.0030	1	ND	Q3
beta-Myrcene	0.0010 / 0.0030	1	ND	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	ND	Q3	Limonene	0.0010 / 0.0030	1	ND	Q3
Borneol	0.0010 / 0.0030	1	ND	Q3	Linalool	0.0010 / 0.0030	1	ND	Q3
Camphephene	0.0010 / 0.0030	1	ND	Q3	Nerol	0.0010 / 0.0030	1	ND	Q3
Camphor	0.0010 / 0.0030	1	ND	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	ND	Q3	Terpineol	0.0010 / 0.0030	1	ND	Q3
Cedrol	0.0010 / 0.0030	1	<LOQ	Q3	Terpinolene	0.0010 / 0.0030	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	ND	Q3
cis-Ocimene	0.0010 / 0.0030	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0030	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	ND	Q3	trans-Ocimene	0.0010 / 0.0030	1	ND	Q3
Eucalyptol	0.0010 / 0.0030	1	ND	Q3	Valencene	0.0010 / 0.0030	1	ND	Q3
Fenchone	0.0010 / 0.0030	1	ND	Q3					

Valencene
 trans-Ocimene
 trans-Nerolidol
 trans-Caryophyllene
 Terpinolene
 Terpineol
 Sabinene Hydrate
 Pulegone (+)
 Nerol
 Linalool

Weight %: 0.0000% 0.0003% 0.0007% 0.0010% 0.0013% 0.0017% 0.0020% 0.0023% 0.0027% 0.0030%

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2183.6640
Batch #: TD00819d



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19121

Microbial Analysis

Pass

Sample Prep

Batch Date: 12/15/2025
SOP: 412.AZ
Batch Number: 4755
Test ID: 105267

Sample Analysis

Date: 12/16/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.023 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 12/15/2025
SOP: 406.AZ
Batch Number: 4753
Test ID: 105272

Sample Analysis

Date: 12/16/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.023 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 12/15/2025
SOP: 406.AZ
Batch Number: 4753
Test ID: 105276

Sample Analysis

Date: 12/16/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.023 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2512SMAZ2183.6640
 Batch #: TD00819d



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19121

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 12/11/2025
SOP: 405.AZ
Batch Number: 4732
Test ID: 105238

Sample Analysis

Date: 12/12/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	ND		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	ND		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2512SMAZ2183.6640
 Batch #: TD00819d



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19121

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 12/11/2025
 SOP: 428.AZ
 Batch Number: 4738
 Test ID: 105239

Sample Analysis

Date: 12/12/2025
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.201 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.060	0.199	10	0.4	ND	
Cadmium	0.060	0.199	10	0.4	ND	
Lead	0.060	0.498	10	1	ND	
Mercury	0.060	0.099	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 12/12/2025
 SOP: 432.AZ
 Batch Number: 4745
 Test ID: 105242

Sample Analysis

Date: 12/16/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.573 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.49	8.73	1	20	ND	
Aflatoxin B1	3.49	8.73	1		ND	
Aflatoxin B2	3.49	8.73	1		ND	I1
Aflatoxin G1	3.49	8.73	1		ND	
Aflatoxin G2	3.49	4.36	1		ND	I1
Ochratoxin A	8.73	8.73	1	20	ND	I1, R1V1

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
 2985 W Osborn Road
 Phoenix, AZ 85017
 License #: 00000075ESJK64208740
 Sample ID: 2512SMAZ2183.6640
 Batch #: TD00819d



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19121

**Pesticides, Fungicides, and
Growth Regulators**

LC-MS/MS

Pass

Sample Prep

Batch Date: 12/12/2025
SOP: 432.AZ
Batch Number: 4745
Test ID: 105241

Sample Analysis

Date: 12/16/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.573 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.072 / 0.218	1	0.5	ND		Hexythiazox	0.146 / 0.436	1	1	ND	
Acephate	0.058 / 0.175	1	0.4	ND		Imazalil	0.029 / 0.087	1	0.2	ND	
Acetamiprid	0.029 / 0.087	1	0.2	ND		Imidacloprid	0.058 / 0.175	1	0.4	ND	
Aldicarb	0.058 / 0.175	1	0.4	ND		Kresoxim-methyl	0.058 / 0.175	1	0.4	ND	
Azoxystrobin	0.029 / 0.087	1	0.2	ND		Malathion	0.029 / 0.087	1	0.2	ND	
Bifenazate	0.029 / 0.087	1	0.2	ND		Metalaxyl	0.029 / 0.087	1	0.2	ND	
Bifenthrin	0.029 / 0.087	1	0.2	ND		Methiocarb	0.029 / 0.087	1	0.2	ND	
Boscalid	0.058 / 0.175	1	0.4	ND		Methomyl	0.058 / 0.175	1	0.4	ND	
Carbaryl	0.029 / 0.087	1	0.2	ND		Myclobutanil	0.029 / 0.087	1	0.2	ND	
Carbofuran	0.029 / 0.087	1	0.2	ND		Naled	0.072 / 0.218	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.087	1	0.2	ND		Oxamyl	0.146 / 0.436	1	1	ND	
Chlorfenapyr	0.146 / 0.436	1	1	ND		Pacllobutrazol	0.058 / 0.175	1	0.4	ND	
Chlorpyrifos	0.029 / 0.087	1	0.2	ND		Permethrins	0.029 / 0.087	1	0.2	ND	
Clofentezine	0.029 / 0.087	1	0.2	ND		Phosmet	0.029 / 0.087	1	0.2	ND	
Cyfluthrin	0.146 / 0.436	1	1	ND		Piperonyl Butoxide	0.291 / 0.873	1	2	ND	
Cypermethrin	0.146 / 0.436	1	1	ND		Prallethrin	0.029 / 0.087	1	0.2	ND	
Daminozide	0.146 / 0.436	1	1	ND		Propiconazole	0.058 / 0.175	1	0.4	ND	
Diazinon	0.029 / 0.087	1	0.2	ND		Propoxur	0.029 / 0.087	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.122 / 0.366	1	1	ND	
Dimethoate	0.029 / 0.087	1	0.2	ND		Pyridaben	0.029 / 0.087	1	0.2	ND	
Ethoprophos	0.029 / 0.087	1	0.2	ND		Spinosad	0.029 / 0.087	1	0.2	ND	
Etofenprox	0.058 / 0.175	1	0.4	ND		Spiromesifen	0.029 / 0.087	1	0.2	ND	
Etoxazole	0.029 / 0.087	1	0.2	ND		Spirotetramat	0.029 / 0.087	1	0.2	ND	
Fenoxy carb	0.029 / 0.087	1	0.2	ND		Spiroxamine	0.058 / 0.175	1	0.4	ND	
Fenpyroximate	0.058 / 0.175	1	0.4	ND	I1	Tebuconazole	0.058 / 0.175	1	0.4	ND	
Fipronil	0.058 / 0.175	1	0.4	ND	I1	Thiacloprid	0.029 / 0.087	1	0.2	ND	
Flonicamid	0.146 / 0.436	1	1	ND		Thiamethoxam	0.029 / 0.087	1	0.2	ND	
Fludioxonil	0.058 / 0.175	1	0.4	ND		Trifloxystrobin	0.029 / 0.087	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2183.6640
Batch #: TD00819d



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19121

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2512SMAZ2183.6640
Batch #: TD00819d



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19121

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC


734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Product	Distillate
Strain	Multiple Strains
Batch Number	TD00819-DIS
Extraction Method	Alcohol
Harvest Dates	
Lava Cake x Desert Lime	WX00001532 (05/05/25)
Cake Mix	02100224EG-DAE(03/17/25)
Packaged/Manufactured By	The Distillery (Life Changers Investments LLC)
Distribution License	0000156ESTDP70697204
Cultivated By	Arizona Golden Leaf Wellness Grow
Cultivation License	00000077DCPS00216601