



**Dime Industries**  
 2985 W Osborn Road  
 Phoenix, AZ 85017  
 License #: 00000075ESJK64208740  
 Sample ID: 2509SMAZ1524.4460  
 Batch #: JFLR0822



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 16205

## DIME Jet Fuel LR

Batch #: JFLR0822      Sample ID: 2509SMAZ1524.4460  
 Strain: Jet Fuel      Amount Received:  
 Parent Batch #: 08202556      Sample Type: Live Resin  
 Production Method: Butane      Sample Collected: 09/10/2025 10:51:00  
 Harvest Date: 07/15/2025      Manufacture Date: 08/22/2025  
 Received: 09/10/2025      Published: 09/15/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>83.2350%</b> Total THC
<b>0.2603%</b> Total CBD
<b>0.4901%</b> CBN
<b>2.2047%</b> CBG
<b>87.8504%</b> Total Cannabinoids (Q3)

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Dime Industries**  
 2985 W Osborn Road  
 Phoenix, AZ 85017  
 License #: 00000075ESJK64208740  
 Sample ID: 2509SMAZ1524.4460  
 Batch #: JFLR0822



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 16205

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 09/11/2025  
 SOP: 418.AZ  
 Batch Number: 4069  
 Test ID: 89399

**Sample Analysis**

Date: 09/12/2025  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.0433 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.2970	0.9030	1	0.5680	5.6800	
CBD	0.2970	0.9030	1	0.2603	2.6030	
CBDA	0.2970	0.9030	1	ND	ND	
CBDV	0.2970	0.9030	1	ND	ND	
CBG	0.2970	0.9030	1	2.2047	22.0470	
CBGA	0.2970	0.9030	1	0.3514	3.5140	
CBN	0.2970	0.9030	1	0.4901	4.9010	
d8-THC	0.2970	0.9030	1	ND	ND	
d9-THC	0.2970	0.9030	1	81.8347	818.3470	
THCA	0.2970	0.9030	1	1.5967	15.9670	
THCV	0.2970	0.9030	1	0.5445	5.4450	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	83.2350	832.3500	
Total CBD	0.2603	2.6030	
Total Cannabinoids	87.8504	878.5040	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Dime Industries**  
 2985 W Osborn Road  
 Phoenix, AZ 85017  
 License #: 00000075ESJK64208740  
 Sample ID: 2509SMAZ1524.4460  
 Batch #: JFLR0822



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592


Certificate: 16205

**Terpene Total**  
 GC-FID      **Tested (4.4416%)**

**Sample Prep**  
 Batch Date: 09/11/2025  
 SOP: 419  
 Batch Number: 4065

**Sample Analysis**  
 Date: 09/12/2025  
 SOP: 419 - GC-FID  
 Sample Weight: 0.432 g  
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.1320	Q3	gamma-Terpinene	0.0009 / 0.0028	1	0.0149	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.0089	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.2700	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	0.0221	Q3	Guaiol	0.0009 / 0.0028	1	0.0928	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.0979	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	0.0209	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.5263	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.0330	Q3	Limonene	0.0009 / 0.0028	1	0.4583	Q3
Borneol	0.0009 / 0.0028	1	0.0427	Q3	Linalool	0.0009 / 0.0028	1	0.5129	Q3
Camphene	0.0009 / 0.0028	1	0.0297	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	0.0186	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	ND	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0129	Q3	Terpineol	0.0009 / 0.0028	1	0.2770	Q3
Cedrol	0.0009 / 0.0028	1	0.0278	Q3	Terpinolene	0.0009 / 0.0028	1	0.5180	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	0.9510	Q3
cis-Ocimene	0.0009 / 0.0028	1	0.0042	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.1826	Q3	trans-Ocimene	0.0009 / 0.0028	1	0.1660	Q3
Eucalyptol	0.0009 / 0.0028	1	0.0102	Q3	Valencene	0.0009 / 0.0028	1	ND	Q3
Fenchone	0.0009 / 0.0028	1	0.0108	Q3					



**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries  
 2985 W Osborn Road  
 Phoenix, AZ 85017  
 License #: 00000075ESJK64208740  
 Sample ID: 2509SMAZ1524.4460  
 Batch #: JFLR0822



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 16205

**Microbial Analysis**  
**Pass**

**Sample Prep**

Batch Date: 09/11/2025  
 SOP: 412.AZ  
 Batch Number: 4067  
 Test ID: 89469

**Sample Analysis**

Date: 09/12/2025  
 SOP: 412.AZ - 3M Petrifilm  
 Sample Weight: 1.044 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

**Sample Prep**

Batch Date: 09/11/2025  
 SOP: 406.AZ  
 Batch Number: 4066  
 Test ID: 89475

**Sample Analysis**

Date: 09/12/2025  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.020 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 09/11/2025  
 SOP: 406.AZ  
 Batch Number: 4066  
 Test ID: 89479

**Sample Analysis**

Date: 09/12/2025  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.020 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Dime Industries**  
 2985 W Osborn Road  
 Phoenix, AZ 85017  
 License #: 00000075ESJK64208740  
 Sample ID: 2509SMAZ1524.4460  
 Batch #: JFLR0822



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 16205

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 09/11/2025  
 SOP: 405.AZ  
 Batch Number: 4064  
 Test ID: 89400

**Sample Analysis**

Date: 09/12/2025  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.0528 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 189	1	1000	ND		Heptane	316 / 947	1	5000	ND	
Acetonitrile	27 / 78	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	316 / 947	1	5000	ND	
Butanes	157 / 473	1	5000	ND		Methanol	189 / 568	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	316 / 947	1	5000	ND	
Dichloromethane	38 / 114	1	600	ND		2-Propanol (IPA)	316 / 947	1	5000	ND	
Ethanol	316 / 947	1	5000	ND		Toluene	57 / 169	1	890	ND	
Ethyl acetate	316 / 947	1	5000	ND		Xylenes	275 / 822	1	2170	ND	
Ethyl ether	316 / 947	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries  
 2985 W Osborn Road  
 Phoenix, AZ 85017  
 License #: 00000075ESJK64208740  
 Sample ID: 2509SMAZ1524.4460  
 Batch #: JFLR0822



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 16205

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 09/12/2025  
 SOP: 428.AZ  
 Batch Number: 4074  
 Test ID: 89401

**Sample Analysis**  
 Date: 09/15/2025  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.246 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.049	0.163	10	0.4	ND	
Cadmium	0.049	0.163	10	0.4	ND	
Lead	0.049	0.407	10	1	ND	
Mercury	0.049	0.081	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 09/10/2025  
 SOP: 432.AZ  
 Batch Number: 4062  
 Test ID: 89404

**Sample Analysis**  
 Date: 09/12/2025  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.555 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.60	9.01	1	20	ND	
Aflatoxin B1	3.60	9.01	1		ND	
Aflatoxin B2	3.60	9.01	1		ND	I1
Aflatoxin G1	3.60	9.01	1		ND	
Aflatoxin G2	3.60	4.50	1		ND	
Ochratoxin A	9.01	9.01	1	20	ND	I1 V1

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries  
 2985 W Osborn Road  
 Phoenix, AZ 85017  
 License #: 00000075ESJK64208740  
 Sample ID: 2509SMAZ1524.4460  
 Batch #: JFLR0822



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 16205

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 09/10/2025  
 SOP: 432.AZ  
 Batch Number: 4062  
 Test ID: 89403

**Sample Analysis**

Date: 09/12/2025  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.555 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.075 / 0.225	1	0.5	ND		Hexythiazox	0.150 / 0.450	1	1	ND	
Acephate	0.060 / 0.180	1	0.4	ND		Imazalil	0.030 / 0.090	1	0.2	ND	
Acetamiprid	0.030 / 0.090	1	0.2	ND		Imidacloprid	0.060 / 0.180	1	0.4	ND	
Aldicarb	0.060 / 0.180	1	0.4	ND	V1	Kresoxim-methyl	0.060 / 0.180	1	0.4	ND	
Azoxystrobin	0.030 / 0.090	1	0.2	ND		Malathion	0.030 / 0.090	1	0.2	ND	
Bifenazate	0.030 / 0.090	1	0.2	ND		Metaxyl	0.030 / 0.090	1	0.2	ND	
Bifenthrin	0.030 / 0.090	1	0.2	ND		Methiocarb	0.030 / 0.090	1	0.2	ND	
Boscalid	0.060 / 0.180	1	0.4	ND		Methomyl	0.060 / 0.180	1	0.4	ND	
Carbaryl	0.030 / 0.090	1	0.2	ND	L1	Myclobutanil	0.030 / 0.090	1	0.2	ND	V1
Carbofuran	0.030 / 0.090	1	0.2	ND		Naled	0.075 / 0.225	1	0.5	ND	L1
Chlorantraniliprole	0.030 / 0.090	1	0.2	ND		Oxamyl	0.150 / 0.450	1	1	ND	L1 V1
Chlorfenapyr	0.150 / 0.450	1	1	ND		Pacllobutrazol	0.060 / 0.180	1	0.4	ND	V1
Chlorpyrifos	0.030 / 0.090	1	0.2	ND		Permethrins	0.030 / 0.090	1	0.2	ND	L1
Clofentezine	0.030 / 0.090	1	0.2	ND		Phosmet	0.030 / 0.090	1	0.2	ND	
Cyfluthrin	0.150 / 0.450	1	1	ND		Piperonyl Butoxide	0.300 / 0.901	1	2	ND	
Cypermethrin	0.150 / 0.450	1	1	ND		Prallethrin	0.030 / 0.090	1	0.2	ND	
Daminozide	0.150 / 0.450	1	1	ND		Propiconazole	0.060 / 0.180	1	0.4	ND	
Diazinon	0.030 / 0.090	1	0.2	ND		Propoxur	0.030 / 0.090	1	0.2	ND	
Dichlorvos	0.015 / 0.045	1	0.1	ND		Pyrethrins	0.126 / 0.377	1	1	ND	
Dimethoate	0.030 / 0.090	1	0.2	ND		Pyridaben	0.030 / 0.090	1	0.2	ND	
Ethoprophos	0.030 / 0.090	1	0.2	ND		Spinosad	0.030 / 0.090	1	0.2	ND	
Etofenprox	0.060 / 0.180	1	0.4	ND		Spiromesifen	0.030 / 0.090	1	0.2	ND	
Etoxazole	0.030 / 0.090	1	0.2	ND		Spirotetramat	0.030 / 0.090	1	0.2	ND	
Fenoxycarb	0.030 / 0.090	1	0.2	ND		Spiroxamine	0.060 / 0.180	1	0.4	ND	
Fenpyroximate	0.060 / 0.180	1	0.4	ND		Tebuconazole	0.060 / 0.180	1	0.4	ND	
Fipronil	0.060 / 0.180	1	0.4	ND		Thiacloprid	0.030 / 0.090	1	0.2	ND	L1 V1
Fonicamid	0.150 / 0.450	1	1	ND	I1	Thiamethoxam	0.030 / 0.090	1	0.2	ND	
Fludioxonil	0.060 / 0.180	1	0.4	ND	L1 V1	Trifloxystrobin	0.030 / 0.090	1	0.2	ND	V1

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Dime Industries**  
 2985 W Osborn Road  
 Phoenix, AZ 85017  
 License #: 00000075ESJK64208740  
 Sample ID: 2509SMAZ1524.4460  
 Batch #: JFLR0822



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 16205

**Qualifier Legend**

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Dime Industries**  
 2985 W Osborn Road  
 Phoenix, AZ 85017  
 License #: 00000075ESJK64208740  
 Sample ID: 2509SMAZ1524.4460  
 Batch #: JFLR0822



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 16205

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>