



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2509SMAZ1524.4465
Batch #: PMLR0822



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 16210

DIME Peach Mojito LR

Batch #: PMLR0822
Strain: Peach Mojito
Parent Batch #: 08202558
Production Method: Butane
Harvest Date: 07/15/2025
Received: 09/10/2025

Sample ID: 2509SMAZ1524.4465
Amount Received:
Sample Type: Live Resin
Sample Collected: 09/10/2025 10:51:00
Manufacture Date: 08/22/2025
Published: 09/15/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

79.2449%
Total THC

0.2420%
Total CBD

0.4180%
CBN


2.1440%
CBG

83.6377%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2509SMAZ1524.4465
Batch #: PMLR0822



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 16210

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 09/11/2025
SOP: 418.AZ
Batch Number: 4069
Test ID: 89434

Sample Analysis

Date: 09/12/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.041 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3140	0.9530	1	0.5439	5.4390	
CBD	0.3140	0.9530	1	0.2420	2.4200	
CBDA	0.3140	0.9530	1	ND	ND	
CBDV	0.3140	0.9530	1	ND	ND	
CBG	0.3140	0.9530	1	2.1440	21.4400	
CBGA	0.3140	0.9530	1	0.3264	3.2640	
CBN	0.3140	0.9530	1	0.4180	4.1800	
d8-THC	0.3140	0.9530	1	ND	ND	
d9-THC	0.3140	0.9530	1	77.7793	777.7930	
THCA	0.3140	0.9530	1	1.6711	16.7110	
THCV	0.3140	0.9530	1	0.5130	5.1300	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	79.2449	792.4490	
Total CBD	0.2420	2.4200	
Total Cannabinoids	83.6377	836.3770	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2509SMAZ1524.4465
Batch #: PMLR0822



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 16210

Terpene Total

GC-FID

Tested (4.0721%)


Sample Prep

Batch Date: 09/11/2025
SOP: 419
Batch Number: 4065

Sample Analysis

Date: 09/12/2025
SOP: 419 - GC-FID
Sample Weight: 0.415 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.1404	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0065	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0103	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.2520	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	0.0049	Q3	Guaiol	0.0010 / 0.0029	1	0.0991	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0587	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	0.0064	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.3219	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0063	Q3	Limonene	0.0010 / 0.0029	1	1.1044	Q3
Borneol	0.0010 / 0.0029	1	0.0458	Q3	Linalool	0.0010 / 0.0029	1	0.5275	Q3
Camphene	0.0010 / 0.0029	1	0.0284	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	ND	Q3	Terpineol	0.0010 / 0.0029	1	0.2701	Q3
Cedrol	0.0010 / 0.0029	1	0.0307	Q3	Terpinolene	0.0010 / 0.0029	1	0.0494	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.8618	Q3
cis-Ocimene	0.0010 / 0.0029	1	<LOQ	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.1821	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0474	Q3
Eucalyptol	0.0010 / 0.0029	1	0.0076	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	0.0104	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2509SMAZ1524.4465
Batch #: PMLR0822



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 16210

Microbial Analysis

Pass

Sample Prep

Batch Date: 09/11/2025
SOP: 412.AZ
Batch Number: 4067
Test ID: 89452

Sample Analysis

Date: 09/12/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.010 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 09/11/2025
SOP: 406.AZ
Batch Number: 4066
Test ID: 89455

Sample Analysis

Date: 09/12/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.013 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 09/11/2025
SOP: 406.AZ
Batch Number: 4066
Test ID: 89458

Sample Analysis

Date: 09/12/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.013 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2509SMAZ1524.4465
Batch #: PMLR0822



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 16210

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 09/11/2025
SOP: 405.AZ
Batch Number: 4064
Test ID: 89435

Sample Analysis

Date: 09/12/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	ND		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	ND		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2509SMAZ1524.4465
Batch #: PMLR0822



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 16210

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 09/12/2025
SOP: 428.AZ
Batch Number: 4074
Test ID: 89436

Sample Analysis

Date: 09/15/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.214 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.056	0.187	10	0.4	ND	
Cadmium	0.056	0.187	10	0.4	ND	
Lead	0.056	0.467	10	1	ND	
Mercury	0.056	0.093	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 09/10/2025
SOP: 432.AZ
Batch Number: 4062
Test ID: 89439

Sample Analysis

Date: 09/12/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.584 g
Volume: 12.5 mL


Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.42	8.56	1	20	ND	
Aflatoxin B1	3.42	8.56	1		ND	
Aflatoxin B2	3.42	8.56	1		ND	I1
Aflatoxin G1	3.42	8.56	1		ND	
Aflatoxin G2	3.42	4.28	1		ND	
Ochratoxin A	8.56	8.56	1	20	ND	I1 V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2509SMAZ1524.4465
Batch #: PMLR0822



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 16210

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS Pass

Sample Prep

Batch Date: 09/10/2025
SOP: 432.AZ
Batch Number: 4062
Test ID: 89438

Sample Analysis

Date: 09/12/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.584 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.071 / 0.214	1	0.5	ND		Hexythiazox	0.143 / 0.428	1	1	ND	
Acephate	0.057 / 0.171	1	0.4	ND		Imazalil	0.028 / 0.086	1	0.2	ND	
Acetamiprid	0.028 / 0.086	1	0.2	ND		Imidacloprid	0.057 / 0.171	1	0.4	ND	
Aldicarb	0.057 / 0.171	1	0.4	ND	V1	Kresoxim-methyl	0.057 / 0.171	1	0.4	ND	
Azoxystrobin	0.028 / 0.086	1	0.2	ND		Malathion	0.028 / 0.086	1	0.2	ND	
Bifenazate	0.028 / 0.086	1	0.2	ND		Metaxyl	0.028 / 0.086	1	0.2	ND	
Bifenthrin	0.028 / 0.086	1	0.2	ND		Methiocarb	0.028 / 0.086	1	0.2	ND	
Boscalid	0.057 / 0.171	1	0.4	ND		Methomyl	0.057 / 0.171	1	0.4	ND	
Carbaryl	0.028 / 0.086	1	0.2	ND	L1	Myclobutanil	0.028 / 0.086	1	0.2	ND	V1
Carbofuran	0.028 / 0.086	1	0.2	ND		Naled	0.071 / 0.214	1	0.5	ND	L1
Chlorantraniliprole	0.028 / 0.086	1	0.2	ND		Oxamyl	0.143 / 0.428	1	1	ND	L1 V1
Chlorfenapyr	0.143 / 0.428	1	1	ND		Paclobutrazol	0.057 / 0.171	1	0.4	ND	V1
Chlorpyrifos	0.028 / 0.086	1	0.2	ND		Permethrins	0.028 / 0.086	1	0.2	ND	L1
Clofentezine	0.028 / 0.086	1	0.2	ND		Phosmet	0.028 / 0.086	1	0.2	ND	
Cyfluthrin	0.143 / 0.428	1	1	ND		Piperonyl Butoxide	0.285 / 0.856	1	2	ND	
Cypermethrin	0.143 / 0.428	1	1	ND		Prallethrin	0.028 / 0.086	1	0.2	ND	
Daminozide	0.143 / 0.428	1	1	ND		Propiconazole	0.057 / 0.171	1	0.4	ND	
Diazinon	0.028 / 0.086	1	0.2	ND		Propoxur	0.028 / 0.086	1	0.2	ND	
Dichlorvos	0.015 / 0.043	1	0.1	ND		Pyrethrins	0.120 / 0.359	1	1	ND	
Dimethoate	0.028 / 0.086	1	0.2	ND		Pyridaben	0.028 / 0.086	1	0.2	ND	
Ethoprophos	0.028 / 0.086	1	0.2	ND		Spinosad	0.028 / 0.086	1	0.2	ND	
Etofenprox	0.057 / 0.171	1	0.4	ND		Spiromesifen	0.028 / 0.086	1	0.2	ND	
Etoxazole	0.028 / 0.086	1	0.2	ND		Spirotetramat	0.028 / 0.086	1	0.2	ND	
Fenoxycarb	0.028 / 0.086	1	0.2	ND		Spiroxamine	0.057 / 0.171	1	0.4	ND	
Fenpyroximate	0.057 / 0.171	1	0.4	ND		Tebuconazole	0.057 / 0.171	1	0.4	ND	
Fipronil	0.057 / 0.171	1	0.4	ND		Thiacloprid	0.028 / 0.086	1	0.2	ND	L1 V1
Fonicamid	0.143 / 0.428	1	1	ND	I1	Thiamethoxam	0.028 / 0.086	1	0.2	ND	
Fludioxonil	0.057 / 0.171	1	0.4	ND	L1 V1	Trifloxystrobin	0.028 / 0.086	1	0.2	ND	V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2509SMAZ1524.4465
Batch #: PMLR0822



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 16210

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Dime Industries
2985 W Osborn Road
Phoenix, AZ 85017
License #: 00000075ESJK64208740
Sample ID: 2509SMAZ1524.4465
Batch #: PMLR0822



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 16210

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>