

Certificate of Analysis

Laboratory Sample ID: TE50114003-007



Jan 16, 2025 | Project Packs License # 00000084ESFH12297246 2239 N Black Canyon Hwy Phoenix, AZ, 85009, US

Kaycha Labs

BSCT241016 Biscotti



Matrix: Flower Classification: Hybrid Type: Flower-Cured

> Production Method: Indoor Harvest/Lot ID: P90241016

> > Batch#: P90241016 **Harvest Date: 01/06/25**

Sample Size Received: 19.78 gram

Total Amount: 7 gram

Retail Product Size: 10 gram Retail Serving Size: 10 gram

> Servings: 1 Ordered: 01/13/25

Sampled: 01/14/25 Sample Collection Time: 08:00 AM

Completed: 01/16/25

PASSED

Pages 1 of 5

SAFETY RESULTS







Heavy Metals **PASSED**



Microbials **PASSED**



PASSED



Solvents **NOT TESTED**



NOT TESTED



Water Activity **NOT TESTED**



Moisture **NOT TESTED**



Terpenes **PASSED**

PASSED



Cannabinoid

Total THC






Total CBD



Total Cannabinoids 29.5506%



Analysis Method: SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

Analytical Batch: TE007262POT Instrument Used: TE-004 "Duke Leto" (Flower), TE-005 "Lady Jessica" (Concentrates) Analyzed Date: 01/16/25 18:56:58

Dilution: 400

Reagent: N/A Consumables: N/A Pipette: N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis. without moisture correction.

01/14/25 16:57:41

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Batch Date: 01/14/25 09:37:49

Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164



Kaycha Labs

BSCT241016

Biscotti Matrix: Flower Type: Flower-Cured



Certificate of Analysis

2239 N Black Canyon Hwy Phoenix, AZ, 85009, US Telephone: (530) 514-0500 Email: adam@proiectpacks.co License #: 00000084ESFH12297246 Sample: TE50114003-007 Harvest/Lot ID: P90241016 Batch#: P90241016

Sampled: 01/14/25 Ordered: 01/14/25

Sample Size Received: 19.78 gram Total Amount: 7 gram

Completed: 01/16/25 Expires: 01/16/26 Sample Method: SOP Client Method

PASSED

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	mg/g	%	Result (%)
TOTAL TERPENES	0.0020	9.564	0.9564	
BETA-MYRCENE	0.0020	3.455	0.3455	
BETA-CARYOPHYLLENE	0.0020	2.558	0.2558	
LIMONENE	0.0020	2.046	0.2046	
LINALOOL	0.0020	0.846	0.0846	
ALPHA-HUMULENE	0.0020	0.659	0.0659	
3-CARENE	0.0020	ND	ND	
BORNEOL	0.0020	ND	ND	
CAMPHENE	0.0020	ND	ND	
CAMPHOR	0.0020	ND	ND	
CARYOPHYLLENE OXIDE	0.0020	ND	ND	
CEDROL	0.0020	ND	ND	
EUCALYPTOL	0.0020	ND	ND	
FENCHONE	0.0020	ND	ND	
FENCHYL ALCOHOL	0.0020	ND	ND	
GERANIOL	0.0020	ND	ND	
GERANYL ACETATE	0.0020	ND	ND	
GUAIOL	0.0020	ND	ND	
ISOBORNEOL	0.0020	ND	ND	
ISOPULEGOL	0.0020	ND	ND	
MENTHOL	0.0020	ND	ND	
NEROL	0.0020	ND	ND	
OCIMENE	0.0020	ND	ND	
PULEGONE	0.0020	ND	ND	
SABINENE	0.0020	ND	ND	
SABINENE HYDRATE	0.0020	ND	ND	
TERPINOLENE	0.0020	ND	ND	
VALENCENE	0.0020	ND	ND	
ALPHA-BISABOLOL	0.0020	ND	ND	
ALPHA-CEDRENE	0.0020	ND	ND	
ALPHA-PHELLANDRENE	0.0020	ND	ND	
etal (9/)			0.9560	

Terpenes		.OQ %)	mg/g	%	Result (%)		
ALPHA-PINENE	0	.0020	ND	ND			
ALPHA-TERPINENE	0	.0020	ND	ND			
ALPHA-TERPINEOL	0	.0020	ND	ND			
BETA-PINENE	0	.0020	ND	ND			
CIS-NEROLIDOL	0	.0020	ND	ND			
GAMMA-TERPINENE	0	.0020	ND	ND			
GAMMA-TERPINEOL	0	.0020	ND	ND			
TRANS-NEROLIDOL	0	.0020	ND	ND			
nalyzed by: 34, 272, 399	Weight: 0.2409g		action d 14/25 15			Extracted by: 334	

Analysis Method: SOP.T.30.500, SOP.T.30.064, SOP.T.40.064
Analytical Batch: TE007263TER
Instrument Used: TE-096 "MS - Terpenes 1",TE-097 "AS - Terpenes 1",TE-093 Batch Date: 01/14/25 10:01:21
"GC - Terpenes 1"

Analyzed Date : 01/16/25 17:44:35

Reagent: 101723.24; 071924.01
Consumables: 947.110; H109203-1; 8000038072; 20240202; 1; GD23006; 04304030; 0000185478
Pipette: N/A

Terpenes screening is performed using GC-MS which can detect below single digit ppm concentrations. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.064 for sample prep, and SOP.T.40.064 for analysis via ThermoScientific 1310-series GC equipped with an Al 1310-series liquid injection autosampler and detection carried out by ISO 7000-series mass spectrometer). Terpene results are reported on a wWhy8 basis. Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Nor, can it be used to satisfy marijuana establishment testing requirements in R9-18-311(A) or labeling requirements in R9-18-310 - Q3.

Total (%)

0.9560

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164



Kaycha Labs

BSCT241016

Biscotti Matrix : Flower Type: Flower-Cured



PASSED

Certificate of Analysis

Project Packs

2239 N Black Canyon Hwy Phoenix, AZ, 85009, US **Telephone:** (530) 514-0500 **Email:** adam@projectpacks.co **License #:** 00000084ESFH12297246 Sample : TE50114003-007 Harvest/Lot ID: P90241016 Batch# : P90241016

Sampled: 01/14/25 Ordered: 01/14/25 Sample Size Received: 19.78 gram
Total Amount: 7 gram
Completed: 01/16/25 Expires: 01/16/26
Sample Method: SOP Client Method

Page 3 of 5



Pesticides

PASSED

Result ND

ND ND ND ND ND ND ND

by:

as well as the h are all SOP.T.40.154.AZ

Pesticide	LOQ	Units	Action Level		Result	Pesticide		LOQ	Units	Action Level	Pass/Fail	F
VERMECTINS (ABAMECTIN B1A)	0.2500		0.5	PASS	ND	TOTAL SPINOSAD		0.1000	ppm	0.2	PASS	ħ
ACEPHATE	0.2000		0.4	PASS	ND	SPIROMESIFEN		0.1000	ppm	0.2	PASS	ħ
CETAMIPRID	0.1000		0.2	PASS	ND	SPIROTETRAMAT		0.1000	ppm	0.2	PASS	1
LDICARB	0.2000		0.4	PASS	ND	SPIROXAMINE		0.2000	ppm	0.4	PASS	
ZOXYSTROBIN	0.1000	1.1.	0.2	PASS	ND	TEBUCONAZOLE		0.2000	ppm	0.4	PASS	
IFENAZATE	0.1000		0.2	PASS	ND			0.1000	ppm	0.2	PASS	
IFENTHRIN	0.1000		0.2	PASS	ND	THIACLOPRID		0.1000	ppm	0.2	PASS	- 1
OSCALID	0.2000		0.4	PASS	ND	THIAMETHOXAM						
ARBARYL	0.1000		0.2	PASS	ND	TRIFLOXYSTROBIN		0.1000	ppm	0.2	PASS	- 1
ARBOFURAN	0.1000	1.1.	0.2	PASS	ND	CHLORFENAPYR *		0.3000	ppm	1	PASS	1
HLORANTRANILIPROLE	0.1000		0.2	PASS	ND	CYFLUTHRIN *		0.5000	ppm	1	PASS	-
CHLORPYRIFOS	0.1000		0.2	PASS	ND	Analyzed by:	Weight:	Extra	ction date:		Extracted	d b
CLOFENTEZINE	0.1000		0.2	PASS	ND	410, 152, 272, 399	0.504g	01/14	/25 16:46:24		410	
CYPERMETHRIN	0.5000		1	PASS	ND	Analysis Method: SOP.T.30.500,	SOP.T.30.104.AZ, SOP.T.40.1	04.AZ				
DIAZINON	0.1000		0.2	PASS	ND	Analytical Batch : TE007258PES						
DAMINOZIDE	0.5000		1	PASS	ND	Instrument Used :TE-262 "MS/MS Analyzed Date :01/16/25 15:56:3		C - Pest/Myc	0 2	Batch D	ate:01/13/25 10	1:3
DICHLORVOS (DDVP)	0.0500		0.1	PASS	ND	Dilution: 25	3					
DIMETHOATE	0.1000		0.2	PASS	ND	Reagent: 010825.R13; 011325.R	31: 011325.R32: 121024.R09	: 010825.R0	4: 011325.R14:	: 010825.R05: 0418	23.06	
THOPROPHOS	0.1000		0.2	PASS	ND	Consumables: 947.110; 8000038						
TOFENPROX	0.2000		0.4	PASS	ND	Pipette: TE-062 SN:20C50491; TE	E-064 SN:20B27672 (100-100	OuL)				
TOXAZOLE	0.1000		0.2	PASS	ND	Pesticide screening is carried out us						
ENOXYCARB	0.1000		0.2	PASS	ND	homogenization, SOP.T.30.104.AZ for				oScientific Altis TSQ		
ENPYROXIMATE	0.2000		0.4	PASS	ND	Analyzed by:	Weight:		ction date:		Extracted	i b
IPRONIL	0.2000		0.4	PASS	ND	410, 152, 272, 399	0.504g		/25 16:46:24		410	
LONICAMID	0.5000		1	PASS	ND	Analysis Method: SOP.T.30.500, Analytical Batch: TE007276VOL	SOP.1.30.104.AZ, SOP.1.40.1	54.AZ				
FLUDIOXONIL	0.2000		0.4	PASS	ND	Instrument Used :TE-117 UHPLC	- Pest/Mycn 2 TE-262 "MS/MS	. Pest/Myrr	. 2	Ratch D:	ate:01/15/25 10	1-1-
HEXYTHIAZOX	0.5000		1	PASS	ND	Analyzed Date :01/16/25 16:35:3		, , , , , , , , , , , , , , , , , , , ,	-	Duten De	102/13/13	
		ppm	0.2	PASS	ND	Dilution: 25						
MAZALIL	0.1000											
MIDACLOPRID	0.2000	ppm	0.4	PASS	ND	Reagent: 010825.R13; 011325.R					23.06	
MIDACLOPRID	0.2000 0.2000	ppm	0.4	PASS	ND	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038	3072; 052024CH01; 220318-3	306-D; 1008			23.06	
MIDACLOPRID CRESOXIM-METHYL	0.2000 0.2000 0.1000	ppm ppm ppm	0.4 0.2	PASS PASS	ND ND	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; TE	8072; 052024CH01; 220318- E-064 SN:20B27672 (100-100	806-D; 1008 (OuL)	545998; GD230	06; 426060-JG		
MIDACLOPRID KRESOXIM-METHYL MALATHION	0.2000 0.2000 0.1000 0.1000	ppm ppm ppm ppm	0.4 0.2 0.2	PASS PASS PASS	ND ND ND	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; TE Supplemental pesticide screening u	8072; 052024CH01; 220318- E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative	806-D; 1008 (OuL) ly screen for	Chlorfenapyr, Cy	06; 426060-JG yfluthrin, Cypermethi	rin, and Diazinon;	
MAZALIL MIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METAHOZARB	0.2000 0.2000 0.1000 0.1000 0.1000	ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2	PASS PASS PASS PASS	ND ND ND ND	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; TI Supplemental pesticide screening u qualitative confirmation of Dichloryc	8072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Bute	806-D; 1008 OuL) ly screen for exide, Pralleti	Chlorfenapyr, Cy nrin, Propiconazo	06; 426060-JG yfluthrin, Cypermethi ple, Pyrethrins, and T	rin, and Diazinon; ebuconazole whi	ch a
MIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB	0.2000 0.2000 0.1000 0.1000 0.1000 0.2000	ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.2	PASS PASS PASS PASS PASS	ND ND ND ND ND	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; TE Supplemental pesticide screening u	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch SO
MIDACLOPRID RESOXIM-METHYL AALATHION METALAXYL METHOCARB METHOMYL	0.2000 0.2000 0.1000 0.1000 0.1000	ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2	PASS PASS PASS PASS	ND ND ND ND	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch SO
MIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL	0.2000 0.2000 0.1000 0.1000 0.1000 0.2000	ppm ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.2	PASS PASS PASS PASS PASS PASS	ND ND ND ND ND	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch a SOI
MIDACLOPRID TRESOXIM-METHYL TRESOXIM-METHYL TETALAXYL TETALAXYL TETHIOCARB TETHOCARB TETHOMYL THOMYL TALED	0.2000 0.2000 0.1000 0.1000 0.1000 0.2000 0.1000	ppm ppm ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.4 0.2	PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch a SOI
MIDACLOPRID RESOXIM-METHYL AILATHION RETALAXYL RETHIOCARB RETHOMYL RYCLOBUTANIL RIALED XXAMYL	0.2000 0.2000 0.1000 0.1000 0.1000 0.2000 0.1000	ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.4 0.2 0.5	PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch a SOI
MIDACLOPRID RESOXIM-METHYL NALATHION RETALAXYL RETHIOCARB RETHIOCARB RETHOMYL RYCLOBUTANIL IALED XXAMYL ACLOBUTRAZOL	0.2000 0.2000 0.1000 0.1000 0.1000 0.2000 0.1000 0.2500 0.5000	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.4 0.2 0.5	PASS PASS PASS PASS PASS PASS PASS PASS	ND	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch a SOI
MIDACLOPRID RESOXIM-METHYL NALATHION HETALAXYL HETHIOCARB HETHOMYL HYCLOBUTANIL HALED DXAMYL CALOBUTRAZOL OTAL PERMETHRINS	0.2000 0.2000 0.1000 0.1000 0.2000 0.1000 0.2500 0.5000 0.2000	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.4 0.2 0.5 1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch a SOI
MIDACLOPRID RESOXIM-METHYL RIALATHION RETALAXYL RETHIOCARB RETHOMYL YYCLOBUTANIL IALED XAMYL ACLOBUTRAZOL OTAL PERMETHRINS HOSMET HOSMET	0.2000 0.2000 0.1000 0.1000 0.1000 0.2000 0.1000 0.2500 0.5000 0.2000	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.4 0.2 0.5 1 0.4 0.2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch a SOI
MIDACLOPRID TRESOXIM-METHYL ALLATHION HETALAXYL HETHIOCARB HETHOMYL HYLOBUTANIL IALED XXAMYL ACLOBUTRAZOL OTAL PERMETHRINS **HOSMET **	0.2000 0.2000 0.1000 0.1000 0.2000 0.1000 0.2500 0.2000 0.1000 0.2000	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.4 0.2 0.5 1 0.4 0.2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch SO
MIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHOMYL MYCLOBUTANIL	0.2000 0.2000 0.1000 0.1000 0.2000 0.2500 0.2500 0.2000 0.1000 0.1000	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.4 0.2 0.5 1 0.4 0.2 2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch a SOI
MIDACLOPRID (RESOXIM-METHYL ARLATHION HETALAXYL HETHIOCARB HETHIOCARB HETHOMYL MYCLOBUTANIL HALED VACAMPL VACLOBUTRAZOL TOTAL PERMETHRINS HOSMET HOSMET HORSMET FIPERONYL BUTOXIDE RALLETHRIN	0.2000 0.2000 0.1000 0.1000 0.2000 0.2000 0.5000 0.2000 0.1000 0.1000 0.1000	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.4 0.2 0.5 1 0.4 0.2 0.2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch a SOI
MIDACLOPRID (RESOXIM-METHYL ARLATHION METALAXYL METHIOCARB METHOWYL MYCLOBUTANIL MALED DXAMYL FOTAL PERMETHRINS PHOSMET PIPERONYL BUTOXIDE RALLETHRIN RALLETHRIN RALLETHRIN ROPHICNAZOLE	0.2000 0.2000 0.1000 0.1000 0.1000 0.2000 0.1000 0.2500 0.5000 0.1000 0.1000 0.1000 0.1000 0.1000	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.4 0.2 0.2 0.2 0.4 0.2 0.5 1 0.4 0.2 0.2 0.2 0.4	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Reagent: 010825.R13; 011325.R Consumables: 947.110; 8000038 Pipette: TE-062 SN:20C50491; Ti Supplemental pesticide screening u qualitative confirmation of Dichlorw quantitaively screened using LC-MS,	3072; 052024CH01; 220318-3 E-064 SN:20B27672 (100-100 sing GC-MS/MS to quantitative os, Permethrins, Piperonyl Butt /MS. (Methods: SOP.T.30.500 f	806-D; 1008 (OuL) ly screen for oxide, Pralletl or sample ho	Chlorfenapyr, Cy nrin, Propiconazo mogenization, Si	06; 426060-JG yfluthrin, Cypermethr ole, Pyrethrins, and T OP.T.30.104.AZ for s	rin, and Diazinon; ebuconazole whi ample prep, and	ch a SOI

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164 atil Dongh



Kaycha Labs

BSCT241016

Biscotti Matrix: Flower Type: Flower-Cured



PASSED

Certificate of Analysis

2239 N Black Canyon Hwy Phoenix, AZ, 85009, US Telephone: (530) 514-0500 Email: adam@proiectpacks.co License #: 00000084ESFH12297246 Sample : TE50114003-007 Harvest/Lot ID: P90241016

Batch#: P90241016 Sampled: 01/14/25 Ordered: 01/14/25

Sample Size Received: 19.78 gram Total Amount: 7 gram Completed: 01/16/25 Expires: 01/16/26 Sample Method: SOP Client Method

Page 4 of 5

Units

LOO

4.8510 ppb

4.8510 ppb

5.9400 ppb

6.2700 ppb

10.7250 ppb

12.0000 ppb

Extraction date: 01/14/25 16:46:24



Microbial

PASSED



TOTAL AFLATOXINS

AFLATOXIN B1

AFLATOXIN B2

AFLATOXIN G1

AFLATOXIN G2

OCHRATOXIN A

Analyzed by: 410, 152, 272, 399

Analytical Batch: TE007277MYC

Analyzed Date: 01/16/25 16:27:30

Analyte

Mycotoxins



Action

Level

20

20

20

20

20 Extracted by:

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

PASS

Result

ND

ND

ND

ND

ND

ND

Analyte		LOQ	Units	Result	Pass / Fail	Actio Leve
SALMONELLA SPP ASPERGILLUS FLAVUS ASPERGILLUS FUMIGATUS ASPERGILLUS NIGER ASPERGILLUS TERREUS		0.0000		Not Present in 1g	PASS	
		0.0000		Not Present in 1g	g PASS g PASS	
		0.0000		Not Present in 1g		
		0.0000		Not Present in 1g		
		0.0000		Not Present in 1g		
ESCHERICHIA CO	LI REC	10.0000	CFU/g	<10	PASS	100
Analyzed by:	Weight:		ion date:		Extracted	l by:
87, 272, 399	0.9659g	01/16/2	5 12:42:	:07	87	

Analysis Method: SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ

Analytical Batch: TE007271MIC
Instrument Used: TE-234 "bioMerieux GENE-UP" Batch Date: 01/14/25 16:24:36

Analyzed Date : 01/16/25 18:44:24

Dilution: 10

Reagent: 120924.26; 120924.27; 120524.07; 080124.41; 102924.71; 092424.34; 010925.41;

010925.44; 121924.38; 121924.40

Consumables: N/A

Pipette: TE-053 SN:20E78952; TE-061 SN:20C35454; TE-062 SN:20C50491; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top

Dispenser SN:20G36073; TE-258

Dilution: 25 Reagent: 010825.R13; 011325.R31; 011325.R32; 121024.R09; 010825.R04; 011325.R14; 010825.R05; 041823.06

Instrument Used: TE-262 "MS/MS - Pest/Myco 2,TE-117 UHPLC - Batch Date: 01/15/25 10:13:16

Consumables: 947.110; 8000038072; 052024CH01; 220318-306-D; 1008645998; GD23006;

Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Weight: 0.504g

Analysis Method: SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ

Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientil Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflotoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg.



Heavy Metals

PASSED

Batch Date: 01/14/25

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ARSENIC	0.2000	ppm	ND	PASS	0.4
CADMIUM	0.2000	ppm	ND	PASS	0.4
LEAD	0.5000	ppm	ND	PASS	1
MERCURY	0.1000	ppm	ND	PASS	0.2

Analyzed by: 445, 272, 399 Extraction date Extracted by: 01/14/25 14:40:54 0.2018a 445.398

Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ

Analytical Batch: TE007268HEA
Instrument Used: TE-051 "Metals Hood", TE-141

"Wolfgang",TE-144,TE-260 "Ludwig",TE-307 "Ted",TE-311 "Ted PC",TE-308 "Ted Chiller",TE-310 "Ted AS",TE-309 "Ted Pump",TE-312 "Ted Monitor",TE-313 "Ted Monitor"

Analyzed Date : $01/16/25\ 17:26:09$

Dilution: 50 Reagent: N/A Consumables : N/A Pipette: N/A

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific ICAP RQ ICP-MS).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164





BSCT241016 Biscotti

Page 5 of 5



Matrix: Flower Type: Flower-Cured

PASSED

Certificate of Analysis

2239 N Black Canyon Hwy Phoenix, AZ, 85009, US Telephone: (530) 514-0500 Email: adam@projectpacks.co License #: 00000084ESFH12297246 Sample: TE50114003-007 Harvest/Lot ID: P90241016 Batch#: P90241016

Sampled: 01/14/25 Ordered: 01/14/25

Sample Size Received: 19.78 gram Total Amount : 7 gram Completed: 01/16/25 Expires: 01/16/26 Sample Method: SOP Client Method

COMMENTS

* Pesticide TE50114003-007PES

1 - M2: Clofentezine, Total Permethrins, Total Spinosad.

* Cannabinoid TE50114003-007POT

1 - M1: CBDA

* Volatile Pesticides TE50114003-007VOL

1 - M2: Chlorfenapyr.

Ariel Gonzales

Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164