

Project Packs

Phoenix, AZ 85009

Lic. #00000084ESFH12297246

Sample: 2602LVL0118.0660

Secondary License: ; Chain of Distribution:

Strain: Lemongrass Gas; Batch Size: g; External Batch ID: LMGG251128

Sample Received: 02/23/2026; Report Completed: 02/25/2026; Report Expiration: 02/25/2027

Sampling Date: 02/23/2026; Sampling Time: 0800; Sampling Person: Salina Rippert

Harvest Date: 02/09/2026; Manufacturing Date: ; External Lot ID:

Date of Pickup: 02/23/2026 Time Collected: 9:34

LMGG251128

Plant, Flower - Cured



	21.71%	ND	25.80%
	Total THC	Total CBD	
	35.03 mg/g	Complete	Total Cannabinoids (Q3)
	Total Terpenes (Q3)	10.2% Moisture (Q3)	

Cannabinoids

Complete

Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCa	0.16	23.65	236.5	
Δ9-THC	0.16	0.97	9.7	
Δ8-THC	0.16	ND	ND	Q3
THCVa	0.16	<LOQ	<LOQ	Q3
THCV	0.16	ND	ND	Q3
CBDa	0.16	ND	ND	
CBD	0.16	ND	ND	
CBDVa	0.16	ND	ND	Q3
CBDV	0.16	ND	ND	Q3
CBN	0.16	ND	ND	Q3
CBGa	0.16	0.83	8.3	Q3
CBG	0.16	<LOQ	<LOQ	Q3
CBCa	0.16	0.35	3.5	Q3
CBC	0.16	ND	ND	Q3
Total		25.80	258.0	Q3

Qualifiers:
Date Tested: 02/23/2026 12:00 am

Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.

Project Packs

Phoenix, AZ 85009

Lic. #00000084ESFH12297246

Sample: 2602LVL0118.0660

Secondary License: ; Chain of Distribution:

Strain: Lemongrass Gas; Batch Size: g; External Batch ID: LMGG251128

Sample Received: 02/23/2026; Report Completed: 02/25/2026; Report Expiration: 02/25/2027

Sampling Date: 02/23/2026; Sampling Time: 0800; Sampling Person: Salina Rippert

Harvest Date: 02/09/2026; Manufacturing Date: ; External Lot ID:

Date of Pickup: 02/23/2026 Time Collected: 9:34

LMGG251128

Plant, Flower - Cured



Terpenes

Analyte	LOQ	Result	Result	Qualifier	Analyte	LOQ	Result	Result	Qualifier
	mg/g	mg/g	%			mg/g	mg/g	%	
δ-Limonene	0.20	8.83	0.883	Q3	cis-Nerolidol	0.20	ND	ND	Q3
Farnesene	0.02	5.84	0.584	Q3	Citronellol	1.02	ND	ND	Q3
β-Caryophyllene	0.20	4.88	0.488	Q3	Eucalyptol	0.10	ND	ND	Q3
β-Myrcene	0.10	3.85	0.385	Q3	Fenchone	0.20	ND	ND	Q3
cis-Ocimene	0.03	3.36	0.336	Q3	γ-Terpinene	0.10	ND	ND	Q3
Linalool	0.20	2.28	0.228	Q3	γ-Terpineol	0.02	ND	ND	Q3
Fenchol	0.10	1.56	0.156	Q3	Geraniol	2.04	ND	ND	Q3
α-Terpineol	0.17	1.34	0.134	Q3	Geranyl Acetate	0.10	ND	ND	Q3
α-Humulene	0.10	1.09	0.109	Q3	Guaiol	0.10	ND	ND	Q3
α-Pinene	0.10	0.66	0.066	Q3	Isoborneol	1.02	ND	ND	Q3
β-Pinene	0.20	0.60	0.060	Q3	Isopulegol	0.10	ND	ND	Q3
α-Bisabolol	0.10	0.56	0.056	Q3	Menthol	0.10	ND	ND	Q3
Camphene	0.10	0.18	0.018	Q3	Nerol	0.10	ND	ND	Q3
3-Carene	0.20	ND	ND	Q3	Pulegone	0.10	ND	ND	Q3
α-Cedrene	0.10	ND	ND	Q3	p-Cymene	0.10	ND	ND	Q3
α-Phellandrene	0.10	ND	ND	Q3	Sabinene	0.10	ND	ND	Q3
α-Terpinene	0.10	ND	ND	Q3	Sabinene Hydrate	0.10	ND	ND	Q3
β-Eudesmol	0.10	<LOQ	<LOQ	Q3	Terpinolene	0.20	<LOQ	<LOQ	Q3
Borneol	0.31	ND	ND	Q3	trans-Nerolidol	0.10	ND	ND	Q3
Camphor	0.41	ND	ND	Q3	trans-Ocimene	0.07	ND	ND	Q3
Caryophyllene Oxide	0.10	<LOQ	<LOQ	Q3	Valencene	0.10	ND	ND	Q3
Cedrol	0.10	ND	ND	Q3					

Primary Aromas



Lemon



Magnolia



Cinnamon



Hops



Earthy

35.03 mg/g

Total Terpenes

Qualifiers:
Date Tested:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Qualifying code Q3: For informational purposes only.



Certificate of Analysis

Powered by Confident LIMS
3 of 5

Project Packs

Phoenix, AZ 85009

Lic. #00000084ESFH12297246

Sample: 2602LVL0118.0660

Secondary License: ; Chain of Distribution:

Strain: Lemongrass Gas; Batch Size: g; External Batch ID: LMGG251128

Sample Received: 02/23/2026; Report Completed: 02/25/2026; Report Expiration: 02/25/2027

Sampling Date: 02/23/2026; Sampling Time: 0800; Sampling Person: Salina Rippert

Harvest Date: 02/09/2026; Manufacturing Date: ; External Lot ID:

Date of Pickup: 02/23/2026 Time Collected: 9:34

LMGG251128

Plant, Flower - Cured



Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Qualifier	Analyte	LOQ	Limit	Units	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.030	0.500	ND	Pass	V1 L1	Hexythiazox	0.040	1.000	ND	Pass	
Acephate	0.040	0.400	ND	Pass	V1 L1	Imazalil	0.040	0.200	ND	Pass	V1
Acetamiprid	0.040	0.200	ND	Pass	V1	Imidacloprid	0.040	0.400	ND	Pass	V1
Aldicarb	0.040	0.400	ND	Pass	V1	Kresoxim Methyl	0.040	0.400	ND	Pass	V1
Azoxystrobin	0.050	0.200	ND	Pass		Malathion	0.040	0.200	ND	Pass	V1
Bifenazate	0.040	0.200	ND	Pass	V1	Metalaxyl	0.040	0.200	ND	Pass	V1
Bifenthrin	0.040	0.200	ND	Pass	L1	Methiocarb	0.040	0.200	ND	Pass	V1
Boscalid	0.040	0.400	ND	Pass		Methomyl	0.050	0.400	ND	Pass	V1
Carbaryl	0.040	0.200	ND	Pass	V1	Myclobutanil	0.050	0.200	ND	Pass	V1
Carbofuran	0.040	0.200	ND	Pass	V1	Naled	0.040	0.500	ND	Pass	V1 L1
Chlorantraniliprole	0.040	0.200	ND	Pass	V1	Oxamyl	0.040	1.000	ND	Pass	V1 L1
Chlorfenapyr	0.450	1.000	ND	Pass	V1	Pacllobutrazol	0.050	0.400	ND	Pass	V1
Chlorpyrifos	0.050	0.200	ND	Pass		Permethrins	0.050	0.200	ND	Pass	V1
Clofentezine	0.040	0.200	ND	Pass		Phosmet	0.040	0.200	ND	Pass	V1
Cyfluthrin	0.440	1.000	ND	Pass	V1	Piperonyl Butoxide	0.040	2.000	ND	Pass	V1
Cypermethrin	0.040	1.000	ND	Pass	V1	Prallethrin	0.040	0.200	ND	Pass	V1
Daminozide	0.440	1.000	ND	Pass	V1	Propiconazole	0.040	0.400	ND	Pass	V1
Dichlorvos (DDVP)	0.040	0.100	ND	Pass		Propoxur	0.050	0.200	ND	Pass	V1
Diazinon	0.050	0.200	ND	Pass		Pyrethrins	0.450	1.000	ND	Pass	V1
Dimethoate	0.040	0.200	ND	Pass	V1	Pyridaben	0.040	0.200	ND	Pass	V1
Ethoprophos	0.040	0.200	ND	Pass		Spinosad	0.050	0.200	ND	Pass	V1
Etofenprox	0.040	0.400	ND	Pass		Spiromesifen	0.040	0.200	ND	Pass	V1
Etoxazole	0.040	0.200	ND	Pass	V1	Spirotetramat	0.040	0.200	ND	Pass	
Fenoxycarb	0.050	0.200	ND	Pass	V1	Spiroxamine	0.040	0.400	ND	Pass	
Fenpyroximate	0.040	0.400	ND	Pass	V1	Tebuconazole	0.050	0.400	ND	Pass	V1
Fipronil	0.040	0.400	ND	Pass	V1	Thiacloprid	0.040	0.200	ND	Pass	V1
Fonicamid	0.040	1.000	ND	Pass	V1 L1	Thiamethoxam	0.040	0.200	ND	Pass	V1
Fludioxonil	0.040	0.400	ND	Pass		Trifloxystrobin	0.040	0.200	ND	Pass	V1

Herbicides

Analyte	LOQ	Limit	Units	Status
---------	-----	-------	-------	--------

Qualifiers:

Date Tested: 02/24/2026 12:00 am

Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Project Packs

Phoenix, AZ 85009

Lic. #00000084ESFH12297246

Sample: 2602LVL0118.0660

Secondary License: ; Chain of Distribution:

Strain: Lemongrass Gas; Batch Size: g; External Batch ID: LMGG251128

Sample Received: 02/23/2026; Report Completed: 02/25/2026; Report Expiration: 02/25/2027

Sampling Date: 02/23/2026; Sampling Time: 0800; Sampling Person: Salina Rippert

Harvest Date: 02/09/2026; Manufacturing Date: ; External Lot ID:

Date of Pickup: 02/23/2026 Time Collected: 9:34

LMGG251128

Plant, Flower - Cured



Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	D1
Aspergillus terreus	Not Detected	in one gram	Pass	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	Not Detected	in one gram	Pass	



Qualifiers:

Date Tested: 02/24/2026 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



Certificate of Analysis

Powered by Confident LIMS
5 of 5

Project Packs

Phoenix, AZ 85009

Lic. #00000084ESFH12297246

Sample: 2602LVL0118.0660

Secondary License: ; Chain of Distribution:

Strain: Lemongrass Gas; Batch Size: g; External Batch ID: LMGG251128

Sample Received: 02/23/2026; Report Completed: 02/25/2026; Report Expiration: 02/25/2027

Sampling Date: 02/23/2026; Sampling Time: 0800; Sampling Person: Salina Rippert

Harvest Date: 02/09/2026; Manufacturing Date: ; External Lot ID:

Date of Pickup: 02/23/2026 Time Collected: 9:34

LMGG251128

Plant, Flower - Cured



Heavy Metals

Pass

Analyte	Result	LOQ	Limit	Status	Qualifier
	PPM	PPM	PPM		
Arsenic	<0.097	0.097	0.400	Pass	
Cadmium	<0.097	0.097	0.400	Pass	
Lead	<0.097	0.097	1.000	Pass	
Mercury	<0.097	0.097	0.200	Pass	

LEVEL ONE

Qualifiers:
Date Tested: 02/24/2026 07:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.