

Final Product Information:	
<i>Product Form</i>	Flower
<i>Strain</i>	Mimosa Kush Mints
<i>Batch Number</i>	Mimosa Kush Mints FR7 26H3-H
<i>Harvest Date</i>	6/18/2026
Distribution Chain:	
<i>Cultivated By</i>	AZCL1 (00000040DCOV00144711)
<i>Packaged By</i>	Pinal County Wellness Center (00000020DCGM00200033)
<i>Distributed By</i>	Natural Herbal Remedies (00000058ESFA63267513)
Arizona Dept. of Health Services Warning	Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child

Mimosa Kush Mints FR7 26H3-H

Sample ID: 2607APO3051.15210

Strain: Mimosa Kush Mints

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 07/02/2026 02:50 pm

Received: 07/02/2026

Completed: 07/13/2026

Batch #: Mimosa Kush Mints FR7 26H3-H

Harvest Date: 06/18/2026

Client

Curaleaf, AZ

Lic. # 00000040DCOV00144711

Lot #: 225021

Production/Manufacture Date:

Production/Manufacture Method:



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	07/06/2026	Complete
Moisture (Q3)	07/09/2026	10.0% - Complete
Water Activity (Q3)	07/09/2026	0.69 Aw - Complete
Terpenes	07/13/2026	Complete
Microbials	07/06/2026	Pass
Pesticides	07/09/2026	Pass
Heavy Metals	07/09/2026	Pass

Cannabinoids by SOP-6

Complete

25.9544 %	ND	30.8614 %	2.2483%
Total THC	Total CBD	Total Cannabinoids ^(Q3)	Total Terpenes ^(Q3)

Analyte	LOD %	LOQ %	Result %	Result mg/g	Q
THCa		0.1000	29.2898	292.898	
Δ9-THC		0.1000	0.2673	2.673	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	ND	ND	
CBDa		0.1000	<LOQ	<LOQ	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	ND	ND	
CBGa		0.1000	1.1722	11.722	
CBG		0.1000	0.1322	1.322	
CBC		0.1000	ND	ND	
(6aR,9S)-Δ10-THC		0.1000	ND	ND	
(6aR,9R)-Δ10-THC		0.1000	ND	ND	
Total THC			25.9544	259.5447	
Total CBD			ND	ND	
Total			30.8614	308.6145	Q3

Date Tested: 07/06/2026 07:00 am

This CoA's Total THC% is compliant with the July 1st 2026 version of the ruleset.



Anthony Settanni
Anthony Settanni
Lab Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the CoA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

Mimosa Kush Mints FR7 26H3-H

Sample ID: 2607APO3051.15210

Strain: Mimosa Kush Mints

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 07/02/2026 02:50 pm

Received: 07/02/2026

Completed: 07/13/2026

Batch #: Mimosa Kush Mints FR7 26H3-H

Harvest Date: 06/18/2026

Client

Curaleaf, AZ

Lic. # 00000040DCOV00144711

Lot #: 225021

Production/Manufacture Date:

Production/Manufacture Method:

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Result	Q	Status	Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND	R1	Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Butoxide					
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND	I1	Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spinosad	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Spiroxamine	0.2000	0.4000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
						Trifloxystrobin	0.1000	0.2000	ND		Pass

Date Tested: 07/09/2026 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

Mimosa Kush Mints FR7 26H3-H

Sample ID: 2607APO3051.15210

Strain: Mimosa Kush Mints

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 07/02/2026 02:50 pm

Received: 07/02/2026

Completed: 07/13/2026

Batch #: Mimosa Kush Mints FR7 26H3-H

Harvest Date: 06/18/2026

Client

Curaleaf, AZ

Lic. # 00000040DCOV00144711

Lot #: 225021

Production/Manufacture Date:

Production/Manufacture Method:

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli by traditional plating: SOP-13	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 07/06/2026 12:00 am

Mycotoxins by SOP-22

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q
---------	-----	-----	-------	-------	--------	---

Date Tested:

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.1000	0.1330	0.4000	ND	Pass	
Cadmium	0.1000	0.1330	0.4000	ND	Pass	
Lead	0.2500	0.3330	1.0000	ND	Pass	
Mercury	0.0500	0.0660	0.2000	ND	Pass	

Date Tested: 07/09/2026 12:00 am



Anthony Settanni

Anthony Settanni
Lab Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

Mimosa Kush Mints FR7 26H3-H

Sample ID: 2607APO3051.15210

Strain: Mimosa Kush Mints

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 07/02/2026 02:50 pm

Received: 07/02/2026

Completed: 07/13/2026

Batch #: Mimosa Kush Mints FR7 26H3-H

Harvest Date: 06/18/2026

Client

Curaleaf_AZ

Lic. # 00000040DCOV00144711

Lot #: 225021


Production/Manufacture Date:

Production/Manufacture Method:

Terpenes

Analyte	LOQ	Result	Result	Q	Analyte	LOQ	Result	Result	Q
	%	%	mg/g			%	%	mg/g	
D,L-Limonene	0.0010	0.6589	6.589	Q3	Carvone	0.0010	ND	ND	Q3
β-Caryophyllene	0.0010	0.4572	4.572	Q3	Cedrol	0.0010	ND	ND	Q3
β-Myrcene	0.0010	0.2887	2.887	Q3	cis-Nerolidol	0.0010	ND	ND	Q3
Linalool	0.0010	0.2392	2.392	Q3	Citronellol	0.0010	ND	ND	Q3
β-Pinene	0.0010	0.1149	1.149	Q3	Eucalyptol	0.0010	ND	ND	Q3
Guaiol	0.0010	0.1112	1.112	Q3	γ-Terpinene	0.0010	ND	ND	Q3
α-Humulene	0.0010	0.1107	1.107	Q3	Geraniol	0.0010	ND	ND	Q3
α-Terpineol	0.0010	0.0634	0.634	Q3	Geranyl Acetate	0.0010	ND	ND	Q3
Fenchone	0.0010	0.0595	0.595	Q3	Isoborneol	0.0010	ND	ND	Q3
α-Pinene	0.0010	0.0582	0.582	Q3	Isobornyl Acetate	0.0010	ND	ND	Q3
trans-Nerolidol	0.0010	0.0289	0.289	Q3	Isopulegol	0.0010	ND	ND	Q3
Camphene	0.0010	0.0161	0.161	Q3	m-Cymene	0.0010	ND	ND	Q3
Terpinen-4-ol	0.0010	0.0100	0.100	Q3	Menthol	0.0010	ND	ND	Q3
Endo-Fenchyl Alcohol	0.0010	0.0093	0.093	Q3	L-Menthone	0.0010	ND	ND	Q3
cis-Farnesol	0.0010	0.0079	0.079	Q3	Nerol	0.0010	ND	ND	Q3
Terpinolene	0.0010	0.0057	0.057	Q3	Nootkatone	0.0010	ND	ND	Q3
D,L-Borneol	0.0010	0.0053	0.053	Q3	o,p-Cymene	0.0010	ND	ND	Q3
Sabinene Hydrate	0.0010	0.0017	0.017	Q3	Octyl Acetate	0.0010	ND	ND	Q3
Caryophyllene Oxide	0.0010	0.0017	0.017	Q3	Phytane	0.0010	ND	ND	Q3
3-Carene	0.0010	ND	ND	Q3	Piperitone	0.0010	ND	ND	Q3
α-Bisabolol	0.0010	ND	ND	Q3	Pulegone	0.0010	ND	ND	Q3
α-Cedrene	0.0010	ND	ND	Q3	Sabinene	0.0010	ND	ND	Q3
α-Phellandrene	0.0010	ND	ND	Q3	Thymol	0.0010	ND	ND	Q3
α-Terpinene	0.0010	ND	ND	Q3	trans-Citral	0.0010	ND	ND	Q3
α-Thujone	0.0010	ND	ND	Q3	trans-beta-Ocimene	0.0010	ND	ND	Q3
Camphor	0.0010	ND	ND	Q3	Valencene	0.0010	ND	ND	Q3
					Total		2.2483	22.483	

Primary Aromas



Date Tested: 07/13/2026 12:00 am
Terpenes analysis is not regulated by AZDHS.



Anthony Settanni
Anthony Settanni
Lab Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

Mimosa Kush Mints FR7 26H3-H

Sample ID: 2607APO3051.15210

Strain: Mimosa Kush Mints

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 07/02/2026 02:50 pm

Received: 07/02/2026

Completed: 07/13/2026

Batch #: Mimosa Kush Mints FR7 26H3-H

Harvest Date: 06/18/2026

Client

Curaleaf, AZ

Lic. # 00000040DCOV00144711

Lot #: 225021

Production/Manufacture Date:

Production/Manufacture Method:

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) (1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



Bryant Kearl
Chief Scientific Officer
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

Mimosa Kush Mints FR7 26H3-H

Sample ID: 2607APO3051.15210

Strain: Mimosa Kush Mints

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 07/02/2026 02:50 pm

Received: 07/02/2026

Completed: 07/13/2026

Batch #: Mimosa Kush Mints FR7 26H3-H

Harvest Date: 06/18/2026

Client

Curaleaf, AZ

Lic. # 00000040DCOV00144711

Lot #: 225021

Production/Manufacture Date:

Production/Manufacture Method:

Customer Supplied Information:



Bryant Kearl
Chief Scientific Officer
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

Mimosa Kush Mints FR7 26H3-H

Sample ID: 2607APO3051.15210

Strain: Mimosa Kush Mints

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 07/02/2026 02:50 pm

Received: 07/02/2026

Completed: 07/13/2026

Batch #: Mimosa Kush Mints FR7 26H3-H

Harvest Date: 06/18/2026

Client

Curaleaf, AZ

Lic. # 00000040DCOV00144711

Lot #: 225021

Production/Manufacture Date:

Production/Manufacture Method:

Client information	
Person(s) requesting change:	Lelanie Baldonado
FA/LA# of person(s) requesting change:	1752707FAEW828360817
Organization Name/License #:	Curaleaf
Date update requested:	07.08.2026
Initials of Requesting Individual:	LB

By signing this Change Request Form, submitter understands Apollo Labs is not responsible for any compliance related matter caused by the change and that submitter's internal compliance professionals previously determined the change complies with applicable rules and regulations of the Arizona Department of Health Services.

FOR INTERNAL LABORATORY TRACKING USE ONLY

Internal Tracking ID:	07082026-002
Individual(s) Performing CoA/Testing Request Update:	Darby Deak
Date(s) of change:	7/8/2026
Change tracking information updated:	Yes
Additional Notes:	

Change Index	Accessioning Number/Confident	Field to be Changed	Original Value	Updated Value	Reason for Change
1	2607APO3051.15209	Testing	Microbial Testing	Full Panel Testing	From Potency & E. Coli to full compliance panel testing, with water activity, moisture content and Terpenes and use the remaining from the 20g. Biomass
2	2607APO3051.15207	Testing	Microbial Testing	Full Panel Testing	From Potency & E. Coli to full compliance panel testing, with water activity, moisture content and Terpenes and use the remaining from the 20g. Biomass
3	2607APO3051.15210	Testing	Microbial Testing	Full Panel Testing	From Potency & E. Coli to full compliance panel testing, with water activity, moisture content and Terpenes and use the remaining from the 20g. Biomass
4	2607APO3051.15211	Testing	Microbial Testing	Full Panel Testing	From Potency & E. Coli to full compliance panel testing, with water activity, moisture content and Terpenes and use the remaining from the 20g. Biomass



07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.