

The Gas Pump Farms

1575 E 18th Ave
Apache Junction, AZ 85119
mrjordanallen1987@gmail.com
(480) 930-8444
Lic. #00000022esmc44584355


Sample: 2409LVL1159.5426

Secondary License: ; Chain of Distribution:
Strain: Super Boof x Cheetah Piss; Batch Size: g; External Batch ID: GP-0819-CPSB
Sample Received: 09/09/2024; Report Created: 09/12/2024; Report Expiration: 09/12/2025
Sampling Date: 09/01/2024; Sampling Time: 10:00AM; Sampling Person: Breanna House
Harvest Date: 06/27/2024; Manufacturing Date: 08/19/2024; External Lot ID:
Date of Pickup: Time Collected:

Drop Bears (Cured Resin Batter)

Concentrates & Extracts, Batter/Badder, Butane
Super Boof Harvested: 06/27/2024
Cheetah Piss Harvested: 07/04/2024
Manufactured: 08/19/2024



	75.79%	ND	90.96%
	Total THC	Total CBD	
	21.35 mg/g	Not Tested	Total Cannabinoids (Q3)
	Total Terpenes (Q3)	NT Moisture (Q3)	

Cannabinoids

Complete

Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCa	0.61	83.22	832.2	
Δ9-THC	0.61	2.80	28.0	
Δ8-THC	0.61	ND	ND	Q3
THCVa	0.61	<LOQ	<LOQ	Q3
THCV	0.61	ND	ND	Q3
CBDa	0.61	ND	ND	
CBD	0.61	ND	ND	M2
CBDVa	0.61	ND	ND	Q3
CBDV	0.61	ND	ND	Q3
CBN	0.61	ND	ND	Q3
CBGa	0.61	3.49	34.9	Q3
CBG	0.61	0.75	7.5	Q3
CBCa	0.61	0.70	7.0	Q3
CBC	0.61	ND	ND	Q3
Total		90.96	909.6	Q3

Qualifiers:
Date Tested: 09/09/2024 07:00 am

Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.

The Gas Pump Farms

1575 E 18th Ave
Apache Junction, AZ 85119
mrjordanallen1987@gmail.com
(480) 930-8444
Lic. #00000022esmc44584355

Sample: 2409LVL1159.5426

Secondary License: ; Chain of Distribution:
Strain: Super Boof x Cheetah Piss; Batch Size: g; External Batch ID: GP-0819-CPSB
Sample Received: 09/09/2024; Report Created: 09/12/2024; Report Expiration: 09/12/2025
Sampling Date: 09/01/2024; Sampling Time: 10:00AM; Sampling Person: Breanna House
Harvest Date: 06/27/2024; Manufacturing Date: 08/19/2024; External Lot ID:
Date of Pickup: Time Collected:

Drop Bears (Cured Resin Batter)



Concentrates & Extracts, Batter/Badder, Butane
Super Boof Harvested: 06/27/2024
Cheetah Piss Harvested: 07/04/2024
Manufactured: 08/19/2024



Terpenes

Analyte	LOQ	Result	Result	Qualifier	Analyte	LOQ	Result	Result	Qualifier
	mg/g	mg/g	%			mg/g	mg/g	%	
β-Caryophyllene	0.76	6.23	0.623	Q3	cis-Ocimene	0.11	ND	ND	Q3
Farnesene	0.06	5.00	0.500	Q3	Citronellol	3.82	ND	ND	Q3
δ-Limonene	0.76	2.46	0.246	Q3	Eucalyptol	0.38	ND	ND	Q3
α-Humulene	0.38	1.70	0.170	Q3	Fenchone	0.76	ND	ND	Q3
β-Myrcene	0.38	1.56	0.156	Q3	γ-Terpinene	0.38	ND	ND	Q3
Linalool	0.76	1.48	0.148	Q3	γ-Terpineol	0.08	ND	ND	Q3
α-Bisabolol	0.38	1.10	0.110	Q3	Geraniol	7.65	ND	ND	Q3
α-Terpineol	0.62	0.72	0.072	Q3	Geranyl Acetate	0.38	ND	ND	Q3
Fenchol	0.38	0.59	0.059	Q3	Guaiol	0.38	ND	ND	Q3
α-Pinene	0.38	0.51	0.051	Q3	Isoborneol	3.82	ND	ND	Q3
3-Carene	0.76	ND	ND	Q3	Isopulegol	0.38	ND	ND	Q3
α-Cedrene	0.38	ND	ND	Q3	Menthol	0.38	ND	ND	Q3
α-Phellandrene	0.38	ND	ND	Q3	Nerol	0.38	ND	ND	Q3
α-Terpinene	0.38	ND	ND	Q3	Pulegone	0.38	ND	ND	Q3
β-Eudesmol	0.38	ND	ND	Q3	p-Cymene	0.38	ND	ND	Q3
β-Pinene	0.76	<LOQ	<LOQ	Q3	Sabinene	0.38	ND	ND	Q3
Borneol	1.15	ND	ND	Q3	Sabinene Hydrate	0.38	ND	ND	Q3
Camphene	0.38	ND	ND	Q3	Terpinolene	0.76	ND	ND	Q3
Camphor	1.53	ND	ND	Q3	trans-Nerolidol	0.38	ND	ND	Q3
Caryophyllene	0.38	ND	ND	Q3	trans-Ocimene	0.25	ND	ND	Q3
Oxide	0.38	ND	ND	Q3	Valencene	0.38	ND	ND	Q3
Cedrol	0.38	ND	ND	Q3					
cis-Nerolidol	0.76	ND	ND	Q3					

Primary Aromas



21.35 mg/g
Total Terpenes

Qualifiers:
Date Tested: 09/09/2024 07:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Qualifying code Q3: For informational purposes only.

The Gas Pump Farms

1575 E 18th Ave
Apache Junction, AZ 85119
mrjordanallen1987@gmail.com
(480) 930-8444
Lic. #00000022esmc44584355

Sample: 2409LVL1159.5426

Secondary License: ; Chain of Distribution:
Strain: Super Boof x Cheetah Piss; Batch Size: g; External Batch ID: GP-0819-CPSB
Sample Received: 09/09/2024; Report Created: 09/12/2024; Report Expiration: 09/12/2025
Sampling Date: 09/01/2024; Sampling Time: 10:00AM; Sampling Person: Breanna House
Harvest Date: 06/27/2024; Manufacturing Date: 08/19/2024; External Lot ID:
Date of Pickup: Time Collected:

Drop Bears (Cured Resin Batter)

Concentrates & Extracts, Batter/Badder, Butane
Super Boof Harvested: 06/27/2024
Cheetah Piss Harvested: 07/04/2024
Manufactured: 08/19/2024



Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status	Qualifier
	PPM	PPM	PPM		
Acetone	358.330	1000.000	ND	Pass	V1 L1
Acetonitrile	145.660	410.000	ND	Pass	V1 L1
Benzene	0.710	2.000	ND	Pass	V1 L1
Butanes	2384.130	5000.000	ND	Pass	V1 L1
Chloroform	21.460	60.000	ND	Pass	V1 L1
Dichloromethane	218.050	600.000	ND	Pass	V1 L1
Ethanol	1777.880	5000.000	ND	Pass	V1 L1
Ethyl-Acetate	1779.560	5000.000	ND	Pass	V1 L1
Ethyl-Ether	1772.620	5000.000	ND	Pass	V1 L1
Heptane	1775.200	5000.000	ND	Pass	V1 L1
Hexanes	102.330	290.000	ND	Pass	V1 L1
Isopropanol	1769.540	5000.000	ND	Pass	V1 L1
Isopropyl-Acetate	1772.820	5000.000	ND	Pass	V1 L1
Methanol	1060.910	3000.000	ND	Pass	V1 L1
Pentanes	1784.330	5000.000	ND	Pass	V1 L1
Toluene	319.290	890.000	ND	Pass	L1
Xylenes	765.000	2170.000	ND	Pass	

LEVEL ONE

Qualifiers:
Date Tested: 09/11/2024 12:00 am

Performed by GCMS-HS per SOP-LM-014. Methods used per AZDHS R9-17-404.03 and solvent limits set by AZDHS R9-17 Table 3.1. ADHS approved method for residual solvents by GCMS-HS for all listed analytes.



Certificate of Analysis

Powered by Confident LIMS
4 of 7

The Gas Pump Farms

1575 E 18th Ave
Apache Junction, AZ 85119
mrjordanallen1987@gmail.com
(480) 930-8444
Lic. #00000022esmc44584355

Sample: 2409LVL1159.5426

Secondary License: ; Chain of Distribution:
Strain: Super Boof x Cheetah Piss; Batch Size: g; External Batch ID: GP-0819-CPSB
Sample Received: 09/09/2024; Report Created: 09/12/2024; Report Expiration: 09/12/2025
Sampling Date: 09/01/2024; Sampling Time: 10:00AM; Sampling Person: Breanna House
Harvest Date: 06/27/2024; Manufacturing Date: 08/19/2024; External Lot ID:
Date of Pickup: Time Collected:

Drop Bears (Cured Resin Batter)

Concentrates & Extracts, Batter/Badder, Butane
Super Boof Harvested: 06/27/2024
Cheetah Piss Harvested: 07/04/2024
Manufactured: 08/19/2024



Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Qualifier	Analyte	LOQ	Limit	Units	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.030	0.500	ND	Pass		Hexythiazox	0.040	1.000	ND	Pass	
Acephate	0.040	0.400	ND	Pass		Imazalil	0.040	0.200	ND	Pass	
Acetamiprid	0.040	0.200	ND	Pass		Imidacloprid	0.040	0.400	ND	Pass	
Aldicarb	0.040	0.400	ND	Pass		Kresoxim Methyl	0.040	0.400	ND	Pass	
Azoxystrobin	0.050	0.200	ND	Pass		Malathion	0.040	0.200	ND	Pass	
Bifenazate	0.040	0.200	ND	Pass		Metalaxyl	0.040	0.200	ND	Pass	
Bifenthrin	0.040	0.200	ND	Pass	M2	Methiocarb	0.040	0.200	ND	Pass	
Boscalid	0.040	0.400	ND	Pass		Methomyl	0.040	0.400	ND	Pass	
Carbaryl	0.040	0.200	ND	Pass		Myclobutanil	0.050	0.200	ND	Pass	
Carbofuran	0.040	0.200	ND	Pass		Naled	0.040	0.500	ND	Pass	
Chlorantraniliprole	0.040	0.200	ND	Pass		Oxamyl	0.040	1.000	ND	Pass	
Chlorfenapyr	0.450	1.000	ND	Pass	M2	Paclobotrazol	0.040	0.400	ND	Pass	M2
Chlorpyrifos	0.050	0.200	ND	Pass		Permethrins	0.040	0.200	ND	Pass	M2
Clofentezine	0.040	0.200	ND	Pass		Phosmet	0.040	0.200	ND	Pass	
Cyfluthrin	0.440	1.000	ND	Pass		Piperonyl Butoxide	0.040	2.000	ND	Pass	
Cypermethrin	0.040	1.000	ND	Pass	M2	Prallethrin	0.040	0.200	ND	Pass	
Daminozide	0.440	1.000	ND	Pass		Propiconazole	0.040	0.400	ND	Pass	
Dichlorvos (DDVP)	0.040	0.100	ND	Pass		Propoxur	0.050	0.200	ND	Pass	
Diazinon	0.050	0.200	ND	Pass		Pyrethrins	0.450	1.000	ND	Pass	
Dimethoate	0.040	0.200	ND	Pass		Pyridaben	0.040	0.200	ND	Pass	M2
Ethoprophos	0.040	0.200	ND	Pass		Spinosad	0.040	0.200	ND	Pass	M2
Etofenprox	0.040	0.400	ND	Pass	M2	Spiromesifen	0.040	0.200	ND	Pass	
Etoxazole	0.040	0.200	ND	Pass		Spirotetramat	0.040	0.200	ND	Pass	
Fenoxycarb	0.040	0.200	ND	Pass		Spiroxamine	0.040	0.400	ND	Pass	
Fenpyroximate	0.040	0.400	ND	Pass		Tebuconazole	0.040	0.400	ND	Pass	M2
Fipronil	0.040	0.400	ND	Pass		Thiacloprid	0.040	0.200	ND	Pass	
Fonicamid	0.040	1.000	ND	Pass		Thiamethoxam	0.040	0.200	ND	Pass	
Fludioxonil	0.040	0.400	ND	Pass		Trifloxystrobin	0.040	0.200	ND	Pass	

Herbicides

Analyte	LOQ	Limit	Units	Status
---------	-----	-------	-------	--------

Qualifiers:

Date Tested: 09/10/2024 07:00 am
Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
http://www.levelonelabs.com
Lic# 0000004LCIG00024823

Matthew Schuberth
Laboratory Manager

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



The Gas Pump Farms

1575 E 18th Ave
Apache Junction, AZ 85119
mrjordanallen1987@gmail.com
(480) 930-8444
Lic. #00000022esmc44584355

Sample: 2409LVL1159.5426

Secondary License: ; Chain of Distribution:
Strain: Super Boof x Cheetah Piss; Batch Size: g; External Batch ID: GP-0819-CPSB
Sample Received: 09/09/2024; Report Created: 09/12/2024; Report Expiration: 09/12/2025
Sampling Date: 09/01/2024; Sampling Time: 10:00AM; Sampling Person: Breanna House
Harvest Date: 06/27/2024; Manufacturing Date: 08/19/2024; External Lot ID:
Date of Pickup: Time Collected:

Drop Bears (Cured Resin Batter)

Concentrates & Extracts, Batter/Badder, Butane
Super Boof Harvested: 06/27/2024
Cheetah Piss Harvested: 07/04/2024
Manufactured: 08/19/2024



Mycotoxins

Pass

Total Ochratoxins Date Tested: 09/10/2024
Total Aflatoxins Date Tested: 09/10/2024

Analyte	LOQ	Limit	Result	Status	Qualifier
	µg/kg	µg/kg	µg/kg		
Total Aflatoxins (B1 B2 G1 and G2)	4.00	20.00	ND	Pass	
Total Ochratoxins (A and B)	2.00	20.00	7.91	Pass	

LEVEL ONE

TNTC = Too Numerous to Count. The lower limit of quantification for Aflatoxin is 4ppb and the lower limit of quantification for Ochratoxin is 2ppb unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: direct ELISA produced by Romer Labs and read on Bio-Tek 800TS microplate reader. Procedure followed SOP-LM-018. Methods used per AZDHS R9-17-404.03 and R9-17-404.04 and limits set by AZDHS R9-17 Table 3.1. ADHS approved method.



Certificate of Analysis

Powered by Confident LIMS
6 of 7

The Gas Pump Farms

1575 E 18th Ave
Apache Junction, AZ 85119
mrjordanallen1987@gmail.com
(480) 930-8444
Lic. #00000022esmc44584355

Sample: 2409LVL1159.5426

Secondary License: ; Chain of Distribution:
Strain: Super Boof x Cheetah Piss; Batch Size: g; External Batch ID: GP-0819-CPSB
Sample Received: 09/09/2024; Report Created: 09/12/2024; Report Expiration: 09/12/2025
Sampling Date: 09/01/2024; Sampling Time: 10:00AM; Sampling Person: Breanna House
Harvest Date: 06/27/2024; Manufacturing Date: 08/19/2024; External Lot ID:
Date of Pickup: Time Collected:

Drop Bears (Cured Resin Batter)

Concentrates & Extracts, Batter/Badder, Butane
Super Boof Harvested: 06/27/2024
Cheetah Piss Harvested: 07/04/2024
Manufactured: 08/19/2024



Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	
Aspergillus terreus	Not Detected	in one gram	Pass	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	Not Detected	in one gram	Pass	

Qualifiers:
Date Tested: 09/10/2024 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 0000004LCIG00024823

Matthew Schuberth
Laboratory Manager

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

The Gas Pump Farms

1575 E 18th Ave
Apache Junction, AZ 85119
mrjordanallen1987@gmail.com
(480) 930-8444
Lic. #00000022esmc44584355

Sample: 2409LVL1159.5426

Secondary License: ; Chain of Distribution:
Strain: Super Boof x Cheetah Piss; Batch Size: g; External Batch ID: GP-0819-CPSB
Sample Received: 09/09/2024; Report Created: 09/12/2024; Report Expiration: 09/12/2025
Sampling Date: 09/01/2024; Sampling Time: 10:00AM; Sampling Person: Breanna House
Harvest Date: 06/27/2024; Manufacturing Date: 08/19/2024; External Lot ID:
Date of Pickup: Time Collected:

Drop Bears (Cured Resin Batter)


Concentrates & Extracts, Batter/Badder, Butane
Super Boof Harvested: 06/27/2024
Cheetah Piss Harvested: 07/04/2024
Manufactured: 08/19/2024



Heavy Metals

Pass

Analyte	Result	LOQ	Limit	Status	Qualifier
	PPM	PPM	PPM		
Arsenic	<0.104	0.104	0.400	Pass	
Cadmium	<0.104	0.104	0.400	Pass	V1
Lead	<0.104	0.104	1.000	Pass	V1
Mercury	<0.104	0.104	0.200	Pass	V1



LEVEL ONE

Qualifiers:
Date Tested: 09/10/2024 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.