

<b>Final Product Information:</b>	
<i>Product Form</i>	LIVE ROSIN
<i>Strain</i>	Honey Banana
<i>Batch Number</i>	10232024HNYBLR
<i>Date of Manufacture</i>	10/23/2024
<b>Starting Material Information:</b>	
<i>Type</i>	FRESH FROZEN
<i>Batch Number(s)</i>	240522-HB14
<i>Harvest Date(s)</i>	9/19/2024
<i>Type of Extraction</i>	PRESSING
<i>Manufactured/Cultivated By</i>	SIXTH STREET ENTERPRISES INC - 00000014DCHT00564851
<b>Finished Product Distribution Chain:</b>	
<i>Manufactured/Cultivated By</i>	SIXTH STREET ENTERPRISES INC - 00000014DCHT00564851
<i>Packaged By</i>	SIXTH STREET ENTERPRISES INC - 00000014DCHT00564851
<i>Distributed By</i>	The Kind Relief Inc - 00000049DCRR00713151
<b>Arizona Dept. of Health Services Warning</b>	Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000014DCHT00564851  
 Sample ID: 2410SMAZ1336.4071  
 Batch #: 10232024HNYBLR



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8987

## FP Honey Banana Bulk Live Rosin

Batch #: 10232024HNYBLR  
 Strain: Honey Banana  
 Parent Batch #:  
 Production Method: Other Hydrocarbon  
 Harvest Date: 09/19/2024  
 Received: 10/23/2024

Sample ID: 2410SMAZ1336.4071  
 Amount Received: 10 g  
 Sample Type: Live Rosin  
 Sample Collected: 10/23/2024 13:54:00  
 Manufacture Date: 10/23/2024  
 Published: 10/28/2024



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>	<b>69.800%</b> Total THC
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>	<b>ND</b> Total CBD
<b>Additional Analytes (Not Regulated)</b>			<b>ND</b> CBN
Terpenes Total (Q3) <b>Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>	<b>0.657%</b> CBG
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>	<b>82.672%</b> Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000014DCHT00564851  
 Sample ID: 2410SMAZ1336.4071  
 Batch #: 10232024HNYBLR



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8987

**Cannabinoid Profile**

HPLC                      Tested

**Sample Prep**  
 Batch Date: 10/24/2024  
 SOP: 418.AZ  
 Batch Number: 2134

**Sample Analysis**  
 Date: 10/24/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.041 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.314	0.953	1	ND	ND	
CBD	0.314	0.953	1	ND	ND	
CBDA	0.314	0.953	1	ND	ND	
CBDV	0.314	0.953	1	ND	ND	
CBG	0.314	0.953	1	0.657	6.574	
CBGA	0.314	0.953	1	2.664	26.642	
CBN	0.314	0.953	1	ND	ND	
d8-THC	0.314	0.953	1	ND	ND	
d9-THC	0.314	0.953	1	1.707	17.067	
THCA	0.314	0.953	1	77.643	776.435	
THCV	0.314	0.953	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	69.800	698.001	
Total CBD	ND	ND	
Total Cannabinoids	82.672	826.718	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000014DCHT00564851  
 Sample ID: 2410SMAZ1336.4071  
 Batch #: 10232024HNYBLR



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8987

**Terpene Total**

GC-FID      **Tested (7.6139%)**


**Sample Prep**

Batch Date: 10/23/2024  
 SOP: 419  
 Batch Number: 2129

**Sample Analysis**

Date: 10/24/2024  
 SOP: 419 - GC-FID  
 Sample Weight: 0.403 g  
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	0.1740	Q3	gamma-Terpinene	0.0010 / 0.0030	1	0.0063	Q3
alpha-Cedrene	0.0010 / 0.0030	1	ND	Q3	Geraniol	0.0010 / 0.0030	1	ND	Q3
alpha-Humulene	0.0010 / 0.0030	1	0.7280	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	ND	Q3	Guaiol	0.0010 / 0.0030	1	0.0075	Q3
alpha-Pinene	0.0010 / 0.0030	1	0.1500	Q3	Hexahydrothymol	0.0010 / 0.0030	1	0.0154	Q3
alpha-Terpinene	0.0010 / 0.0030	1	0.0075	Q3	Isoborneol	0.0010 / 0.0030	1	ND	Q3
beta-Myrcene	0.0010 / 0.0030	1	0.8679	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	0.1944	Q3	Limonene	0.0010 / 0.0030	1	1.5170	Q3
Borneol	0.0010 / 0.0030	1	0.0327	Q3	Linalool	0.0010 / 0.0030	1	0.4599	Q3
Camphene	0.0010 / 0.0030	1	0.0412	Q3	Nerol	0.0010 / 0.0030	1	ND	Q3
Camphor	0.0010 / 0.0030	1	ND	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	<LOQ	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	0.0510	Q3	Terpineol	0.0010 / 0.0030	1	0.1586	Q3
Cedrol	0.0010 / 0.0030	1	0.1019	Q3	Terpinolene	0.0010 / 0.0030	1	0.1972	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	2.6941	Q3
cis-Ocimene	0.0010 / 0.0030	1	<LOQ	Q3	trans-Nerolidol	0.0010 / 0.0030	1	0.0542	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	0.1020	Q3	trans-Ocimene	0.0010 / 0.0030	1	ND	Q3
Eucalyptol	0.0010 / 0.0030	1	ND	Q3	Valencene	0.0010 / 0.0030	1	0.0444	Q3
Fenchone	0.0010 / 0.0030	1	0.0089	Q3					



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000014DCHT00564851  
 Sample ID: 2410SMAZ1336.4071  
 Batch #: 10232024HNYBLR



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8987

**Microbial Analysis**  
**Pass**

**Sample Prep**

Batch Date: 10/24/2024  
 SOP: 431.AZ  
 Batch Number: 2136

**Sample Analysis**

Date: 10/25/2024  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.068 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

**Sample Prep**

Batch Date: 10/24/2024  
 SOP: 406.AZ  
 Batch Number: 2135

**Sample Analysis**

Date: 10/25/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.027 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 10/24/2024  
 SOP: 406.AZ  
 Batch Number: 2135

**Sample Analysis**

Date: 10/25/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.027 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000014DCHT00564851  
 Sample ID: 2410SMAZ1336.4071  
 Batch #: 10232024HNYBLR



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8987

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 10/24/2024  
 SOP: 405.AZ  
 Batch Number: 2131

**Sample Analysis**

Date: 10/25/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.052 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	<LOQ		Heptane	321 / 962	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	321 / 962	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	192 / 577	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	321 / 962	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	321 / 962	1	5000	ND	
Ethanol	321 / 962	1	5000	ND		Toluene	58 / 171	1	890	ND	
Ethyl acetate	321 / 962	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	321 / 962	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000014DCHT00564851  
 Sample ID: 2410SMAZ1336.4071  
 Batch #: 10232024HNYBLR



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8987

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 10/28/2024  
 SOP: 428.AZ  
 Batch Number: 2145

**Sample Analysis**  
 Date: 10/28/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.222 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.054	0.180	10	0.4	ND	
Cadmium	0.054	0.180	10	0.4	ND	
Lead	0.054	0.451	10	1	ND	
Mercury	0.054	0.090	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 10/24/2024  
 SOP: 432.AZ  
 Batch Number: 2132

**Sample Analysis**  
 Date: 10/24/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.552 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.62	9.06	1	20	ND	M2 V1
Aflatoxin B1	3.62	9.06	1		ND	V1
Aflatoxin B2	3.62	9.06	1		ND	I1
Aflatoxin G1	3.62	9.06	1		ND	M2
Aflatoxin G2	3.62	4.53	1		ND	I1, M2
Ochratoxin A	9.06	9.06	1	20	ND	I1, M2

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000014DCHT00564851  
 Sample ID: 2410SMAZ1336.4071  
 Batch #: 10232024HNYBLR



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8987

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 10/24/2024  
 SOP: 432.AZ  
 Batch Number: 2132

**Sample Analysis**

Date: 10/24/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.552 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.075 / 0.226	1	0.5	ND	M2	Hexythiazox	0.151 / 0.453	1	1	ND	M2
Acephate	0.061 / 0.181	1	0.4	ND		Imazalil	0.030 / 0.091	1	0.2	ND	
Acetamiprid	0.030 / 0.091	1	0.2	ND		Imidacloprid	0.061 / 0.181	1	0.4	ND	
Aldicarb	0.061 / 0.181	1	0.4	ND		Kresoxim-methyl	0.061 / 0.181	1	0.4	ND	M2
Azoxystrobin	0.030 / 0.091	1	0.2	ND		Malathion	0.030 / 0.091	1	0.2	ND	M2
Bifenazate	0.030 / 0.091	1	0.2	ND		Metaxalyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND	M2	Methiocarb	0.030 / 0.091	1	0.2	ND	M2
Boscalid	0.061 / 0.181	1	0.4	ND	I1, M2	Methomyl	0.061 / 0.181	1	0.4	ND	
Carbaryl	0.030 / 0.091	1	0.2	ND	M2	Myclobutanil	0.030 / 0.091	1	0.2	ND	M2
Carbofuran	0.030 / 0.091	1	0.2	ND	M2	Naled	0.075 / 0.226	1	0.5	ND	M2
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND	M2	Oxamyl	0.151 / 0.453	1	1	ND	
Chlorfenapyr	0.151 / 0.453	1	1	ND	I1, M2	Pacllobutrazol	0.061 / 0.181	1	0.4	ND	M2
Chlorpyrifos	0.030 / 0.091	1	0.2	ND	M2	Permethrins	0.030 / 0.091	1	0.2	ND	M2
Clofentezine	0.030 / 0.091	1	0.2	ND	M2	Phosmet	0.030 / 0.091	1	0.2	ND	I1, M2
Cyfluthrin	0.151 / 0.453	1	1	ND	M2	Piperonyl Butoxide	0.302 / 0.906	1	2	ND	M2
Cypermethrin	0.151 / 0.453	1	1	ND	M2	Prallethrin	0.030 / 0.091	1	0.2	ND	M2
Daminozide	0.151 / 0.453	1	1	ND		Propiconazole	0.061 / 0.181	1	0.4	ND	M2
Diazinon	0.030 / 0.091	1	0.2	ND	M2	Propoxur	0.030 / 0.091	1	0.2	ND	M2
Dichlorvos	0.015 / 0.045	1	0.1	ND	M2	Pyrethrins	0.127 / 0.380	1	1	ND	I1, M2
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	M2
Ethoprophos	0.030 / 0.091	1	0.2	ND	M2	Spinosad	0.030 / 0.091	1	0.2	ND	M2
Etofenprox	0.061 / 0.181	1	0.4	ND	M2	Spiromesifen	0.030 / 0.091	1	0.2	ND	M2
Etoxazole	0.030 / 0.091	1	0.2	ND		Spirotetramat	0.030 / 0.091	1	0.2	ND	
Fenoxycarb	0.030 / 0.091	1	0.2	ND	M2	Spiroxamine	0.061 / 0.181	1	0.4	ND	
Fenpyroximate	0.061 / 0.181	1	0.4	ND	M2	Tebuconazole	0.061 / 0.181	1	0.4	ND	
Fipronil	0.061 / 0.181	1	0.4	ND		Thiacloprid	0.030 / 0.091	1	0.2	ND	M2
Fonicamid	0.151 / 0.453	1	1	ND		Thiamethoxam	0.030 / 0.091	1	0.2	ND	
Fludioxonil	0.061 / 0.181	1	0.4	ND	M2	Trifloxystrobin	0.030 / 0.091	1	0.2	ND	M2

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





Sixth Street Enterprises DBA: Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000014DCHT00564851  
 Sample ID: 2410SMAZ1336.4071  
 Batch #: 10232024HNYBLR



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8987

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000014DCHT00564851  
 Sample ID: 2410SMAZ1336.4071  
 Batch #: 10232024HNYBLR



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8987

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>