

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Laboratory Sample ID: TE50128002-002

Jan 31, 2025 | Sixth Street Enterprises DBA: Curagreen/Flow Processing License # 00000014DCHT00564851 2155 E 5th St

Tempe, AZ, 85281, US

SAFETY RESULTS ਵ₹

0 Pesticides

PASSED

Hg Heavy Metals

75.5808%

PASSED

Cannabinoid

Total THC

Microbials PASSED

Mycotoxins PASSED

Residuals Solvents PASSED

Total CBD

ND

Water Activity Filth **NOT TESTED**

NOT TESTED

NOT TESTED

91

Moisture

Total Cannabinoids

CBDV

ND

ND

%

0.0010

.4536%

CBC

ND

ND

%

0.0010

Ο Terpenes PASSED

PASSED

MISC.

Lot Date : 2025-01-23 00:00:00 Harvest Date: 12/17/24

Batch#: GE-JF-012325

Sample Size Received: 99.51 gram Total Amount: 7 gram Retail Product Size: 10 gram Retail Serving Size: 10 gram Servings: 1

Manufacturing Date: 2025-01-23 00:00:00

Production Method: Pressing

Harvest/Lot ID: GE-JF-012325

Ordered: 01/28/25 Sampled: 01/28/25 Sample Collection Time: 04:30 PM

Completed: 01/31/25

PASSED

Pages 1 of 6



Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031 Analytical Bath : TE007438POT Instrument Used : TE-004 "Duke Leto" (Flower) Analyzed Date : 01/30/25 13:54:15

D9-THC

ND

ND

%

0.0010

Dilution: 800

Analyzed by: 359, 272, 333

%

mg/g

L00

Reagent : 123024.06; 012925.R22; 012725.R08; 010825.R24; 010825.R33

тнса

86.1811

861.811

0.0010

0/

Consumables : 947.110; 8000038072; 052024CH01; 210705-306-D; 269336; GD230008

Pipette : TE-059 SN:20A04528 (20-200uL); TE-064 SN:20B27672 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LCD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

Signature 01/31/25



GE Jet Fuel Bulk Live Resin Jet Fuel Matrix: Concentrate Classification: Hybrid Type: Live Resin





GE Jet Fuel Bulk Live Resin Jet Fuel Matrix : Concentrate Type: Live Resin



PASSED

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Sixth Street Enterprises DBA: Curagreen/Flow Processing 2155 E 5th 5t Tempe, AZ, 85281, US Telephone: (480) 228-2512 Email: jonm@flowdistribution.com License #: 00000014DCHT00564851 Sample : TE50128002-002 Harvest/Lot ID: GE-JF-012325 Lot Date : 01/23/25 Batch# : GE-JF-012325 Sampled : 01/28/25

Ordered : 01/28/25

Sample Size Received : 99.51 gram Total Amount : 7 gram Completed : 01/31/25 Expires: 01/31/26 Sample Method : SOP Client Method

Page 2 of 6

PASSED



Terpenes

Terpenes	LOQ (%)	mg/g	%	Result (%)	Terpenes	LOQ (%)	mg/g	%	Result (%)
TOTAL TERPENES	0.0020	39.577	3.9577		VALENCENE	0.0020	ND	ND	
BETA-MYRCENE	0.0020	15.514	1.5514		ALPHA-CEDRENE	0.0020	ND	ND	
BETA-CARYOPHYLLENE	0.0020	8.746	0.8746		ALPHA-PHELLANDRENE	0.0020	ND	ND	
LIMONENE	0.0020	7.386	0.7386		ALPHA-TERPINENE	0.0020	ND	ND	
ALPHA-HUMULENE	0.0020	2.576	0.2576		CIS-NEROLIDOL	0.0020	ND	ND	
ALPHA-BISABOLOL	0.0020	1.543	0.1543		GAMMA-TERPINENE	0.0020	ND	ND	
LINALOOL	0.0020	1.020	0.1020		GAMMA-TERPINEOL	0.0020	ND	ND	
BETA-PINENE	0.0020	0.855	0.0855		TRANS-NEROLIDOL	0.0020	ND	ND	
CARYOPHYLLENE OXIDE	0.0020	0.637	0.0637		Analyzed by:	Weight: Ext	raction d	ate:	Extracted by:
FENCHYL ALCOHOL	0.0020	0.515	0.0515		334, 272, 333		29/25 11	:08:26	409,334
ALPHA-PINENE	0.0020	0.421	0.0421		Analysis Method : SOP.T.3	0.500, SOP.T.30.064, S	OP.T.40.0	64	
ALPHA-TERPINEOL	0.0020	0.364	0.0364		Analytical Batch : TE00745			Fornonoc	1" P-t-t P-t- 01/20/25 11/07/00
3-CARENE	0.0020	ND	ND		Instrument Used : TE-096 Analyzed Date : 01/30/25 1		97 "AS - 1	rpenes	1" Batch Date : 01/29/25 11:07:00
BORNEOL	0.0020	ND	ND		Dilution : N/A				
CAMPHENE	0.0020	ND	ND		Reagent : 101723.24; 071	924.01			
CAMPHOR	0.0020	ND	ND		Consumables : 947.110; H	109203-1; 8000038072	; 202402	02; 1; GE	230008
CEDROL	0.0020	ND	ND		Pipette : N/A				
EUCALYPTOL	0.0020	ND	ND						digit ppm concentrations. (Methods: I SOP.T.40.064 for analysis via ThermoScient
FENCHONE	0.0020	ND	ND		1310-series GC equipped with	an AI 1310-series liquid ir	jection au	tosampler	and detection carried out by ISQ 7000-series
GERANIOL	0.0020	ND	ND						result is for informational purposes only and) or labeling requirements in R9-17-317. Nor,
GERANYL ACETATE	0.0020	ND	ND		can it be used to satisfy mariju				18-311(A) or labeling requirements in
GUAIOL	0.0020	ND	ND		R9-18-310 – Q3.				
SOBORNEOL	0.0020	ND	ND						
SOPULEGOL	0.0020	ND	ND						
MENTHOL	0.0020	ND	ND						
NEROL	0.0020	ND	ND						
OCIMENE	0.0020	ND	ND						
PULEGONE	0.0020	ND	ND						
SABINENE	0.0020	ND	ND						
SABINENE HYDRATE	0.0020	ND	ND						
TERPINOLENE	0.0020	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Noto Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

til onfe

Signature 01/31/25



GE Jet Fuel Bulk Live Resin Jet Fuel Matrix : Concentrate Type: Live Resin



PASSED

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Sixth Street Enterprises DBA: Curagreen/Flow Processing 2155 E 5th St Tempe, AZ, 85281, US Telephone: (480) 228-2512 Email: ionm@flowdistribution.com License # : 00000014DCHT00564851

Sample : TE50128002-002 Harvest/Lot ID: GE-JF-012325 Lot Date : 01/23/25 Batch# : GE-JF-012325 Sampled : 01/28/25 Ordered : 01/28/25

Sample Size Received : 99.51 gram Total Amount : 7 gram Completed : 01/31/25 Expires: 01/31/26 Sample Method : SOP Client Method

Page 3 of 6

PASSED



Pesticides

Pesticide AVERMECTINS (ABAMECTIN B1A)	LOQ 0.2500	Units ppm	Action Level	Pass/Fail	Result ND
ACEPHATE	0.2000	ppm	0.4	PASS	ND
ACETAMIPRID	0.1000	mag	0.2	PASS	ND
ALDICARB	0.2000	ppm	0.4	PASS	ND
AZOXYSTROBIN	0.1000	maa	0.2	PASS	ND
BIFENAZATE	0.1000	ppm	0.2	PASS	ND
BIFENTHRIN	0.1000	maa	0.2	PASS	ND
BOSCALID	0.2000	ppm	0.4	PASS	ND
CARBARYL	0.1000	ppm	0.2	PASS	ND
CARBOFURAN	0.1000	ppm	0.2	PASS	ND
CHLORANTRANILIPROLE	0.1000	ppm	0.2	PASS	ND
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	ND
	0.1000	mag	0.2	PASS	ND
CYPERMETHRIN	0.5000	ppm	1	PASS	ND
DIAZINON	0.1000	ppm	0.2	PASS	ND
DAMINOZIDE	0.5000	ppm	1	PASS	ND
DICHLORVOS (DDVP)	0.0500	ppm	0.1	PASS	ND
DIMETHOATE	0.1000	ppm	0.2	PASS	ND
THORTE	0.1000	ppm	0.2	PASS	ND
TOFENPROX	0.2000	ppm	0.4	PASS	ND
TOYENPROX	0.1000	ppm	0.2	PASS	ND
ENOXYCARB	0.1000	ppm	0.2	PASS	ND
ENDYROXIMATE	0.2000	ppm	0.4	PASS	ND
IPRONIL	0.2000	ppm	0.4	PASS	ND
	0.2000	1.1.	0.4	PASS	ND
LONICAMID	0.2000	ppm	0.4	PASS	ND
LUDIOXONIL	0.2000	ppm	0.4	PASS	ND
IEXYTHIAZOX	0.1000	ppm	0.2	PASS	ND
MAZALIL		ppm	0.2	PASS	ND
MIDACLOPRID	0.2000	ppm		PASS	
RESOXIM-METHYL	0.2000	ppm	0.4		ND
ALATHION	0.1000	ppm	0.2	PASS	ND
IETALAXYL	0.1000	ppm	0.2		ND
IETHIOCARB	0.1000	ppm	0.2	PASS	ND
IETHOMYL	0.2000	ppm	0.4	PASS	ND
IYCLOBUTANIL	0.1000	ppm	0.2	PASS	ND
NALED	0.2500	ppm	0.5	PASS	ND
DXAMYL	0.5000	ppm	1	PASS	ND
PACLOBUTRAZOL	0.2000	ppm	0.4	PASS	ND
TOTAL PERMETHRINS	0.1000	ppm	0.2	PASS	ND
PHOSMET	0.1000	ppm	0.2	PASS	ND
PIPERONYL BUTOXIDE	1.0000	ppm	2	PASS	ND
PRALLETHRIN	0.1000	ppm	0.2	PASS	ND
ROPICONAZOLE	0.2000	ppm	0.4	PASS	ND
PROPOXUR	0.1000	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.5000	ppm	1	PASS	ND
PYRIDABEN	0.1000	ppm	0.2	PASS	ND

Pesticide		LOQ	Units	Action Level		Result
TOTAL SPINOSAD		0.1000	ppm	0.2	PASS	ND
SPIROMESIFEN		0.1000	ppm	0.2	PASS	ND
SPIROTETRAMAT		0.1000	ppm	0.2	PASS	ND
SPIROXAMINE		0.2000	ppm	0.4	PASS	ND
TEBUCONAZOLE		0.2000	ppm	0.4	PASS	ND
THIACLOPRID		0.1000	ppm	0.2	PASS	ND
THIAMETHOXAM		0.1000	ppm	0.2	PASS	ND
TRIFLOXYSTROBIN		0.1000	ppm	0.2	PASS	ND
CHLORFENAPYR *		0.3000	ppm	1	PASS	ND
CYFLUTHRIN *		0.5000	ppm	1	PASS	ND
Analyzed by:	Weight:	Extraction			Extracted	l by:
152, 272, 333	0.4972g	01/29/25 1	2:48:16		410	
Analysis Method : SOP.T.30.50 Analytical Batch : TE007454PI Instrument Used : TE-262 "MS	ES		. 2	Ratch D	ate :01/29/25	10-14-34
Analyzed Date :01/30/25 13:4		on contraction of the	52	Daten D	ave .01/25/25 .	10.14.54
Dilution : 25						
Reagent : 012125.R52; 01212 Consumables : 9479291.162; Pipette : TE-062 SN:20C50491	8000038072; 100824CH01 1; TE-064 SN:20B27672 (10	; 220321-306-D; 1 0-1000uL)	008672189;	GD230008; 426060-J	G	
Pesticide screening is carried ou homogenization, SOP.T.30.104./						
Analyzed by: 152, 272, 333	Weight: 0.4972g	Extraction 01/29/25 1			Extracted 410	l by:
Analysis Method : SOP.T.30.5		.40.154.AZ				
Analytical Batch : TE007471V Instrument Used : TE-117 UH		ACANC Destablished	2	B-t-h D	ate :01/29/25 1	6.40.51
instrument used : IE-II/ UH	-LC - Pesumyco 2,1E-262 "I	vio/mo - rest/Myco	2	Batch D	ate :01/29/25 1	10:49:01

Analyzed Date :01/30/25 13:48:08 Analyzed Date :01/30/25 13:48:08

Analyzed Date: 01/3/0/22: 15:48:08 Dilution: 25 Reagent: 012125.R52; 012125.R53; 012325.R37; 121024.R09; 012725.R18; 012925.R10; 011525.R13; 012725.R17; 041823.06 Consumables: 9479291.162; 000038072; 100824CH01; 220321-306-D; 1008672189; GD230008; 426060-JG Pipette: TE-062 SN:20C50491; TE-064 SN:20827672 (100-1000LL) Supplemental pesicide screening using GCM-SMS to quantitatively screen for Chlorfenapyr, Cyfluthrin, Cypermethrin, and Diazinon; as well as the qualitative confirmation of Dichlorvos, Permethrins, Piperonyl Butoxide, Pralethrin, Projeconazdo, Pyrethrins, and Teabuconazole which are all quantitative screened using LCM-SMS (SVF1.305.00 for sample homogenization, SOF.7.30.00 for sample armogenization, SOF.7.30.00 for A0154.AZ for analysis using a ThermoScietific 1310-series GC equipped with a TriPlus RSH autosampler and detected on a TSQ 9000-series mass spectrometer).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product, analyzed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

tal on fr.

Signature 01/31/25



1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Sixth Street Enterprises DBA: Curagreen/Flow Processing 2155 E 5th St Tempe, AZ, 85281, US Telephone: (480) 228-2512 Email: ionm@flowdistribution.com License # : 00000014DCHT00564851

Sample : TE50128002-002 Harvest/Lot ID: GE-JF-012325 Lot Date : 01/23/25 Batch# : GE-JF-012325 Sampled : 01/28/25 Ordered : 01/28/25

Sample Size Received : 99.51 gram Total Amount : 7 gram Completed : 01/31/25 Expires: 01/31/26 Sample Method : SOP Client Method

Page 4 of 6

ñ

Residual Solvents

Solvents	LOQ	Units	Action Level	Pass/Fail	Result	
BUTANES	2400.0000	ppm	5000	PASS	ND	
METHANOL	1440.0000	ppm	3000	PASS	ND	
PENTANES	2400.0000	ppm	5000	PASS	ND	
ETHANOL	2400.0000	ppm	5000	PASS	ND	
ETHYL ETHER	2400.0000	ppm	5000	PASS	ND	
ACETONE	480.0000	ppm	1000	PASS	ND	
2-PROPANOL	2400.0000	ppm	5000	PASS	ND	
ACETONITRILE	196.8000	ppm	410	PASS	ND	
DICHLOROMETHANE	288.0000	ppm	600	PASS	ND	
IEXANES	139.2000	ppm	290	PASS	ND	
ETHYL ACETATE	2400.0000	ppm	5000	PASS	ND	
CHLOROFORM	28.8000	ppm	60	PASS	ND	
BENZENE	1.2000	ppm	2	PASS	ND	
ISOPROPYL ACETATE	2400.0000	ppm	5000	PASS	ND	
HEPTANE	2400.0000	ppm	5000	PASS	ND	
TOLUENE	427.2000	ppm	890	PASS	ND	
KYLENES	1041.6000	ppm	2170	PASS	ND	
Analyzed by: 334, 272, 333	Weight: 0.0194g	Extraction date: 01/29/25 11:26:50		Extracted by: 334		

Analysis Method : SOP.T.40.044.AZ

Analytical Batch : TE007457SOL

Instrument Used : TE-092 "GC - Solvents 1", TE-095 "MS - Solvents 1", TE-098 "Injector - Solvents 1", TE-100 "HS - Solvents 1", TE-113 "Vacuum Pump - Solvents Batch Date : 01/29/25 11:19:03

Analyzed Date : 01/30/25 13:50:19

Dilution : N/A

Reagent : 121024.04; 110724.07 Consumables : H109203-1; 430274; 103689; GD230008 Pipette : N/A

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Ad Neopentane. Ad Neopentane. Ad Neopentane. Ad Neopentane. Advection carried out by ISQ700-series mass spectrometer). Butanes are reported as the sum of n-Bentane are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product, analyzed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

til onf

Signature 01/31/25

Kaycha Labs

. GE Jet Fuel Bulk Live Resin let Fuel Matrix : Concentrate Type: Live Resin



PASSED

PASSED



. GE Jet Fuel Bulk Live Resin let Fuel Matrix : Concentrate Type: Live Resin



PASSED

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Sixth Street Enterprises DBA: Curagreen/Flow Processing 2155 E 5th St Tempe, AZ, 85281, US Telephone: (480) 228-2512 Email: ionm@flowdistribution.com License # : 00000014DCHT00564851

Sample : TE50128002-002 Harvest/Lot ID: GE-JF-012325 Lot Date : 01/23/25 Batch# : GE-JF-012325 Sampled : 01/28/25 Ordered : 01/28/25

Sample Size Received : 99.51 gram Total Amount : 7 gram Completed : 01/31/25 Expires: 01/31/26 Sample Method : SOP Client Method

	Pag	е	5	of	6
--	-----	---	---	----	---

tor	Microbi	al			PAS	SED	•ပ္တာ့• 🛚	lycoto	xins	
Analyte		LOQ	Units	Result	Pass / Fail	Action Level	Analyte		LOQ	Units R
SALMONELL	A SPP	0.0000		Not Present in 1	PASS		TOTAL AFLATOXIN	S	4.8510	ppb
ASPERGILLU	IS FLAVUS	0.0000		Not Present in 1	PASS		AFLATOXIN B1		4.8510	ppb
ASPERGILLU	IS FUMIGATUS	0.0000		Not Present in 1	PASS		AFLATOXIN B2		5.9400	ppb
ASPERGILLU	IS NIGER	0.0000		Not Present in 1	PASS		AFLATOXIN G1		6.2700	ppb
ASPERGILLU	IS TERREUS	0.0000		Not Present in 1	PASS		AFLATOXIN G2		10.7250	ppb
ESCHERICHI	A COLI REC	10.0000	CFU/g	<10	PASS	100	OCHRATOXIN A		12.0000	ppb
Analyzed by: 87, 272, 333	Weight: 0.9329g		ion date: 25 09:45:		Extracted 87	by:	Analyzed by: 152, 272, 333	Weight: 0.4972g	Extraction date: 01/29/25 12:48:	
	od : SOP.T.40.056B, SO ch : TE007467MIC	OP.T.40.058	.FL, SOP.	T.40.208, SOP.T.4	0.209.AZ		Analysis Method : SO Analytical Batch : TEO		P.T.30.104.AZ, SOP.T	.40.104.AZ
	ed : TE-234 "bioMerieu : 01/31/25 16:31:22	IX GENE-UP		Batch Date : 01/2	9/25 15:38	8:48	Instrument Used : TE Pest/Myco 2	-262 "MS/MS - P	est/Myco 2,TE-117 U	IHPLC - Batc
							Analyzed Date : 01/30	0/25 13:48:40		

Dilution: 10

à

Reagent: 120924.35: 120524.11: 012125.R59

Consumables : N/A

Pipette : TE-053 SN:20F78952: TE-061 SN:20C35454: TE-062 SN:20C50491: TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073: TE-258

)	သို့	My	/cotox i	ins			I	PAS	SED
on el	Analyte			l	LOQ	Units	Result	Pass / Fail	Action Level
	TOTAL AFLA	TOXINS			4.8510	ppb	ND	PASS	20
	AFLATOXIN I	31			4.8510	ppb	ND	PASS	20
	AFLATOXIN I	32			5.9400	ppb	ND	PASS	20
	AFLATOXIN (31			6.2700	ppb	ND	PASS	20
	AFLATOXIN (G2			10.7250	ppb	ND	PASS	20
	OCHRATOXI	A			12.0000	ppb	ND	PASS	20
	Analyzed by: 152, 272, 333		Weight: 0.4972g		on date: 5 12:48:	16		Extracted 410	by:

Analytical Batch : TE007472MYC Instrument Used : TE-262 "MS/MS - Pest/Myco 2,TE-117 UHPLC - Batch Date : 01/29/25 16:50:51 Pest/Myco

Analyzed Date : 01/30/25 13:48:40

Dilution: 25

Reagent : 012125.R52; 012125.R53; 012325.R37; 121024.R09; 012725.R18; 012925.R10; 011525.R13: 012725.R17: 041823.06

Consumables : 9479291.162; 8000038072; 100824CH01; 220321-306-D; 1008672189; GD230008 426060-IG

Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflotoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg.

Hg H	leavy M	letals		I	PAS	SED
Metal		LOQ	Units	Result	Pass / Fail	Action Level
ARSENIC		0.2000	ppm	ND	PASS	0.4
CADMIUM		0.2000	ppm	ND	PASS	0.4
LEAD		0.5000	ppm	ND	PASS	1
MERCURY		0.1000	ppm	ND	PASS	0.2
Analyzed by: 398, 272, 333	Weight: 0.1957g	Extraction date: 01/29/25 14:19			Extracted 445	by:
Analysis Method : S Analytical Batch : T Instrument Used : 1	E007459HEA	T.30.084.AZ, SOP.T Batch		AZ ./29/25 11	:53:48	
Analyzed Date : 01/	30/25 12:27:20					

Dilution: 50

Reagent: 102824.03; 012325.R16; 012825.R01; 100424.02; 011025.02; 100121.01 Consumables: 052024CH01; 210705-306-D; 269336; GD230008

Pipette : TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific ICAP RQ ICP-MS).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product, analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

til onf

Signature 01/31/25



GE Jet Fuel Bulk Live Resin Jet Fuel Matrix : Concentrate Type: Live Resin



PASSED

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Sixth Street Enterprises DBA: Curagreen/Flow Processing 2155 E 5th 5t Tempe, AZ, 85281, US Telephone: (480) 228-2512 Email: jonm@flowdistribution.com License #: 00000014DCHT00564851 Sample :TE50128002-002 Harvest/Lot ID: GE-JF-012325 Lot Date :01/23/25 Batch# : GE-JF-012325 Sampled :01/28/25 Ordered : 01/28/25

Sample Size Received : 99.51 gram Total Amount : 7 gram Completed : 01/31/25 Expires: 01/31/26 Sample Method : SOP Client Method Page 6 of 6

COMMENTS

- * Cannabinoid TE50128002-002POT
- **1** M3:CBDA
- * Residual TE50128002-002SOL
- 1 V1- Benzene
- * Volatile Pesticides TE50128002-002VOL
- 1 M2: Chlorfenapyr, Cyfluthrin.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

Signature 01/31/25