



**Flow Distribution**  
1102 N 21st Avenue  
Phoenix, AZ 85009  
License #: 00000049DCRR00713151  
Sample ID: 2509SMAZ1533.4494  
Batch #: GE-TTHH-091025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 17320

**Glorious Extracts - Mixed Bulk (Trophy Gelato x Triangle Kush)**

Batch #: GE-TTHH-091025

Strain: Trophy Gelato x Triangle Kush

Parent Batch #:

Production Method: Pressing

Harvest Date: 07/04/2025

Received: 09/11/2025

Sample ID: 2509SMAZ1533.4494

Amount Received:

Sample Type: Infused/Enhanced Preroll

Sample Collected: 09/11/2025 09:37:00

Manufacture Date: 09/10/2025

Published: 10/20/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>	<b>37.0240%</b> Total THC
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>	<b>ND</b> Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Tested</b>	Moisture Analysis (Q3) <b>Tested</b>	Water Activity (Q3) <b>Not Tested</b>	<b>ND</b> CBN
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>	<b>ND</b> CBG

**43.4141%**  
Total Cannabinoids (Q3)

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Flow Distribution**  
 1102 N 21st Avenue  
 Phoenix, AZ 85009  
 License #: 00000049DCRR00713151  
 Sample ID: 2509SMAZ1533.4494  
 Batch #: GE-TTHH-091025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

**Certificate:** 17320

**Cannabinoid Profile**

**HPLC**

**Tested**

**Sample Prep**

**Batch Date:** 09/15/2025  
**SOP:** 418.AZ  
**Batch Number:** 4077  
**Test ID:** 89697

**Sample Analysis**

**Date:** 09/15/2025  
**SOP:** 417.AZ - HPLC  
**Sample Weight:** 0.041 g  
**Volume:** 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3140	0.9530	1	ND	ND	
CBD	0.3140	0.9530	1	ND	ND	
CBDA	0.3140	0.9530	1	ND	ND	
CBDV	0.3140	0.9530	1	ND	ND	
CBG	0.3140	0.9530	1	ND	ND	
CBGA	0.3140	0.9530	1	1.4740	14.7400	
CBN	0.3140	0.9530	1	ND	ND	
d8-THC	0.3140	0.9530	1	ND	ND	
d9-THC	0.3140	0.9530	1	1.9715	19.7150	
THCA	0.3140	0.9530	1	39.9686	399.6860	
THCV	0.3140	0.9530	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	37.0240	370.2400	
Total CBD	ND	ND	
Total Cannabinoids	43.4141	434.1410	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
 Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Flow Distribution**  
 1102 N 21st Avenue  
 Phoenix, AZ 85009  
 License #: 00000049DCRR00713151  
 Sample ID: 2509SMAZ1533.4494  
 Batch #: GE-TTHH-091025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

**Certificate:** 17320

**Terpene Total**

**GC-FID**

**Tested (2.9085%)**


**Sample Prep**

**Batch Date:** 09/15/2025  
**SOP:** 419  
**Batch Number:** 4078

**Sample Analysis**

**Date:** 09/16/2025  
**SOP:** 419 - GC-FID  
**Sample Weight:** 0.439 g  
**Volume:** 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0027	1	0.0753	Q3	gamma-Terpinene	0.0009 / 0.0027	1	ND	Q3
alpha-Cedrene	0.0009 / 0.0027	1	ND	Q3	Geraniol	0.0009 / 0.0027	1	0.0044	Q3
alpha-Humulene	0.0009 / 0.0027	1	0.1960	Q3	Geranyl acetate	0.0009 / 0.0027	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0027	1	ND	Q3	Guaiol	0.0009 / 0.0027	1	0.0463	Q3
alpha-Pinene	0.0009 / 0.0027	1	0.0704	Q3	Hexahydrothymol	0.0009 / 0.0027	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0027	1	ND	Q3	Isoborneol	0.0009 / 0.0027	1	ND	Q3
beta-Myrcene	0.0009 / 0.0027	1	0.1120	Q3	Isopulegol	0.0009 / 0.0027	1	ND	Q3
beta-Pinene	0.0009 / 0.0027	1	0.0810	Q3	Limonene	0.0009 / 0.0027	1	0.5375	Q3
Borneol	0.0009 / 0.0027	1	0.0186	Q3	Linalool	0.0009 / 0.0027	1	0.3801	Q3
Camphene	0.0009 / 0.0027	1	0.0160	Q3	Nerol	0.0009 / 0.0027	1	ND	Q3
Camphor	0.0009 / 0.0027	1	ND	Q3	Pulegone (+)	0.0009 / 0.0027	1	ND	Q3
3-Carene	0.0009 / 0.0027	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0027	1	0.0039	Q3
Caryophyllene oxide	0.0009 / 0.0027	1	0.1707	Q3	Terpineol	0.0009 / 0.0027	1	0.1355	Q3
Cedrol	0.0009 / 0.0027	1	0.1741	Q3	Terpinolene	0.0009 / 0.0027	1	0.0030	Q3
cis-Nerolidol	0.0009 / 0.0027	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0027	1	0.7583	Q3
cis-Ocimene	0.0009 / 0.0027	1	ND	Q3	trans-Nerolidol	0.0009 / 0.0027	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0027	1	0.0964	Q3	trans-Ocimene	0.0009 / 0.0027	1	0.0184	Q3
Eucalyptol	0.0009 / 0.0027	1	0.0043	Q3	Valencene	0.0009 / 0.0027	1	ND	Q3
Fenchone	0.0009 / 0.0027	1	0.0061	Q3					



**Ahmed Munshi**

Technical Laboratory Director

*AH Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Flow Distribution**  
1102 N 21st Avenue  
Phoenix, AZ 85009  
License #: 00000049DCRR00713151  
Sample ID: 2509SMAZ1533.4494  
Batch #: GE-TTHH-091025



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 17320

**Microbial Analysis**

**Pass**

**Sample Prep**

**Batch Date:** 09/11/2025  
**SOP:** 412.AZ  
**Batch Number:** 4068  
**Test ID:** 89737

**Sample Analysis**

**Date:** 09/12/2025  
**SOP:** 412.AZ - 3M Petrifilm  
**Sample Weight:** 1.071 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

**Sample Prep**

**Batch Date:** 09/11/2025  
**SOP:** 406.AZ  
**Batch Number:** 4066  
**Test ID:** 89738

**Sample Analysis**

**Date:** 09/12/2025  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.007 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

**Batch Date:** 09/11/2025  
**SOP:** 406.AZ  
**Batch Number:** 4066  
**Test ID:** 89739

**Sample Analysis**

**Date:** 09/12/2025  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.007 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Flow Distribution**  
 1102 N 21st Avenue  
 Phoenix, AZ 85009  
 License #: 00000049DCRR00713151  
 Sample ID: 2509SMAZ1533.4494  
 Batch #: GE-TTHH-091025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

**Certificate:** 17320

**Residual Solvents**

HS-GC-MS

**Pass**

**Sample Prep**

**Batch Date:** 09/12/2025  
**SOP:** 405.AZ  
**Batch Number:** 4073  
**Test ID:** 89698

**Sample Analysis**

**Date:** 09/15/2025  
**SOP:** 405.AZ - HS-GC-MS  
**Sample Weight:** 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

*AH Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Flow Distribution**  
 1102 N 21st Avenue  
 Phoenix, AZ 85009  
 License #: 00000049DCRR00713151  
 Sample ID: 2509SMAZ1533.4494  
 Batch #: GE-TTHH-091025



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

**Certificate:** 17320

**Heavy Metals**

ICP-MS

**Pass**

**Sample Prep**

**Batch Date:** 09/12/2025  
**SOP:** 428.AZ  
**Batch Number:** 4075  
**Test ID:** 89699

**Sample Analysis**

**Date:** 09/15/2025  
**SOP:** 428.AZ - ICP-MS  
**Sample Weight:** 0.215 g  
**Volume:** 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.056	0.186	10	0.4	ND	
Cadmium	0.056	0.186	10	0.4	ND	
Lead	0.056	0.465	10	1	<LOQ	
Mercury	0.056	0.093	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS

**Pass**

**Sample Prep**

**Batch Date:** 09/10/2025  
**SOP:** 432.AZ  
**Batch Number:** 4063  
**Test ID:** 89703

**Sample Analysis**

**Date:** 09/15/2025  
**SOP:** 424.AZ - LC-MS/MS  
**Sample Weight:** 0.508 g  
**Volume:** 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.94	9.84	1	20	ND	V1
Aflatoxin B1	3.94	9.84	1		ND	V1
Aflatoxin B2	3.94	9.84	1		ND	I1
Aflatoxin G1	3.94	9.84	1		ND	I1
Aflatoxin G2	3.94	4.92	1		ND	V1
Ochratoxin A	9.84	9.84	1	20	ND	I1V1

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Flow Distribution**  
 1102 N 21st Avenue  
 Phoenix, AZ 85009  
 License #: 00000049DCRR00713151  
 Sample ID: 2509SMAZ1533.4494  
 Batch #: GE-TTHH-091025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

**Certificate:** 17320

**Pesticides, Fungicides, and  
Growth Regulators**

**LC-MS/MS**

**Pass**

**Sample Prep**

**Batch Date:** 09/10/2025  
**SOP:** 432.AZ  
**Batch Number:** 4063  
**Test ID:** 89702

**Sample Analysis**

**Date:** 09/15/2025  
**SOP:** 424.AZ - LC-MS/MS  
**Sample Weight:** 0.508 g  
**Volume:** 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.246	1	0.5	ND		Hexythiazox	0.164 / 0.492	1	1	ND	
Acephate	0.066 / 0.197	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.066 / 0.197	1	0.4	ND	
Aldicarb	0.066 / 0.197	1	0.4	ND	V1	Kresoxim-methyl	0.066 / 0.197	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND		Metalaxyl	0.032 / 0.098	1	0.2	ND	V1
Bifenthrin	0.032 / 0.098	1	0.2	ND		Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.066 / 0.197	1	0.4	ND		Methomyl	0.066 / 0.197	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND	L1	Myclobutanil	0.032 / 0.098	1	0.2	ND	V1
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.082 / 0.246	1	0.5	ND	L1 V1
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND		Oxamyl	0.164 / 0.492	1	1	ND	L1 V1
Chlorfenapyr	0.164 / 0.492	1	1	ND	V1	Paclobutrazol	0.066 / 0.197	1	0.4	ND	V1
Chlorpyrifos	0.032 / 0.098	1	0.2	ND		Permethrins	0.032 / 0.098	1	0.2	ND	L1 V1
Clofentezine	0.032 / 0.098	1	0.2	ND		Phosmet	0.032 / 0.098	1	0.2	ND	
Cyfluthrin	0.164 / 0.492	1	1	ND		Piperonyl Butoxide	0.328 / 0.984	1	2	ND	V1
Cypermethrin	0.164 / 0.492	1	1	ND		Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.164 / 0.492	1	1	ND		Propiconazole	0.066 / 0.197	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	V1
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.138 / 0.412	1	1	ND	
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	V1
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	
Etofenprox	0.066 / 0.197	1	0.4	ND		Spiromesifen	0.032 / 0.098	1	0.2	ND	
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxy carb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.066 / 0.197	1	0.4	ND	V1
Fenpyroximate	0.066 / 0.197	1	0.4	ND	V1	Tebuconazole	0.066 / 0.197	1	0.4	ND	
Fipronil	0.066 / 0.197	1	0.4	ND		Thiacloprid	0.032 / 0.098	1	0.2	ND	L1 V1
Flonicamid	0.164 / 0.492	1	1	ND	I1	Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.197	1	0.4	ND	L1 V1	Trifloxystrobin	0.032 / 0.098	1	0.2	ND	V1

**Ahmed Munshi**

Technical Laboratory Director

*AH Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Flow Distribution**  
1102 N 21st Avenue  
Phoenix, AZ 85009  
License #: 00000049DCRR00713151  
Sample ID: 2509SMAZ1533.4494  
Batch #: GE-TTHH-091025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

**Certificate:** 17320

**Moisture Analysis**

**Moisture:** **8.15 %**

**Qualifier:** Q3

**Sample Prep and Analysis**

**Date:** 09/11/2025  
**SOP:** 411 - Moisture Balance  
**Sample Weight:** 0.319 g

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Flow Distribution**  
1102 N 21st Avenue  
Phoenix, AZ 85009  
License #: 00000049DCRR00713151  
Sample ID: 2509SMAZ1533.4494  
Batch #: GE-TTHH-091025



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 17320

**Qualifier Legend**

**B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

**B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

**D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.

**I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

**L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

**M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

**M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

**M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

**M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

**M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

**M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

**Q1** Sample integrity was not maintained.

**Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

**Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

**R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

**R2** The relative percent difference for a sample and duplicate exceeded the limit.

**V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Flow Distribution**  
1102 N 21st Avenue  
Phoenix, AZ 85009  
License #: 00000049DCRR00713151  
Sample ID: 2509SMAZ1533.4494  
Batch #: GE-TTHH-091025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

**Certificate:** 17320

**Notes:** 10/20/2025 Revision:

Production method revised from "Butane" to "Pressing"

10/3/2025 Revision:

Harvest date revised from 09/10/2025 to 07/04/2025; manufacture date added



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>