



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
1102 N. 21st Ave.  
Phoenix, AZ 85009  
License #: 00000133ESGJ79432018  
Sample ID: 2506SMAZ0918.2671  
Batch #: 06062025BKLR



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13770

### FP Banana Kush Bulk Live Rosin (HI)

Batch #: 06062025BKLR

Strain: Banana Kush

Parent Batch #:

Production Method: Pressing

Harvest Date: 05/06/2025

Received: 06/06/2025

Sample ID: 2506SMAZ0918.2671

Amount Received: 9.8 g

Sample Type: Live Rosin

Sample Collected: 06/06/2025 14:04:00

Manufacture Date: 06/06/2025

Published: 06/10/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3)

**Tested**

Microbial Contaminants

**Pass**

Residual Solvents

**Pass**

**70.274%**

Total THC

Pesticides, Fungicides,  
and Growth Regulators

**Pass**

Mycotoxins

**Pass**

Heavy Metals

**Pass**

**ND**

Total CBD

**ND**

CBN

### Additional Analytes (Not Regulated)

Terpenes Total (Q3)

**Tested**

Moisture Analysis (Q3)

**Not Tested**

Water Activity (Q3)

**Not Tested**

**0.709%**

CBG

Filth & Foreign (Q3)

**Not Tested**

Homogeneity (Q3)

**Not Tested**

Additional Microbial  
Contaminants (Q3)

**Not Tested**

**83.299%**


Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.

Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
1102 N. 21st Ave.  
Phoenix, AZ 85009  
License #: 00000133ESGJ79432018  
Sample ID: 2506SMAZ0918.2671  
Batch #: 06062025BKLR



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13770

### Cannabinoid Profile

HPLC

Tested

### Sample Prep

Batch Date: 06/06/2025  
SOP: 418.AZ  
Batch Number: 3444  
Test ID: 76269

### Sample Analysis

Date: 06/09/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 0.043 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.300	0.909	1	ND	ND	
CBD	0.300	0.909	1	ND	ND	
CBDA	0.300	0.909	1	ND	ND	
CBDV	0.300	0.909	1	ND	ND	
CBG	0.300	0.909	1	0.709	7.087	
CBGA	0.300	0.909	1	2.613	26.129	
CBN	0.300	0.909	1	ND	ND	
d8-THC	0.300	0.909	1	ND	ND	
d9-THC	0.300	0.909	1	1.088	10.876	
THCA	0.300	0.909	1	78.889	788.894	
THCV	0.300	0.909	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	70.274	702.736	
Total CBD	ND	ND	
Total Cannabinoids	83.299	832.986	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
1102 N. 21st Ave.  
Phoenix, AZ 85009  
License #: 00000133ESGJ79432018  
Sample ID: 25065MAZ0918.2671  
Batch #: 06062025BKLR



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 13770

**Terpene Total**

GC-FID

**Tested (7.1372%)**


**Sample Prep**

Batch Date: 06/09/2025  
SOP: 419  
Batch Number: 3449

**Sample Analysis**

Date: 06/10/2025  
SOP: 419 - GC-FID  
Sample Weight: 0.436 g  
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.1709	Q3	gamma-Terpinene	0.0009 / 0.0028	1	<LOQ	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	ND	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.7011	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	0.0047	Q3	Guaiol	0.0009 / 0.0028	1	ND	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.1252	Q3	Hexahydrothymol	0.0009 / 0.0028	1	0.0176	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	1.2501	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.1781	Q3	Limonene	0.0009 / 0.0028	1	1.3473	Q3
Borneol	0.0009 / 0.0028	1	0.0373	Q3	Linalool	0.0009 / 0.0028	1	0.4486	Q3
Camphene	0.0009 / 0.0028	1	0.0394	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	<LOQ	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0837	Q3	Terpineol	0.0009 / 0.0028	1	0.1707	Q3
Cedrol	0.0009 / 0.0028	1	0.0933	Q3	Terpinolene	0.0009 / 0.0028	1	0.0147	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	2.2242	Q3
cis-Ocimene	0.0009 / 0.0028	1	<LOQ	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.1241	Q3	trans-Ocimene	0.0009 / 0.0028	1	ND	Q3
Eucalyptol	0.0009 / 0.0028	1	ND	Q3	Valencene	0.0009 / 0.0028	1	0.0946	Q3
Fenchone	0.0009 / 0.0028	1	0.0118	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
1102 N. 21st Ave.  
Phoenix, AZ 85009  
License #: 00000133ESGJ79432018  
Sample ID: 2506SMAZ0918.2671  
Batch #: 06062025BKLR



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 13770

**Microbial Analysis**

**Pass**

**Sample Prep**

Batch Date: 06/09/2025  
SOP: 412.AZ  
Batch Number: 3456  
Test ID: 76298

**Sample Analysis**

Date: 06/10/2025  
SOP: 412.AZ - 3M Petrifilm  
Sample Weight: 1.001 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

**Sample Prep**

Batch Date: 06/09/2025  
SOP: 406.AZ  
Batch Number: 3453  
Test ID: 76299

**Sample Analysis**

Date: 06/10/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 06/09/2025  
SOP: 406.AZ  
Batch Number: 3453  
Test ID: 76300

**Sample Analysis**

Date: 06/10/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
1102 N. 21st Ave.  
Phoenix, AZ 85009  
License #: 00000133ESGJ79432018  
Sample ID: 2506SMAZ0918.2671  
Batch #: 06062025BKLR



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 13770

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 06/09/2025  
SOP: 405.AZ  
Batch Number: 3447  
Test ID: 76270

**Sample Analysis**

Date: 06/10/2025  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.051 g


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 196	1	1000	<LOQ		Heptane	327 / 980	1	5000	ND	
Acetonitrile	27 / 80	1	410	ND		Hexanes	47 / 142	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	327 / 980	1	5000	ND	
Butanes	163 / 490	1	5000	ND		Methanol	196 / 588	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	327 / 980	1	5000	ND	
Dichloromethane	39 / 118	1	600	ND		2-Propanol (IPA)	327 / 980	1	5000	ND	
Ethanol	327 / 980	1	5000	ND		Toluene	59 / 175	1	890	ND	
Ethyl acetate	327 / 980	1	5000	ND		Xylenes	284 / 851	1	2170	ND	
Ethyl ether	327 / 980	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
1102 N. 21st Ave.  
Phoenix, AZ 85009  
License #: 00000133ESGJ79432018  
Sample ID: 2506SMAZ0918.2671  
Batch #: 06062025BKLR



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13770

### Heavy Metals

ICP-MS

Pass

### Sample Prep

Batch Date: 06/09/2025  
SOP: 428.AZ  
Batch Number: 3452  
Test ID: 76271

### Sample Analysis

Date: 06/10/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.216 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.056	0.185	10	0.4	ND	
Cadmium	0.056	0.185	10	0.4	ND	
Lead	0.056	0.463	10	1	ND	
Mercury	0.056	0.092	10	0.2	ND	

### Mycotoxin Analysis

LC-MS/MS

Pass

### Sample Prep

Batch Date: 06/06/2025  
SOP: 432.AZ  
Batch Number: 3440  
Test ID: 76274

### Sample Analysis

Date: 06/09/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.577 g  
Volume: 12.5 mL


Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.47	8.67	1	20	ND	R1
Aflatoxin B1	3.47	8.67	1		ND	
Aflatoxin B2	3.47	8.67	1		ND	R1
Aflatoxin G1	3.47	8.67	1		ND	
Aflatoxin G2	3.47	4.33	1		ND	
Ochratoxin A	8.67	8.67	1	20	ND	I1, L1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
1102 N. 21st Ave.  
Phoenix, AZ 85009  
License #: 00000133ESGJ79432018  
Sample ID: 2506SMAZ0918.2671  
Batch #: 06062025BKLR



## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13770

### Pesticides, Fungicides, and Growth Regulators

LC-MS/MS Pass

#### Sample Prep

Batch Date: 06/06/2025  
SOP: 432.AZ  
Batch Number: 3440  
Test ID: 76273

#### Sample Analysis

Date: 06/09/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.577 g  
Volume: 12.5 mL


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.072 / 0.217	1	0.5	ND		Hexythiazox	0.145 / 0.433	1	1	ND	
Acephate	0.058 / 0.173	1	0.4	ND		Imazalil	0.029 / 0.087	1	0.2	ND	
Acetamiprid	0.029 / 0.087	1	0.2	ND		Imidacloprid	0.058 / 0.173	1	0.4	ND	
Aldicarb	0.058 / 0.173	1	0.4	ND		Kresoxim-methyl	0.058 / 0.173	1	0.4	ND	
Azoxystrobin	0.029 / 0.087	1	0.2	ND		Malathion	0.029 / 0.087	1	0.2	ND	
Bifenazate	0.029 / 0.087	1	0.2	ND		Metaxyl	0.029 / 0.087	1	0.2	ND	
Bifenthrin	0.029 / 0.087	1	0.2	ND		Methiocarb	0.029 / 0.087	1	0.2	ND	
Boscalid	0.058 / 0.173	1	0.4	ND		Methomyl	0.058 / 0.173	1	0.4	ND	
Carbaryl	0.029 / 0.087	1	0.2	ND		Myclobutanil	0.029 / 0.087	1	0.2	ND	
Carbofuran	0.029 / 0.087	1	0.2	ND		Naled	0.072 / 0.217	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.087	1	0.2	ND		Oxamyl	0.145 / 0.433	1	1	ND	
Chlorfenapyr	0.145 / 0.433	1	1	ND		Paclobutrazol	0.058 / 0.173	1	0.4	ND	
Chlorpyrifos	0.029 / 0.087	1	0.2	ND		Permethrins	0.029 / 0.087	1	0.2	ND	
Clofentezine	0.029 / 0.087	1	0.2	ND		Phosmet	0.029 / 0.087	1	0.2	ND	
Cyfluthrin	0.145 / 0.433	1	1	ND		Piperonyl Butoxide	0.289 / 0.867	1	2	ND	
Cypermethrin	0.145 / 0.433	1	1	ND		Prallethrin	0.029 / 0.087	1	0.2	ND	
Daminozide	0.145 / 0.433	1	1	ND		Propiconazole	0.058 / 0.173	1	0.4	ND	
Diazinon	0.029 / 0.087	1	0.2	ND		Propoxur	0.029 / 0.087	1	0.2	ND	
Dichlorvos	0.015 / 0.043	1	0.1	ND		Pyrethrins	0.121 / 0.363	1	1	ND	
Dimethoate	0.029 / 0.087	1	0.2	ND		Pyridaben	0.029 / 0.087	1	0.2	ND	
Ethoprophos	0.029 / 0.087	1	0.2	ND		Spinosad	0.029 / 0.087	1	0.2	ND	
Etofenprox	0.058 / 0.173	1	0.4	ND		Spiromesifen	0.029 / 0.087	1	0.2	ND	
Etoxazole	0.029 / 0.087	1	0.2	ND		Spirotetramat	0.029 / 0.087	1	0.2	ND	
Fenoxycarb	0.029 / 0.087	1	0.2	ND		Spiroxamine	0.058 / 0.173	1	0.4	ND	
Fenpyroximate	0.058 / 0.173	1	0.4	ND		Tebuconazole	0.058 / 0.173	1	0.4	ND	
Fipronil	0.058 / 0.173	1	0.4	ND	I1	Thiacloprid	0.029 / 0.087	1	0.2	ND	
Fonicamid	0.145 / 0.433	1	1	ND		Thiamethoxam	0.029 / 0.087	1	0.2	ND	
Fludioxonil	0.058 / 0.173	1	0.4	ND		Trifloxystrobin	0.029 / 0.087	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
1102 N. 21st Ave.  
Phoenix, AZ 85009  
License #: 00000133ESGJ79432018  
Sample ID: 2506SMAZ0918.2671  
Batch #: 06062025BKLR



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 13770

### Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**


**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing  
1102 N. 21st Ave.  
Phoenix, AZ 85009  
License #: 00000133ESGJ79432018  
Sample ID: 2506SMAZ0918.2671  
Batch #: 06062025BKLR



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 13770

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.  
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>