

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alex@flowdistribution.com
(480) 805-1583
Lic. #00000049DCRR00713151

Sample: 2507LVL0648.3407

Secondary License: ; Chain of Distribution:
Strain: Chem Skunk; Batch Size: 10.82 g; External Batch ID: GE-CS-07162025
Sample Received: 07/18/2025; Report Created: 07/23/2025; Report Expiration: 07/23/2026
Sampling Date: 07/17/2025; Sampling Time: 9 am; Sampling Person: LH
Harvest Date: 03/17/2025; Manufacturing Date: 07/17/2025; External Lot ID:
Date of Pickup: 07/17/2025 Time Collected: 3:51

GE - Chem Skunk Bulk Live Resin

Concentrates & Extracts, Live Resin, Butane



	74.42% Total THC	ND Total CBD	87.25% Total Cannabinoids (Q3)
	47.75 mg/g Total Terpenes (Q3)	Not Tested Moisture (Q3)	

Cannabinoids

Complete

Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCa	0.43	81.33	813.3	
Δ9-THC	0.43	3.09	30.9	
Δ8-THC	0.43	ND	ND	Q3
THCVa	0.43	0.44	4.4	Q3
THCV	0.43	ND	ND	Q3
CBDa	0.43	ND	ND	
CBD	0.43	ND	ND	
CBDVa	0.43	ND	ND	Q3
CBDV	0.43	ND	ND	Q3
CBN	0.43	ND	ND	Q3
CBGa	0.43	1.24	12.4	Q3
CBG	0.43	0.44	4.4	Q3
CBCa	0.43	0.71	7.1	Q3
CBC	0.43	<LOQ	<LOQ	Q3
Total		87.25	872.5	Q3

Qualifiers:
Date Tested: 07/18/2025 12:00 am

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alex@flowdistribution.com
(480) 805-1583
Lic. #00000049DCRR00713151

Sample: 2507LVL0648.3407

Secondary License: ; Chain of Distribution:
Strain: Chem Skunk; Batch Size: 10.82 g; External Batch ID: GE-CS-07162025
Sample Received: 07/18/2025; Report Created: 07/23/2025; Report Expiration: 07/23/2026
Sampling Date: 07/17/2025; Sampling Time: 9 am; Sampling Person: LH
Harvest Date: 03/17/2025; Manufacturing Date: 07/17/2025; External Lot ID:
Date of Pickup: 07/17/2025 Time Collected: 3:51

GE - Chem Skunk Bulk Live Resin

Concentrates & Extracts, Live Resin, Butane



Terpenes

Analyte	LOQ	Result	Result	Qualifier	Analyte	LOQ	Result	Result	Qualifier
	mg/g	mg/g	%			mg/g	mg/g	%	
β-Caryophyllene	0.84	17.37	1.737	Q3	Citronellol	4.18	ND	ND	Q3
δ-Limonene	0.84	11.71	1.171	Q3	Eucalyptol	0.42	ND	ND	Q3
β-Myrcene	0.42	7.22	0.722	Q3	Farnesene	0.07	ND	ND	Q3
α-Humulene	0.42	4.81	0.481	Q3	Fenchone	0.84	ND	ND	Q3
Fenchol	0.42	1.76	0.176	Q3	γ-Terpinene	0.42	ND	ND	Q3
Linalool	0.84	1.51	0.151	Q3	γ-Terpineol	0.09	ND	ND	Q3
α-Bisabolol	0.42	1.16	0.116	Q3	Geraniol	8.36	ND	ND	Q3
α-Terpineol	0.68	1.04	0.104	Q3	Geranyl Acetate	0.42	ND	ND	Q3
cis-Ocimene	0.12	0.75	0.075	Q3	Guaiol	0.42	ND	ND	Q3
α-Pinene	0.42	0.42	0.042	Q3	Isoborneol	4.18	ND	ND	Q3
3-Carene	0.84	ND	ND	Q3	Isopulegol	0.42	ND	ND	Q3
α-Cedrene	0.42	ND	ND	Q3	Menthol	0.42	ND	ND	Q3
α-Phellandrene	0.42	ND	ND	Q3	Nerol	0.42	ND	ND	Q3
α-Terpinene	0.42	ND	ND	Q3	Pulegone	0.42	ND	ND	Q3
β-Eudesmol	0.42	ND	ND	Q3	p-Cymene	0.42	ND	ND	Q3
β-Pinene	0.84	<LOQ	<LOQ	Q3	Sabinene	0.42	ND	ND	Q3
Borneol	1.25	<LOQ	<LOQ	Q3	Sabinene Hydrate	0.42	ND	ND	Q3
Camphene	0.42	<LOQ	<LOQ	Q3	Terpinolene	0.84	<LOQ	<LOQ	Q3
Camphor	1.67	ND	ND	Q3	trans-Nerolidol	0.42	ND	ND	Q3
Caryophyllene	0.42	<LOQ	<LOQ	Q3	trans-Ocimene	0.28	ND	ND	Q3
Oxide	0.42	ND	ND	Q3	Valencene	0.42	ND	ND	Q3
Cedrol	0.42	ND	ND	Q3					
cis-Nerolidol	0.84	ND	ND	Q3					

Primary Aromas



Cinnamon



Lemon



Hops



Basil



Lavender

47.75 mg/g

Total Terpenes

Qualifiers:
Date Tested: 07/18/2025 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Qualifying code Q3: For informational purposes only.



Certificate of Analysis

Powered by Confident LIMS
3 of 7

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alex@flowdistribution.com
(480) 805-1583
Lic. #00000049DCRR00713151

Sample: 2507LVL0648.3407

Secondary License: ; Chain of Distribution:
Strain: Chem Skunk; Batch Size: 10.82 g; External Batch ID: GE-CS-07162025
Sample Received: 07/18/2025; Report Created: 07/23/2025; Report Expiration: 07/23/2026
Sampling Date: 07/17/2025; Sampling Time: 9 am; Sampling Person: LH
Harvest Date: 03/17/2025; Manufacturing Date: 07/17/2025; External Lot ID:
Date of Pickup: 07/17/2025 Time Collected: 3:51

GE - Chem Skunk Bulk Live Resin

Concentrates & Extracts, Live Resin, Butane



Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status	Qualifier
	PPM	PPM	PPM		
Acetone	371.600	1000.000	ND	Pass	
Acetonitrile	151.060	410.000	ND	Pass	
Benzene	0.740	2.000	ND	Pass	
Butanes	2472.430	5000.000	ND	Pass	V1
Chloroform	22.250	60.000	ND	Pass	
Dichloromethane	226.120	600.000	ND	Pass	
Ethanol	1843.720	5000.000	ND	Pass	
Ethyl-Acetate	1845.470	5000.000	ND	Pass	
Ethyl-Ether	1838.270	5000.000	ND	Pass	
Heptane	1840.950	5000.000	ND	Pass	
Hexanes	106.120	290.000	ND	Pass	
Isopropanol	1835.080	5000.000	ND	Pass	
Isopropyl-Acetate	1838.480	5000.000	ND	Pass	
Methanol	1100.210	3000.000	ND	Pass	
Pentanes	1850.410	5000.000	ND	Pass	
Toluene	331.110	890.000	ND	Pass	
Xylenes	793.330	2170.000	ND	Pass	

LEVEL ONE

Qualifiers:
Date Tested: 07/18/2025 07:00 am

Performed by GCMS-HS per SOP-LM-014. Methods used per AZDHS R9-17-404.03 and solvent limits set by AZDHS R9-17 Table 3.1. ADHS approved method for residual solvents by GCMS-HS for all listed analytes.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Certificate of Analysis

Powered by Confident LIMS
4 of 7

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alex@flowdistribution.com
(480) 805-1583
Lic. #00000049DCRR00713151

Sample: 2507LVL0648.3407

Secondary License: ; Chain of Distribution:
Strain: Chem Skunk; Batch Size: 10.82 g; External Batch ID: GE-CS-07162025
Sample Received: 07/18/2025; Report Created: 07/23/2025; Report Expiration: 07/23/2026
Sampling Date: 07/17/2025; Sampling Time: 9 am; Sampling Person: LH
Harvest Date: 03/17/2025; Manufacturing Date: 07/17/2025; External Lot ID:
Date of Pickup: 07/17/2025 Time Collected: 3:51

GE - Chem Skunk Bulk Live Resin

Concentrates & Extracts, Live Resin, Butane



Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Qualifier	Analyte	LOQ	Limit	Units	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.040	0.500	ND	Pass		Hexythiazox	0.050	1.000	ND	Pass	
Acephate	0.050	0.400	ND	Pass		Imazalil	0.050	0.200	ND	Pass	
Acetamiprid	0.050	0.200	ND	Pass		Imidacloprid	0.050	0.400	ND	Pass	
Aldicarb	0.050	0.400	ND	Pass		Kresoxim Methyl	0.050	0.400	ND	Pass	
Azoxystrobin	0.050	0.200	ND	Pass		Malathion	0.050	0.200	ND	Pass	
Bifenazate	0.050	0.200	ND	Pass		Metalaxyl	0.050	0.200	ND	Pass	
Bifenthrin	0.050	0.200	ND	Pass		Methiocarb	0.050	0.200	ND	Pass	
Boscalid	0.050	0.400	ND	Pass	M2	Methomyl	0.050	0.400	ND	Pass	
Carbaryl	0.050	0.200	ND	Pass		Myclobutanil	0.050	0.200	ND	Pass	
Carbofuran	0.050	0.200	ND	Pass		Naled	0.050	0.500	ND	Pass	
Chlorantraniliprole	0.050	0.200	ND	Pass		Oxamyl	0.050	1.000	ND	Pass	
Chlorfenapyr	0.490	1.000	ND	Pass		Paclobutrazol	0.050	0.400	ND	Pass	M2
Chlorpyrifos	0.050	0.200	ND	Pass		Permethrins	0.050	0.200	ND	Pass	M1
Clofentezine	0.050	0.200	ND	Pass	M2	Phosmet	0.050	0.200	ND	Pass	
Cyfluthrin	0.480	1.000	ND	Pass		Piperonyl Butoxide	0.050	2.000	<LOQ	Pass	
Cypermethrin	0.050	1.000	ND	Pass		Prallethrin	0.050	0.200	ND	Pass	
Daminozide	0.480	1.000	ND	Pass		Propiconazole	0.050	0.400	ND	Pass	
Dichlorvos (DDVP)	0.050	0.100	ND	Pass		Propoxur	0.050	0.200	ND	Pass	
Diazinon	0.050	0.200	ND	Pass		Pyrethrins	0.490	1.000	ND	Pass	R1
Dimethoate	0.050	0.200	ND	Pass		Pyridaben	0.050	0.200	ND	Pass	M2
Ethoprophos	0.050	0.200	ND	Pass		Spinosad	0.050	0.200	ND	Pass	
Etofenprox	0.050	0.400	ND	Pass	M2	Spiromesifen	0.050	0.200	ND	Pass	M2
Etoxazole	0.050	0.200	ND	Pass		Spirotetramat	0.050	0.200	ND	Pass	
Fenoxycarb	0.050	0.200	ND	Pass		Spiroxamine	0.050	0.400	ND	Pass	
Fenpyroximate	0.050	0.400	ND	Pass		Tebuconazole	0.050	0.400	ND	Pass	
Fipronil	0.050	0.400	ND	Pass	M1	Thiacloprid	0.050	0.200	ND	Pass	
Flonicamid	0.050	1.000	ND	Pass		Thiamethoxam	0.050	0.200	ND	Pass	
Fludioxonil	0.050	0.400	ND	Pass		Trifloxystrobin	0.050	0.200	ND	Pass	

Herbicides

Analyte	LOQ	Limit	Units	Status
---------	-----	-------	-------	--------

Qualifiers:

Date Tested: 07/18/2025 12:00 am
Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Certificate of Analysis

Powered by Confident LIMS
5 of 7

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alex@flowdistribution.com
(480) 805-1583
Lic. #00000049DCRR00713151

Sample: 2507LVL0648.3407

Secondary License: ; Chain of Distribution:
Strain: Chem Skunk; Batch Size: 10.82 g; External Batch ID: GE-CS-07162025
Sample Received: 07/18/2025; Report Created: 07/23/2025; Report Expiration: 07/23/2026
Sampling Date: 07/17/2025; Sampling Time: 9 am; Sampling Person: LH
Harvest Date: 03/17/2025; Manufacturing Date: 07/17/2025; External Lot ID:
Date of Pickup: 07/17/2025 Time Collected: 3:51

GE - Chem Skunk Bulk Live Resin

Concentrates & Extracts, Live Resin, Butane



Mycotoxins

Pass

Total Ochratoxins Date Tested: 07/20/2025
Total Aflatoxins Date Tested: 07/20/2025

Analyte	LOQ	Limit	Result	Status	Qualifier
	µg/kg	µg/kg	µg/kg		
Total Aflatoxins (B1 B2 G1 and G2)	4.00	20.00	ND	Pass	
Total Ochratoxins (A and B)	2.00	20.00	ND	Pass	

LEVEL ONE

TNTC = Too Numerous to Count. The lower limit of quantification for Aflatoxin is 4ppb and the lower limit of quantification for Ochratoxin is 2ppb unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: direct ELISA produced by Romer Labs and read on Bio-Tek 800TS microplate reader. Procedure followed SOP-LM-018. Methods used per AZDHS R9-17-404.03 and R9-17-404.04 and limits set by AZDHS R9-17 Table 3.1. ADHS approved method.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Certificate of Analysis

Powered by Confident LIMS
6 of 7

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alex@flowdistribution.com
(480) 805-1583
Lic. #00000049DCRR00713151

Sample: 2507LVL0648.3407

Secondary License: ; Chain of Distribution:
Strain: Chem Skunk; Batch Size: 10.82 g; External Batch ID: GE-CS-07162025
Sample Received: 07/18/2025; Report Created: 07/23/2025; Report Expiration: 07/23/2026
Sampling Date: 07/17/2025; Sampling Time: 9 am; Sampling Person: LH
Harvest Date: 03/17/2025; Manufacturing Date: 07/17/2025; External Lot ID:
Date of Pickup: 07/17/2025 Time Collected: 3:51

GE - Chem Skunk Bulk Live Resin

Concentrates & Extracts, Live Resin, Butane



Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	
Aspergillus terreus	Not Detected	in one gram	Pass	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	Not Detected	in one gram	Pass	

Qualifiers:
Date Tested: 07/22/2025 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Certificate of Analysis

Powered by Confident LIMS
7 of 7

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alex@flowdistribution.com
(480) 805-1583
Lic. #00000049DCRR00713151

Sample: 2507LVL0648.3407

Secondary License : Chain of Distribution:
Strain: Chem Skunk; Batch Size: 10.82 g; External Batch ID: GE-CS-07162025
Sample Received: 07/18/2025; Report Created: 07/23/2025; Report Expiration: 07/23/2026
Sampling Date: 07/17/2025; Sampling Time: 9 am; Sampling Person: LH
Harvest Date: 03/17/2025; Manufacturing Date: 07/17/2025; External Lot ID:
Date of Pickup: 07/17/2025 Time Collected: 3:51

GE - Chem Skunk Bulk Live Resin

Concentrates & Extracts, Live Resin, Butane



Heavy Metals

Pass

Analyte	Result	LOQ	Limit	Status	Qualifier
	PPM	PPM	PPM		
Arsenic	<0.098	0.098	0.400	Pass	
Cadmium	<0.098	0.098	0.400	Pass	
Lead	<0.098	0.098	1.000	Pass	
Mercury	<0.098	0.098	0.200	Pass	

LEVEL ONE

Qualifiers:
Date Tested: 07/22/2025 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.