



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
1102 N. 21st Ave.
Phoenix, AZ 85009
License #: 00000133ESGJ79432018
Sample ID: 2510SMAZ1855.5513
Batch #: 10222025GCLB



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17508

FP Gypsy Crasher Bulk Live Badder (H)

Batch #: 10222025GCLB
Strain: Gypsy Crasher
Parent Batch #:
Production Method: Butane
Harvest Date: 09/25/2025
Received: 10/22/2025

Sample ID: 2510SMAZ1855.5513
Amount Received: 9.5 g
Sample Type: Batter/Badder
Sample Collected: 10/22/2025 13:07:00
Manufacture Date: 10/22/2025
Published: 10/27/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	78.5311% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	0.2018% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	ND CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	ND CBG

92.6814%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
1102 N. 21st Ave.
Phoenix, AZ 85009
License #: 00000133ESGJ79432018
Sample ID: 2510SMAZ1855.5513
Batch #: 10222025GCLB



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17508

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 10/22/2025
SOP: 418.AZ
Batch Number: 4382
Test ID: 97106

Sample Analysis

Date: 10/24/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.0434 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.2970	0.9000	1	ND	ND	
CBD	0.2970	0.9000	1	ND	ND	
CBDA	0.2970	0.9000	1	0.2300	2.3000	
CBDV	0.2970	0.9000	1	ND	ND	
CBG	0.2970	0.9000	1	ND	ND	
CBGA	0.2970	0.9000	1	3.0768	30.7680	
CBN	0.2970	0.9000	1	ND	ND	
d8-THC	0.2970	0.9000	1	ND	ND	
d9-THC	0.2970	0.9000	1	1.2160	12.1600	
THCA	0.2970	0.9000	1	88.1585	881.5850	
THCV	0.2970	0.9000	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	78.5311	785.3110	
Total CBD	0.2018	2.0180	
Total Cannabinoids	92.6814	926.8140	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
1102 N. 21st Ave.
Phoenix, AZ 85009
License #: 00000133ESGJ79432018
Sample ID: 2510SMAZ1855.5513
Batch #: 10222025GCLB



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17508

Terpene Total

GC-FID

Tested (6.2339%)

Sample Prep

Batch Date: 10/22/2025

SOP: 419

Batch Number: 4376

Sample Analysis


Date: 10/23/2025

SOP: 419 - GC-FID

Sample Weight: 0.425 g

Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.1496	Q3	gamma-Terpinene	0.0009 / 0.0028	1	<LOQ	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.0156	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.3309	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	0.0153	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.3157	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.2636	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.3025	Q3	Limonene	0.0009 / 0.0028	1	2.2979	Q3
Borneol	0.0009 / 0.0028	1	0.0430	Q3	Linalool	0.0009 / 0.0028	1	0.3458	Q3
Camphephene	0.0009 / 0.0028	1	0.0564	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	<LOQ	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	0.0041	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0169	Q3	Terpineol	0.0009 / 0.0028	1	0.3089	Q3
Cedrol	0.0009 / 0.0028	1	0.0367	Q3	Terpinolene	0.0009 / 0.0028	1	0.0311	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	1.0594	Q3
cis-Ocimene	0.0009 / 0.0028	1	0.0053	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.2325	Q3	trans-Ocimene	0.0009 / 0.0028	1	0.3777	Q3
Eucalyptol	0.0009 / 0.0028	1	0.0047	Q3	Valencene	0.0009 / 0.0028	1	ND	Q3
Fenchone	0.0009 / 0.0028	1	0.0203	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
1102 N. 21st Ave.
Phoenix, AZ 85009
License #: 00000133ESGJ79432018
Sample ID: 2510SMAZ1855.5513
Batch #: 10222025GCLB



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17508

Microbial Analysis

Pass

Sample Prep

Batch Date: 10/23/2025
SOP: 412.AZ
Batch Number: 4397
Test ID: 97137

Sample Analysis

Date: 10/24/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.066 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 10/23/2025
SOP: 406.AZ
Batch Number: 4394
Test ID: 97139

Sample Analysis

Date: 10/24/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 10/23/2025
SOP: 406.AZ
Batch Number: 4394
Test ID: 97141

Sample Analysis

Date: 10/24/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
1102 N. 21st Ave.
Phoenix, AZ 85009
License #: 00000133ESGJ79432018
Sample ID: 2510SMAZ1855.5513
Batch #: 10222025GCLB



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17508

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 10/22/2025
SOP: 405.AZ
Batch Number: 4375
Test ID: 97107

Sample Analysis

Date: 10/23/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.0520 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	321 / 962	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	321 / 962	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	192 / 577	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	321 / 962	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	321 / 962	1	5000	ND	
Ethanol	321 / 962	1	5000	ND		Toluene	58 / 171	1	890	ND	
Ethyl acetate	321 / 962	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	321 / 962	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
1102 N. 21st Ave.
Phoenix, AZ 85009
License #: 00000133ESGJ79432018
Sample ID: 2510SMAZ1855.5513
Batch #: 10222025GCLB



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17508

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 10/23/2025
SOP: 428.AZ
Batch Number: 4387
Test ID: 97108

Sample Analysis

Date: 10/24/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.215 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.056	0.186	10	0.4	ND	
Cadmium	0.056	0.186	10	0.4	ND	
Lead	0.056	0.465	10	1	ND	
Mercury	0.056	0.093	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 10/24/2025
SOP: 432.AZ
Batch Number: 4403
Test ID: 97111

Sample Analysis

Date: 10/27/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.504 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.97	9.92	1	20	ND	R1
Aflatoxin B1	3.97	9.92	1		ND	R1
Aflatoxin B2	3.97	9.92	1		ND	I1
Aflatoxin G1	3.97	9.92	1		ND	
Aflatoxin G2	3.97	4.96	1		ND	I1
Ochratoxin A	9.92	9.92	1	20	ND	I1, R1V1

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
1102 N. 21st Ave.
Phoenix, AZ 85009
License #: 00000133ESGJ79432018
Sample ID: 2510SMAZ1855.5513
Batch #: 10222025GCLB



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17508

**Pesticides, Fungicides, and
Growth Regulators**

LC-MS/MS

Pass

Sample Prep

Batch Date: 10/24/2025
SOP: 432.AZ
Batch Number: 4403
Test ID: 97110

Sample Analysis

Date: 10/27/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.504 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.248	1	0.5	ND		Hexythiazox	0.166 / 0.496	1	1	ND	
Acephate	0.066 / 0.198	1	0.4	ND		Imazalil	0.033 / 0.099	1	0.2	ND	
Acetamiprid	0.033 / 0.099	1	0.2	ND		Imidacloprid	0.066 / 0.198	1	0.4	ND	
Aldicarb	0.066 / 0.198	1	0.4	ND		Kresoxim-methyl	0.066 / 0.198	1	0.4	ND	
Azoxystrobin	0.033 / 0.099	1	0.2	ND		Malathion	0.033 / 0.099	1	0.2	ND	
Bifenazate	0.033 / 0.099	1	0.2	ND		Metalaxyl	0.033 / 0.099	1	0.2	ND	
Bifenthrin	0.033 / 0.099	1	0.2	ND		Methiocarb	0.033 / 0.099	1	0.2	ND	
Boscalid	0.066 / 0.198	1	0.4	ND		Methomyl	0.066 / 0.198	1	0.4	ND	
Carbaryl	0.033 / 0.099	1	0.2	ND		Myclobutanil	0.033 / 0.099	1	0.2	ND	
Carbofuran	0.033 / 0.099	1	0.2	ND		Naled	0.082 / 0.248	1	0.5	ND	
Chlorantraniliprole	0.033 / 0.099	1	0.2	ND		Oxamyl	0.166 / 0.496	1	1	ND	
Chlorfenapyr	0.166 / 0.496	1	1	ND		Pacllobutrazol	0.066 / 0.198	1	0.4	ND	
Chlorpyrifos	0.033 / 0.099	1	0.2	ND		Permethrins	0.033 / 0.099	1	0.2	ND	
Clofentezine	0.033 / 0.099	1	0.2	ND		Phosmet	0.033 / 0.099	1	0.2	ND	
Cyfluthrin	0.166 / 0.496	1	1	ND		Piperonyl Butoxide	0.330 / 0.992	1	2	ND	
Cypermethrin	0.166 / 0.496	1	1	ND		Prallethrin	0.033 / 0.099	1	0.2	ND	
Daminozide	0.166 / 0.496	1	1	ND		Propiconazole	0.066 / 0.198	1	0.4	ND	
Diazinon	0.033 / 0.099	1	0.2	ND		Propoxur	0.033 / 0.099	1	0.2	ND	
Dichlorvos	0.017 / 0.050	1	0.1	ND		Pyrethrins	0.139 / 0.416	1	1	ND	
Dimethoate	0.033 / 0.099	1	0.2	ND		Pyridaben	0.033 / 0.099	1	0.2	ND	
Ethoprophos	0.033 / 0.099	1	0.2	ND		Spinosad	0.033 / 0.099	1	0.2	ND	
Etofenprox	0.066 / 0.198	1	0.4	ND		Spiromesifen	0.033 / 0.099	1	0.2	ND	
Etoxazole	0.033 / 0.099	1	0.2	ND		Spirotetramat	0.033 / 0.099	1	0.2	ND	
Fenoxy carb	0.033 / 0.099	1	0.2	ND		Spiroxamine	0.066 / 0.198	1	0.4	ND	
Fenpyroximate	0.066 / 0.198	1	0.4	ND	I1	Tebuconazole	0.066 / 0.198	1	0.4	ND	
Fipronil	0.066 / 0.198	1	0.4	ND	I1	Thiacloprid	0.033 / 0.099	1	0.2	ND	
Flonicamid	0.166 / 0.496	1	1	ND		Thiamethoxam	0.033 / 0.099	1	0.2	ND	
Fludioxonil	0.066 / 0.198	1	0.4	ND		Trifloxystrobin	0.033 / 0.099	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Certificate: 17508

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
1102 N. 21st Ave.
Phoenix, AZ 85009
License #: 00000133ESGJ79432018
Sample ID: 2510SMAZ1855.5513
Batch #: 10222025GCLB



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17508

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>