



Sixth Street Enterprises DBA: Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000014DCHT00564851
 Sample ID: 2410SMAZ1323.4047
 Batch #: 10172024PWLS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8962

FP Pebble Wreck Bulk Live Sugar (H)

Batch #: 10172024PWLS Sample ID: 2410SMAZ1323.4047
 Strain: Pebble Wreck Amount Received: 9.5 g
 Parent Batch #: Sample Type: Sugar
 Production Method: Other Hydrocarbon Sample Collected: 10/18/2024 11:29:00
 Harvest Date: 08/14/2024 Manufacture Date: 10/17/2024
 Received: 10/18/2024 Published: 10/23/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

74.840% Total THC
0.145% Total CBD
ND CBN
0.304% CBG
87.250% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000014DCHT00564851
 Sample ID: 2410SMAZ1323.4047
 Batch #: 10172024PWLS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8962

Cannabinoid Profile

HPLC Tested

Sample Prep
 Batch Date: 10/18/2024
 SOP: 418.AZ
 Batch Number: 2110

Sample Analysis
 Date: 10/21/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.041 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.314	0.953	1	ND	ND	
CBD	0.314	0.953	1	ND	ND	
CBDA	0.314	0.953	1	0.166	1.655	
CBDV	0.314	0.953	1	ND	ND	
CBG	0.314	0.953	1	0.304	3.045	
CBGA	0.314	0.953	1	1.699	16.993	
CBN	0.314	0.953	1	ND	ND	
d8-THC	0.314	0.953	1	ND	ND	
d9-THC	0.314	0.953	1	1.818	18.180	
THCA	0.314	0.953	1	83.263	832.631	
THCV	0.314	0.953	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	74.840	748.398	
Total CBD	0.145	1.451	
Total Cannabinoids	87.250	872.504	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000014DCHT00564851
 Sample ID: 2410SMAZ1323.4047
 Batch #: 10172024PWLS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8962

Terpene Total

GC-FID **Tested (5.2506%)**


Sample Prep

Batch Date: 10/21/2024
 SOP: 419
 Batch Number: 2113

Sample Analysis

Date: 10/22/2024
 SOP: 419 - GC-FID
 Sample Weight: 0.417 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0790	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0043	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0041	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.4708	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	0.0058	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0744	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	0.0044	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	1.1498	Q3	Isopulegol	0.0010 / 0.0029	1	0.0030	Q3
beta-Pinene	0.0010 / 0.0029	1	0.1144	Q3	Limonene	0.0010 / 0.0029	1	1.0435	Q3
Borneol	0.0010 / 0.0029	1	0.0274	Q3	Linalool	0.0010 / 0.0029	1	0.1847	Q3
Camphene	0.0010 / 0.0029	1	0.0196	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	0.0082	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	<LOQ	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0700	Q3	Terpineol	0.0010 / 0.0029	1	0.0762	Q3
Cedrol	0.0010 / 0.0029	1	0.0635	Q3	Terpinolene	0.0010 / 0.0029	1	0.1312	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	1.4541	Q3
cis-Ocimene	0.0010 / 0.0029	1	<LOQ	Q3	trans-Nerolidol	0.0010 / 0.0029	1	0.0968	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.1117	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0476	Q3
Eucalyptol	0.0010 / 0.0029	1	<LOQ	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	0.0061	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000014DCHT00564851
 Sample ID: 2410SMAZ1323.4047
 Batch #: 10172024PWLS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8962

Microbial Analysis
Pass

Sample Prep

Batch Date: 10/21/2024
 SOP: 431.AZ
 Batch Number: 2117

Sample Analysis

Date: 10/22/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.047 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 10/21/2024
 SOP: 406.AZ
 Batch Number: 2115

Sample Analysis

Date: 10/22/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.045 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 10/21/2024
 SOP: 406.AZ
 Batch Number: 2115

Sample Analysis

Date: 10/22/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.045 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000014DCHT00564851
 Sample ID: 2410SMAZ1323.4047
 Batch #: 10172024PWLS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8962

Residual Solvents
 HS-GC-MS **Pass**

Sample Prep
 Batch Date: 10/22/2024
 SOP: 405.AZ
 Batch Number: 2121

Sample Analysis
 Date: 10/23/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000014DCHT00564851
 Sample ID: 2410SMAZ1323.4047
 Batch #: 10172024PWLS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8962

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 10/21/2024
 SOP: 428.AZ
 Batch Number: 2119

Sample Analysis
 Date: 10/21/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.248 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.048	0.161	10	0.4	ND	
Cadmium	0.048	0.161	10	0.4	ND	
Lead	0.048	0.403	10	1	ND	
Mercury	0.048	0.081	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 10/16/2024
 SOP: 432.AZ
 Batch Number: 2100

Sample Analysis
 Date: 10/18/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.543 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.68	9.21	1	20	ND	
Aflatoxin B1	3.68	9.21	1		ND	
Aflatoxin B2	3.68	9.21	1		ND	
Aflatoxin G1	3.68	9.21	1		ND	
Aflatoxin G2	3.68	4.60	1		ND	
Ochratoxin A	9.21	9.21	1	20	ND	I1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000014DCHT00564851
 Sample ID: 2410SMAZ1323.4047
 Batch #: 10172024PWLS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8962

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 10/16/2024
 SOP: 432.AZ
 Batch Number: 2100

Sample Analysis

Date: 10/18/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.543 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.076 / 0.230	1	0.5	ND	M2	Hexythiazox	0.154 / 0.460	1	1	ND	M2
Acephate	0.062 / 0.184	1	0.4	ND		Imazalil	0.030 / 0.092	1	0.2	ND	I1
Acetamiprid	0.030 / 0.092	1	0.2	ND	M2	Imidacloprid	0.062 / 0.184	1	0.4	ND	
Aldicarb	0.062 / 0.184	1	0.4	ND		Kresoxim-methyl	0.062 / 0.184	1	0.4	ND	M2
Azoxystrobin	0.030 / 0.092	1	0.2	ND		Malathion	0.030 / 0.092	1	0.2	ND	I1, M2
Bifenazate	0.030 / 0.092	1	0.2	ND		Metaxalyl	0.030 / 0.092	1	0.2	ND	
Bifenthrin	0.030 / 0.092	1	0.2	ND	M2	Methiocarb	0.030 / 0.092	1	0.2	ND	M2
Boscalid	0.062 / 0.184	1	0.4	ND	I1, M2	Methomyl	0.062 / 0.184	1	0.4	ND	
Carbaryl	0.030 / 0.092	1	0.2	ND	M2	Myclobutanil	0.030 / 0.092	1	0.2	ND	M2
Carbofuran	0.030 / 0.092	1	0.2	ND	M2	Naled	0.076 / 0.230	1	0.5	ND	M2
Chlorantraniliprole	0.030 / 0.092	1	0.2	ND	M2	Oxamyl	0.154 / 0.460	1	1	ND	
Chlorfenapyr	0.154 / 0.460	1	1	ND	I1, M2	Pacllobutrazol	0.062 / 0.184	1	0.4	ND	M2
Chlorpyrifos	0.030 / 0.092	1	0.2	ND	M2	Permethrins	0.030 / 0.092	1	0.2	ND	M2
Clofentezine	0.030 / 0.092	1	0.2	ND	M2	Phosmet	0.030 / 0.092	1	0.2	ND	M2
Cyfluthrin	0.154 / 0.460	1	1	ND	I1, M2	Piperonyl Butoxide	0.307 / 0.921	1	2	ND	M2
Cypermethrin	0.154 / 0.460	1	1	ND	M2	Prallethrin	0.030 / 0.092	1	0.2	ND	M2
Daminozide	0.154 / 0.460	1	1	ND		Propiconazole	0.062 / 0.184	1	0.4	ND	M2
Diazinon	0.030 / 0.092	1	0.2	ND	M2	Propoxur	0.030 / 0.092	1	0.2	ND	M2
Dichlorvos	0.016 / 0.046	1	0.1	ND	M2	Pyrethrins	0.129 / 0.386	1	1	ND	I1, M2
Dimethoate	0.030 / 0.092	1	0.2	ND		Pyridaben	0.030 / 0.092	1	0.2	ND	M2
Ethoprophos	0.030 / 0.092	1	0.2	ND	M2	Spinosad	0.030 / 0.092	1	0.2	ND	M2
Etofenprox	0.062 / 0.184	1	0.4	ND	M2	Spiromesifen	0.030 / 0.092	1	0.2	ND	M2
Etoxazole	0.030 / 0.092	1	0.2	ND	M2	Spirotetramat	0.030 / 0.092	1	0.2	ND	
Fenoxycarb	0.030 / 0.092	1	0.2	ND	M2	Spiroxamine	0.062 / 0.184	1	0.4	ND	M2
Fenpyroximate	0.062 / 0.184	1	0.4	ND	M2	Tebuconazole	0.062 / 0.184	1	0.4	ND	M2
Fipronil	0.062 / 0.184	1	0.4	ND		Thiacloprid	0.030 / 0.092	1	0.2	ND	M2
Fonicamid	0.154 / 0.460	1	1	ND		Thiamethoxam	0.030 / 0.092	1	0.2	ND	
Fludioxonil	0.062 / 0.184	1	0.4	ND	M2	Trifloxystrobin	0.030 / 0.092	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000014DCHT00564851
 Sample ID: 2410SMAZ1323.4047
 Batch #: 10172024PWLS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8962

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sixth Street Enterprises DBA: Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000014DCHT00564851
 Sample ID: 2410SMAZ1323.4047
 Batch #: 10172024PWLS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8962

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>