



Warning: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

PRODUCT INFORMATION

Product Name:

Batch:

Manufacture Date:

Manufacturer: Natures Healing Center 00000046DCYJ00671222

Product created with Co2 distillate and solventless rosin.

CO2 DISTILLATE SOURCE MATERIAL

License Name:

RCIN:

Manufacture Date:

ROSIN SOURCE MATERIAL

License Name:

RCIN:

Manufacture Date:

**Grön products are only sold in cannabis dispensaries
licensed by the state of Arizona.**



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2311SMAZ0568.2033
 Batch #: AZMDSS4A3023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1900

100mg THC Dark Chocolate High-Dose Mini Bar

Batch #: AZMDSS4A3023 Sample ID: 2311SMAZ0568.2033
 Strain: Hybrid Amount Received: 21.0 g
 Parent Batch #: LQDM.100323 / H081423DC Sample Type: Chocolate
 Sample Collected: 11/14/2023 08:02:00 Received: 11/14/2023
 Published: 11/17/2023



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	

1.357% Total THC
ND Total CBD
ND CBN
0.024% CBG
1.381% Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2311SMAZ0568.2033
 Batch #: AZMDSS4A3023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1900

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/15/2023
 SOP: 418.AZ
 Batch Number: 381

Sample Analysis

Date: 11/17/2023
 SOP: 417.AZ - HPLC
 Sample Weight: 0.216 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.060	0.181	1	ND	ND	ND	ND	
CBD	0.060	0.181	1	ND	ND	ND	ND	
CBDA	0.060	0.181	1	ND	ND	ND	ND	
CBDV	0.060	0.181	1	ND	ND	ND	ND	
CBG	0.060	0.181	1	0.024	0.239	1.673	1.673	
CBGA	0.060	0.181	1	ND	ND	ND	ND	
CBN	0.060	0.181	1	ND	ND	ND	ND	
d8-THC	0.060	0.181	1	ND	ND	ND	ND	
d9-THC	0.060	0.181	1	1.357	13.570	94.990	94.990	
THCA	0.060	0.181	1	ND	ND	ND	ND	
THCV	0.060	0.181	1	ND	ND	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	1.357	13.570	94.990	94.990	
Total CBD	ND	ND	ND	ND	
Total Cannabinoids	1.381	13.809	96.663	96.663	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 7.0 None; Servings/Package: 1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2311SMAZ0568.2033
 Batch #: AZMDSS4A3023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1900

Microbial Analysis
Pass

Sample Prep

Batch Date: 11/15/2023
 SOP: 431.AZ
 Batch Number: 384

Sample Analysis

Date: 11/17/2023
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.038 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/15/2023
 SOP: 406.AZ
 Batch Number: 383

Sample Analysis

Date: 11/17/2023
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2311SMAZ0568.2033
 Batch #: AZMDSS4A3023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1900

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 11/16/2023
 SOP: 405.AZ
 Batch Number: 388

Sample Analysis

Date: 11/17/2023
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	ND		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2311SMAZ0568.2033
 Batch #: AZMDSS4A3023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1900

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 11/16/2023
 SOP: 428.AZ
 Batch Number: 390

Sample Analysis
 Date: 11/17/2023
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.226 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.018	0.177	10	0.4	ND	
Cadmium	0.018	0.177	10	0.4	<LOQ	
Lead	0.018	0.443	10	1	ND	
Mercury	0.018	0.088	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 11/15/2023
 SOP: 432.AZ
 Batch Number: 382

Sample Analysis
 Date: 11/17/2023
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.589 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.40	8.49	1	20	ND	R1
Aflatoxin B1	3.40	9.98	1	0	ND	I1
Aflatoxin B2	3.40	9.98	1	0	ND	I1
Aflatoxin G1	3.40	9.98	1	0	ND	I1
Aflatoxin G2	3.40	4.99	1	0	ND	R1
Ochratoxin A	8.49	9.98	1	20	ND	I1, M2R1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
5619 N 53rd Ave.
Glendale, AZ 85301
License #: 00000046DCYJ00671222
Sample ID: 2311SMAZ0568.2033
Batch #: AZMDSS4A3023



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 1900

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 11/15/2023
SOP: 432.AZ
Batch Number: 382

Sample Analysis

Date: 11/17/2023
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.589 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.070 / 0.212	1	0.5	ND		Hexythiazox	0.142 / 0.424	1	1	ND	
Acephate	0.057 / 0.170	1	0.4	ND		Imazalil	0.028 / 0.085	1	0.2	ND	M2 R1
Acetamiprid	0.028 / 0.085	1	0.2	ND		Imidacloprid	0.057 / 0.170	1	0.4	ND	
Aldicarb	0.057 / 0.170	1	0.4	ND		Kresoxim-methyl	0.057 / 0.170	1	0.4	ND	
Azoxystrobin	0.028 / 0.085	1	0.2	ND		Malathion	0.028 / 0.085	1	0.2	ND	
Bifenazate	0.028 / 0.085	1	0.2	ND		Metaxyl	0.028 / 0.085	1	0.2	ND	
Bifenthrin	0.028 / 0.085	1	0.2	ND		Methiocarb	0.028 / 0.085	1	0.2	ND	
Boscalid	0.057 / 0.170	1	0.4	ND		Methomyl	0.057 / 0.170	1	0.4	ND	
Carbaryl	0.028 / 0.085	1	0.2	ND		Myclobutanil	0.028 / 0.085	1	0.2	ND	
Carbofuran	0.028 / 0.085	1	0.2	ND		Naled	0.070 / 0.212	1	0.5	ND	
Chlorantraniliprole	0.028 / 0.085	1	0.2	ND		Oxamyl	0.142 / 0.424	1	1	ND	
Chlorfenapyr	0.142 / 0.424	1	1	ND	I1, R1 V1	Paclobutrazol	0.057 / 0.170	1	0.4	ND	L1 M1
Chlorpyrifos	0.028 / 0.085	1	0.2	ND	M2 R1	Permethrins	0.028 / 0.085	1	0.2	ND	
Clofentezine	0.028 / 0.085	1	0.2	ND		Phosmet	0.028 / 0.085	1	0.2	ND	
Cyfluthrin	0.142 / 0.424	1	1	ND		Piperonyl Butoxide	0.283 / 0.849	1	2	ND	
Cypermethrin	0.142 / 0.424	1	1	ND		Prallethrin	0.028 / 0.085	1	0.2	ND	
Daminozide	0.142 / 0.424	1	1	ND	M1	Propiconazole	0.057 / 0.170	1	0.4	ND	
Diazinon	0.028 / 0.085	1	0.2	ND		Propoxur	0.028 / 0.085	1	0.2	ND	
Dichlorvos	0.014 / 0.042	1	0.1	ND		Pyrethrins	0.119 / 0.356	1	1	ND	
Dimethoate	0.028 / 0.085	1	0.2	ND		Pyridaben	0.028 / 0.085	1	0.2	ND	
Ethoprophos	0.028 / 0.085	1	0.2	ND		Spinosad	0.028 / 0.085	1	0.2	ND	
Etofenprox	0.057 / 0.170	1	0.4	ND		Spiromesifen	0.028 / 0.085	1	0.2	ND	
Etoxazole	0.028 / 0.085	1	0.2	ND		Spirotetramat	0.028 / 0.085	1	0.2	ND	
Fenoxycarb	0.028 / 0.085	1	0.2	ND		Spiroxamine	0.057 / 0.170	1	0.4	ND	
Fenpyroximate	0.057 / 0.170	1	0.4	ND		Tebuconazole	0.057 / 0.170	1	0.4	ND	
Fipronil	0.057 / 0.170	1	0.4	ND		Thiacloprid	0.028 / 0.085	1	0.2	ND	
Fonicamid	0.142 / 0.424	1	1	ND		Thiamethoxam	0.028 / 0.085	1	0.2	ND	
Fludioxonil	0.057 / 0.170	1	0.4	ND		Trifloxystrobin	0.028 / 0.085	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2311SMAZ0568.2033
 Batch #: AZMDSS4A3023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1900

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>