



Warning: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

PRODUCT INFORMATION

Product Name:

Batch:

Manufacture Date:

Manufacturer: Natures Healing Center 00000046DCYJ00671222

Product created with Co2 distillate and solventless rosin.

CO2 DISTILLATE SOURCE MATERIAL

License Name:

RCIN:

Manufacture Date:

Harvest Date:

Harvest License #:

ROSIN SOURCE MATERIAL

License Name:

RCIN:

Manufacture Date:

Harvest Date:

Harvest License #:

Grön products are only sold in cannabis dispensaries licensed by the state of Arizona



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2410SMAZ1251.3841
 Batch #: AZSAG3C2424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8682

100mg THC Mega Sour Apple

Batch #: AZSAG3C2424

Strain: HYBRID

Parent Batch #: CAN240703 / H022824DC

Production Method: Butane

Harvest Date:

Received: 10/02/2024

Sample ID: 2410SMAZ1251.3841


Amount Received: 42 g

Sample Type: Soft Chew

Sample Collected: 10/02/2024 09:04:00

Manufacture Date:

Published: 10/09/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

0.491% Total THC
<LOQ Total CBD
0.023% CBN
0.024% CBG
0.539% Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2410SMAZ1251.3841
 Batch #: AZSAG3C2424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8682

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 10/02/2024
 SOP: 418.AZ
 Batch Number: 2042

Sample Analysis

Date: 10/03/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 1.011 g
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.010	1	ND	ND	ND	ND	
CBD	0.003	0.010	1	<LOQ	<LOQ	<LOQ	<LOQ	
CBDA	0.003	0.010	1	ND	ND	ND	ND	
CBDV	0.003	0.010	1	ND	ND	ND	ND	
CBG	0.003	0.010	1	0.024	0.238	0.500	4.998	
CBGA	0.003	0.010	1	ND	ND	ND	ND	
CBN	0.003	0.010	1	0.023	0.230	0.483	4.830	
d8-THC	0.003	0.010	1	ND	ND	ND	ND	
d9-THC	0.003	0.010	1	0.491	4.912	10.315	103.152	
THCA	0.003	0.010	1	<LOQ	<LOQ	<LOQ	<LOQ	
THCV	0.003	0.010	1	0.001	0.010	0.021	0.210	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.491	4.912	10.315	103.152	
Total CBD	<LOQ	<LOQ	<LOQ	<LOQ	
Total Cannabinoids	0.539	5.389	11.317	113.169	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 2.1 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2410SMAZ1251.3841
 Batch #: AZSAG3C2424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8682

Microbial Analysis
 Pass

Sample Prep

Batch Date: 10/03/2024
 SOP: 431.AZ
 Batch Number: 2049

Sample Analysis

Date: 10/04/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.090 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 10/03/2024
 SOP: 406.AZ
 Batch Number: 2048

Sample Analysis

Date: 10/04/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2410SMAZ1251.3841
 Batch #: AZSAG3C2424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8682

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 10/04/2024
 SOP: 405.AZ
 Batch Number: 2053

Sample Analysis

Date: 10/07/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	ND		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2410SMAZ1251.3841
 Batch #: AZSAG3C2424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8682

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 10/04/2024
 SOP: 428.AZ
 Batch Number: 2055

Sample Analysis
 Date: 10/04/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.236 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.051	0.170	10	0.4	ND	
Cadmium	0.051	0.170	10	0.4	ND	
Lead	0.051	0.424	10	1	ND	
Mercury	0.051	0.085	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 10/03/2024
 SOP: 432.AZ
 Batch Number: 2047

Sample Analysis
 Date: 10/07/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.573 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.49	8.73	1	20	ND	
Aflatoxin B1	3.49	8.73	1		ND	
Aflatoxin B2	3.49	8.73	1		ND	
Aflatoxin G1	3.49	8.73	1		ND	
Aflatoxin G2	3.49	4.36	1		ND	
Ochratoxin A	8.73	8.73	1	20	ND	I1, L1 V1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2410SMAZ1251.3841
 Batch #: AZSAG3C2424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8682

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 10/03/2024
 SOP: 432.AZ
 Batch Number: 2047

Sample Analysis

Date: 10/07/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.573 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.072 / 0.218	1	0.5	ND	I1	Hexythiazox	0.146 / 0.436	1	1	ND	
Acephate	0.058 / 0.175	1	0.4	ND		Imazalil	0.029 / 0.087	1	0.2	ND	M2
Acetamiprid	0.029 / 0.087	1	0.2	ND		Imidacloprid	0.058 / 0.175	1	0.4	ND	
Aldicarb	0.058 / 0.175	1	0.4	ND		Kresoxim-methyl	0.058 / 0.175	1	0.4	ND	
Azoxystrobin	0.029 / 0.087	1	0.2	ND		Malathion	0.029 / 0.087	1	0.2	ND	
Bifenazate	0.029 / 0.087	1	0.2	ND		Metaxyl	0.029 / 0.087	1	0.2	ND	
Bifenthrin	0.029 / 0.087	1	0.2	ND		Methiocarb	0.029 / 0.087	1	0.2	ND	
Boscalid	0.058 / 0.175	1	0.4	ND		Methomyl	0.058 / 0.175	1	0.4	ND	
Carbaryl	0.029 / 0.087	1	0.2	ND		Myclobutanil	0.029 / 0.087	1	0.2	ND	
Carbofuran	0.029 / 0.087	1	0.2	ND		Naled	0.072 / 0.218	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.087	1	0.2	ND	I1	Oxamyl	0.146 / 0.436	1	1	ND	
Chlorfenapyr	0.146 / 0.436	1	1	ND	I1	Pacllobutrazol	0.058 / 0.175	1	0.4	ND	
Chlorpyrifos	0.029 / 0.087	1	0.2	ND		Permethrins	0.029 / 0.087	1	0.2	ND	
Clofentezine	0.029 / 0.087	1	0.2	ND		Phosmet	0.029 / 0.087	1	0.2	ND	
Cyfluthrin	0.146 / 0.436	1	1	ND		Piperonyl Butoxide	0.291 / 0.873	1	2	ND	
Cypermethrin	0.146 / 0.436	1	1	ND		Prallethrin	0.029 / 0.087	1	0.2	ND	
Daminozide	0.146 / 0.436	1	1	ND		Propiconazole	0.058 / 0.175	1	0.4	ND	
Diazinon	0.029 / 0.087	1	0.2	ND		Propoxur	0.029 / 0.087	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.122 / 0.366	1	1	ND	
Dimethoate	0.029 / 0.087	1	0.2	ND		Pyridaben	0.029 / 0.087	1	0.2	ND	
Ethoprophos	0.029 / 0.087	1	0.2	ND		Spinosad	0.029 / 0.087	1	0.2	ND	
Etofenprox	0.058 / 0.175	1	0.4	ND		Spiromesifen	0.029 / 0.087	1	0.2	ND	
Etoxazole	0.029 / 0.087	1	0.2	ND		Spirotetramat	0.029 / 0.087	1	0.2	ND	
Fenoxycarb	0.029 / 0.087	1	0.2	ND		Spiroxamine	0.058 / 0.175	1	0.4	ND	
Fenpyroximate	0.058 / 0.175	1	0.4	ND		Tebuconazole	0.058 / 0.175	1	0.4	ND	
Fipronil	0.058 / 0.175	1	0.4	ND		Thiacloprid	0.029 / 0.087	1	0.2	ND	
Fonicamid	0.146 / 0.436	1	1	ND		Thiamethoxam	0.029 / 0.087	1	0.2	ND	
Fludioxonil	0.058 / 0.175	1	0.4	ND		Trifloxystrobin	0.029 / 0.087	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2410SMAZ1251.3841
 Batch #: AZSAG3C2424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8682

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000046DCYJ00671222
 Sample ID: 2410SMAZ1251.3841
 Batch #: AZSAG3C2424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8682


Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>