



Warning: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

PRODUCT INFORMATION

Product Name:

Batch:

Manufacture Date:

Manufacturer: Natures Healing Center 00000046DCYJ00671222

Product created with Co2 distillate and solventless rosin.

CO2 DISTILLATE SOURCE MATERIAL

License Name:

RCIN:

Manufacture Date:

Harvest Date:

Harvest License #:

ROSIN SOURCE MATERIAL

License Name:

RCIN:

Manufacture Date:

Harvest Date:

Harvest License #:

Grön products are only sold in cannabis dispensaries licensed by the state of Arizona



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2410SMAZ1304.3977
 Batch #: AZBLG4A1024



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8869

100mg CBN 100mg CBD 100mg THC Blackberry Lemonade

Batch #: AZBLG4A1024

Strain: Indica

Parent Batch #: JARSDIS-040424SB / H112823DC

Production Method: Butane

Harvest Date:

Received: 10/16/2024

Sample ID: 2410SMAZ1304.3977


Amount Received: 33.9 g

Sample Type: Soft Chew

Sample Collected: 10/16/2024 08:55:00

Manufacture Date:

Published: 10/21/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)
Tested

Microbial Contaminants
Pass

Residual Solvents
Pass

Pesticides, Fungicides,
 and Growth Regulators
Pass

Mycotoxins
Pass

Heavy Metals
Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3)
Not Tested

Moisture Analysis (Q3)
Not Tested

Water Activity (Q3)
Not Tested

Filth & Foreign (Q3)
Not Tested

Homogeneity (Q3)
Not Tested

Additional Microbial
 Contaminants (Q3)
Not Tested

10.241 mg/serving
 102.412 mg/container
Total THC

10.126 mg/serving
 101.259 mg/container
Total CBD

10.146 mg/serving
 101.463 mg/container
CBN

0.386 mg/serving
 3.865 mg/container
CBG

31.124 mg/serving
 311.236 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2410SMAZ1304.3977
 Batch #: AZBLG4A1024



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8869

Cannabinoid Profile

HPLC **Tested**

Sample Prep
 Batch Date: 10/16/2024
 SOP: 418.AZ
 Batch Number: 2099

Sample Analysis
 Date: 10/17/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 1.087 g
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.009	1	0.003	0.033	0.112	1.119	
CBD	0.003	0.009	1	0.299	2.987	10.126	101.259	
CBDA	0.003	0.009	1	ND	ND	ND	ND	
CBDV	0.003	0.009	1	0.002	0.015	0.051	0.508	
CBG	0.003	0.009	1	0.011	0.114	0.386	3.865	
CBGA	0.003	0.009	1	ND	ND	ND	ND	
CBN	0.003	0.009	1	0.299	2.993	10.146	101.463	
d8-THC	0.003	0.009	1	ND	ND	ND	ND	
d9-THC	0.003	0.009	1	0.302	3.021	10.241	102.412	
THCA	0.003	0.009	1	ND	ND	ND	ND	
THCV	0.003	0.009	1	0.002	0.019	0.064	0.644	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.302	3.021	10.241	102.412	
Total CBD	0.299	2.987	10.126	101.259	
Total Cannabinoids	0.918	9.181	31.124	311.236	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 3.39 None; Servings/Package: 10

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2410SMAZ1304.3977
 Batch #: AZBLG4A1024



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8869

Microbial Analysis
 Pass

Sample Prep

Batch Date: 10/17/2024
 SOP: 431.AZ
 Batch Number: 2103

Sample Analysis

Date: 10/18/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.068 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 10/17/2024
 SOP: 406.AZ
 Batch Number: 2102

Sample Analysis

Date: 10/18/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.016 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2410SMAZ1304.3977
 Batch #: AZBLG4A1024



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8869

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 10/18/2024
 SOP: 405.AZ
 Batch Number: 2108

Sample Analysis

Date: 10/21/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.0505 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 198	1	1000	ND		Heptane	331 / 990	1	5000	ND	
Acetonitrile	28 / 81	1	410	ND		Hexanes	48 / 144	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	331 / 990	1	5000	ND	
Butanes	164 / 495	1	5000	ND		Methanol	198 / 594	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	331 / 990	1	5000	ND	
Dichloromethane	40 / 119	1	600	ND		2-Propanol (IPA)	331 / 990	1	5000	ND	
Ethanol	331 / 990	1	5000	ND		Toluene	59 / 176	1	890	ND	
Ethyl acetate	331 / 990	1	5000	ND		Xylenes	287 / 859	1	2170	ND	
Ethyl ether	331 / 990	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2410SMAZ1304.3977
 Batch #: AZBLG4A1024



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8869

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 10/21/2024
 SOP: 428.AZ
 Batch Number: 2114

Sample Analysis
 Date: 10/21/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.204 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.196	10	0.4	ND	
Cadmium	0.059	0.196	10	0.4	ND	
Lead	0.059	0.490	10	1	ND	
Mercury	0.059	0.098	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 10/18/2024
 SOP: 432.AZ
 Batch Number: 2109

Sample Analysis
 Date: 10/21/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.547 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.66	9.14	1	20	ND	M1 R1 V1
Aflatoxin B1	3.66	9.14	1		ND	I1
Aflatoxin B2	3.66	9.14	1		ND	I1, M1 R1 V1
Aflatoxin G1	3.66	9.14	1		ND	
Aflatoxin G2	3.66	4.57	1		ND	R1
Ochratoxin A	9.14	9.14	1	20	ND	I1, V1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
5619 N 53rd Ave.
Glendale, AZ 85301
License #: 00000031ESCS44452076
Sample ID: 2410SMAZ1304.3977
Batch #: AZBLG4A1024



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 8869

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 10/18/2024
SOP: 432.AZ
Batch Number: 2109

Sample Analysis

Date: 10/21/2024
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.547 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.076 / 0.229	1	0.5	ND		Hexythiazox	0.153 / 0.457	1	1	ND	
Acephate	0.061 / 0.183	1	0.4	ND		Imazalil	0.030 / 0.091	1	0.2	ND	M2
Acetamiprid	0.030 / 0.091	1	0.2	ND		Imidacloprid	0.061 / 0.183	1	0.4	ND	
Aldicarb	0.061 / 0.183	1	0.4	ND		Kresoxim-methyl	0.061 / 0.183	1	0.4	ND	
Azoxystrobin	0.030 / 0.091	1	0.2	ND		Malathion	0.030 / 0.091	1	0.2	ND	
Bifenazate	0.030 / 0.091	1	0.2	ND		Metaxyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND		Methiocarb	0.030 / 0.091	1	0.2	ND	
Boscalid	0.061 / 0.183	1	0.4	ND		Methomyl	0.061 / 0.183	1	0.4	ND	
Carbaryl	0.030 / 0.091	1	0.2	ND		Myclobutanil	0.030 / 0.091	1	0.2	ND	
Carbofuran	0.030 / 0.091	1	0.2	ND		Naled	0.076 / 0.229	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND		Oxamyl	0.153 / 0.457	1	1	ND	
Chlorfenapyr	0.153 / 0.457	1	1	ND	I1, R1	Pacllobutrazol	0.061 / 0.183	1	0.4	ND	
Chlorpyrifos	0.030 / 0.091	1	0.2	ND		Permethrins	0.030 / 0.091	1	0.2	ND	
Clofentezine	0.030 / 0.091	1	0.2	ND		Phosmet	0.030 / 0.091	1	0.2	ND	
Cyfluthrin	0.153 / 0.457	1	1	ND		Piperonyl Butoxide	0.304 / 0.914	1	2	ND	
Cypermethrin	0.153 / 0.457	1	1	ND		Prallethrin	0.030 / 0.091	1	0.2	ND	
Daminozide	0.153 / 0.457	1	1	ND	M1	Propiconazole	0.061 / 0.183	1	0.4	ND	
Diazinon	0.030 / 0.091	1	0.2	ND		Propoxur	0.030 / 0.091	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.128 / 0.383	1	1	ND	
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	
Ethoprophos	0.030 / 0.091	1	0.2	ND		Spinosad	0.030 / 0.091	1	0.2	ND	
Etofenprox	0.061 / 0.183	1	0.4	ND		Spiromesifen	0.030 / 0.091	1	0.2	ND	
Etoxazole	0.030 / 0.091	1	0.2	ND		Spirotetramat	0.030 / 0.091	1	0.2	ND	
Fenoxycarb	0.030 / 0.091	1	0.2	ND		Spiroxamine	0.061 / 0.183	1	0.4	ND	
Fenpyroximate	0.061 / 0.183	1	0.4	ND		Tebuconazole	0.061 / 0.183	1	0.4	ND	
Fipronil	0.061 / 0.183	1	0.4	ND		Thiacloprid	0.030 / 0.091	1	0.2	ND	
Fonicamid	0.153 / 0.457	1	1	ND		Thiamethoxam	0.030 / 0.091	1	0.2	ND	
Fludioxonil	0.061 / 0.183	1	0.4	ND		Trifloxystrobin	0.030 / 0.091	1	0.2	ND	

Ahmed Munshi
Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2410SMAZ1304.3977
 Batch #: AZBLG4A1024



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8869

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2410SMAZ1304.3977
 Batch #: AZBLG4A1024



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 8869

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>