



Warning: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

PRODUCT INFORMATION

Product Name:

Batch:

Manufacture Date:

Manufacturer: Natures Healing Center 00000046DCYJ00671222

Product created with Co2 distillate and solventless rosin.

CO2 DISTILLATE SOURCE MATERIAL

License Name:

RCIN:

Manufacture Date:

Harvest Date:

Harvest License #:

ROSIN SOURCE MATERIAL

License Name:

RCIN:

Manufacture Date:

Harvest Date:

Harvest License #:

Grön products are only sold in cannabis dispensaries licensed by the state of Arizona



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2411SMAZ1431.4314
 Batch #: AZTAG4B0524




CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9410

100mg THC 50mg CBC 50mg CBG TANGELO PEARL

Batch #: AZTAG4B0524
 Strain: SATIVA
 Parent Batch #: 091124.GS1 /
 STBL091324DC
 Production Method: Butane
 Harvest Date:
 Received: 11/13/2024

Sample ID: 2411SMAZ1431.4314
 Amount Received: 32.4 g
 Sample Type: Soft Chew
 Sample Collected: 11/13/2024 08:41:00
 Manufacture Date:
 Published: 11/19/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

9.584 mg/serving 95.839 mg/container Total THC
0.071 mg/serving 0.713 mg/container Total CBD
0.039 mg/serving 0.389 mg/container CBN
5.421 mg/serving 54.205 mg/container CBG
20.163 mg/serving 201.625 mg/container Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2411SMAZ1431.4314
 Batch #: AZTAG4B0524



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9410

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/14/2024
 SOP: 418.AZ
 Batch Number: 2231

Sample Analysis

Date: 11/14/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 1.017 g
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.010	1	0.156	1.558	5.048	50.479	
CBD	0.003	0.010	1	0.002	0.022	0.071	0.713	
CBDA	0.003	0.010	1	ND	ND	ND	ND	
CBDV	0.003	0.010	1	ND	ND	ND	ND	
CBG	0.003	0.010	1	0.167	1.673	5.421	54.205	
CBGA	0.003	0.010	1	ND	ND	ND	ND	
CBN	0.003	0.010	1	0.001	0.012	0.039	0.389	
d8-THC	0.003	0.010	1	ND	ND	ND	ND	
d9-THC	0.003	0.010	1	0.296	2.958	9.584	95.839	
THCA	0.003	0.010	1	ND	ND	ND	ND	
THCV	0.003	0.010	1	ND	ND	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.296	2.958	9.584	95.839	
Total CBD	0.002	0.022	0.071	0.713	
Total Cannabinoids	0.622	6.223	20.163	201.625	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 3.24 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2411SMAZ1431.4314
 Batch #: AZTAG4B0524



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9410

Microbial Analysis
 Pass

Sample Prep

Batch Date: 11/14/2024
 SOP: 412.AZ
 Batch Number: 2236

Sample Analysis

Date: 11/15/2024
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.032 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/14/2024
 SOP: 406.AZ
 Batch Number: 2234

Sample Analysis

Date: 11/15/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.017 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2411SMAZ1431.4314
 Batch #: AZTAG4B0524



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9410

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 11/15/2024
 SOP: 405.AZ
 Batch Number: 2240

Sample Analysis

Date: 11/18/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.0522 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	320 / 958	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	320 / 958	1	5000	ND	
Butanes	159 / 479	1	5000	ND		Methanol	192 / 575	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	320 / 958	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	320 / 958	1	5000	ND	
Ethanol	320 / 958	1	5000	972		Toluene	57 / 170	1	890	ND	
Ethyl acetate	320 / 958	1	5000	ND		Xylenes	278 / 831	1	2170	ND	
Ethyl ether	320 / 958	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2411SMAZ1431.4314
 Batch #: AZTAG4B0524



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9410

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 11/19/2024
 SOP: 428.AZ
 Batch Number: 2252

Sample Analysis
 Date: 11/19/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.208 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.058	0.192	10	0.4	ND	
Cadmium	0.058	0.192	10	0.4	ND	
Lead	0.058	0.481	10	1	ND	
Mercury	0.058	0.096	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 11/14/2024
 SOP: 432.AZ
 Batch Number: 2235

Sample Analysis
 Date: 11/18/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.566 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.53	8.83	1	20	ND	R1 V1
Aflatoxin B1	3.53	8.83	1		ND	
Aflatoxin B2	3.53	8.83	1		ND	I1, R1 V1
Aflatoxin G1	3.53	8.83	1		ND	R1
Aflatoxin G2	3.53	4.42	1		ND	R1
Ochratoxin A	8.83	8.83	1	20	ND	I1 V1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2411SMAZ1431.4314
 Batch #: AZTAG4B0524



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9410

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 11/14/2024
 SOP: 432.AZ
 Batch Number: 2235

Sample Analysis

Date: 11/18/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.566 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.073 / 0.221	1	0.5	ND	M1	Hexythiazox	0.148 / 0.442	1	1	ND	
Acephate	0.059 / 0.177	1	0.4	ND		Imazalil	0.029 / 0.088	1	0.2	ND	
Acetamiprid	0.029 / 0.088	1	0.2	ND		Imidacloprid	0.059 / 0.177	1	0.4	ND	
Aldicarb	0.059 / 0.177	1	0.4	ND		Kresoxim-methyl	0.059 / 0.177	1	0.4	ND	
Azoxystrobin	0.029 / 0.088	1	0.2	ND		Malathion	0.029 / 0.088	1	0.2	ND	
Bifenazate	0.029 / 0.088	1	0.2	ND		Metaxyl	0.029 / 0.088	1	0.2	ND	
Bifenthrin	0.029 / 0.088	1	0.2	ND		Methiocarb	0.029 / 0.088	1	0.2	ND	
Boscalid	0.059 / 0.177	1	0.4	ND		Methomyl	0.059 / 0.177	1	0.4	ND	
Carbaryl	0.029 / 0.088	1	0.2	ND		Myclobutanil	0.029 / 0.088	1	0.2	ND	
Carbofuran	0.029 / 0.088	1	0.2	ND		Naled	0.073 / 0.221	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.088	1	0.2	ND		Oxamyl	0.148 / 0.442	1	1	ND	
Chlorfenapyr	0.148 / 0.442	1	1	ND		Pacllobutrazol	0.059 / 0.177	1	0.4	ND	
Chlorpyrifos	0.029 / 0.088	1	0.2	ND		Permethrins	0.029 / 0.088	1	0.2	ND	
Clofentezine	0.029 / 0.088	1	0.2	ND		Phosmet	0.029 / 0.088	1	0.2	ND	
Cyfluthrin	0.148 / 0.442	1	1	ND		Piperonyl Butoxide	0.294 / 0.883	1	2	ND	
Cypermethrin	0.148 / 0.442	1	1	ND		Prallethrin	0.029 / 0.088	1	0.2	ND	
Daminozide	0.148 / 0.442	1	1	ND		Propiconazole	0.059 / 0.177	1	0.4	ND	
Diazinon	0.029 / 0.088	1	0.2	ND		Propoxur	0.029 / 0.088	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.123 / 0.370	1	1	ND	
Dimethoate	0.029 / 0.088	1	0.2	ND		Pyridaben	0.029 / 0.088	1	0.2	ND	
Ethoprophos	0.029 / 0.088	1	0.2	ND		Spinosad	0.029 / 0.088	1	0.2	ND	
Etofenprox	0.059 / 0.177	1	0.4	ND		Spiromesifen	0.029 / 0.088	1	0.2	ND	
Etoxazole	0.029 / 0.088	1	0.2	ND		Spirotetramat	0.029 / 0.088	1	0.2	ND	
Fenoxycarb	0.029 / 0.088	1	0.2	ND		Spiroxamine	0.059 / 0.177	1	0.4	ND	
Fenpyroximate	0.059 / 0.177	1	0.4	ND		Tebuconazole	0.059 / 0.177	1	0.4	ND	
Fipronil	0.059 / 0.177	1	0.4	ND		Thiacloprid	0.029 / 0.088	1	0.2	ND	
Fonicamid	0.148 / 0.442	1	1	ND		Thiamethoxam	0.029 / 0.088	1	0.2	ND	
Fludioxonil	0.059 / 0.177	1	0.4	ND		Trifloxystrobin	0.029 / 0.088	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2411SMAZ1431.4314
 Batch #: AZTAG4B0524



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9410

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
 5619 N 53rd Ave.
 Glendale, AZ 85301
 License #: 00000031ESCS44452076
 Sample ID: 2411SMAZ1431.4314
 Batch #: AZTAG4B0524



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9410

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>