

## Grow Sciences

Grow Sciences  
Phoenix, AZ 85032  
help@growsciences.com  
(480) 442-5621  
Lic. #00000114ESQS66067289


Sample: 2311LVL1329.7126

Strain: Triangle Lemons; Secondary License:  
Batch#: C.TR231023CT.HYD; Batch Size: 11 g; Chain of Distribution:  
Sample Received: 12/01/2023; Report Created: 12/08/2023; Expires: 12/08/2024  
Sampling Date: 10/25/2023; Sampling Time: 10; Sampling Person: BP  
Harvest Date: 08/16/2023; Manufacturing Date: 10/23/2023

## Triangle Lemons Cartridge

Concentrates & Extracts, Live Resin, Butane



|   |                   |                   |                    |
|---|-------------------|-------------------|--------------------|
|  | <b>73.41%</b>     | <b>&lt;LOQ</b>    | <b>75.65%</b>      |
|   | Total THC         | Total CBD         |                    |
|   | <b>87.28 mg/g</b> | <b>Not Tested</b> | Total Cannabinoids |
| Total Terpenes  | NT                | Moisture          |                    |

## Cannabinoids

Complete

| Analyte      | LOQ   | Mass          | Mass          | Qualifier |
|--------------|-------|---------------|---------------|-----------|
|              | %     | %             | mg/g          |           |
| THCa         | 0.614 | 13.056        | 130.56        |           |
| Δ9-THC       | 0.614 | 61.960        | 619.60        |           |
| Δ8-THC       | 0.614 | ND            | ND            |           |
| THCVa        | 0.614 | ND            | ND            |           |
| THCV         | 0.614 | <LOQ          | <LOQ          |           |
| CBDa         | 0.614 | <LOQ          | <LOQ          |           |
| CBD          | 0.614 | ND            | ND            |           |
| CBDVa        | 0.614 | ND            | ND            |           |
| CBDV         | 0.614 | ND            | ND            |           |
| CBN          | 0.614 | <LOQ          | <LOQ          |           |
| CBGa         | 0.614 | <LOQ          | <LOQ          |           |
| CBG          | 0.614 | 0.637         | 6.37          |           |
| CBCa         | 0.614 | <LOQ          | <LOQ          | Q3        |
| CBC          | 0.614 | <LOQ          | <LOQ          |           |
| <b>Total</b> |       | <b>75.652</b> | <b>756.52</b> |           |

Qualifiers:  
Date Tested: 12/04/2023 07:00 am  
Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD  
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.

## Grow Sciences

Grow Sciences  
Phoenix, AZ 85032  
help@growsciences.com  
(480) 442-5621  
Lic. #00000114ESQS66067289

Sample: 2311LVL1329.7126

Strain: Triangle Lemons; Secondary License:  
Batch#: C.TR231023CT.HYD; Batch Size: 11 g; Chain of Distribution:  
Sample Received: 12/01/2023; Report Created: 12/08/2023; Expires: 12/08/2024  
Sampling Date: 10/25/2023; Sampling Time: 10; Sampling Person: BP  
Harvest Date: 08/16/2023; Manufacturing Date: 10/23/2023

## Triangle Lemons Cartridge




Concentrates & Extracts, Live Resin, Butane



## Terpenes

| Analyte         | LOQ  | Mass  | MassQualifier | Analyte          | LOQ  | Mass | MassQualifier |
|-----------------|------|-------|---------------|------------------|------|------|---------------|
|                 | mg/g | mg/g  | %             |                  | mg/g | mg/g | %             |
| β-Myrcene       | 0.42 | 25.63 | 2.563         | cis-Nerolidol    | 0.84 | ND   | ND            |
| δ-Limonene      | 0.84 | 22.75 | 2.275         | cis-Ocimene      | 0.12 | ND   | ND            |
| β-Caryophyllene | 0.84 | 12.20 | 1.220         | Citronellol      | 4.18 | ND   | ND            |
| Farnesene       | 0.07 | 9.62  | 0.962         | Eucalyptol       | 0.42 | ND   | ND            |
| Linalool        | 0.84 | 4.99  | 0.499         | Fenchone         | 0.84 | <LOQ | <LOQ          |
| α-Humulene      | 0.42 | 4.24  | 0.424         | γ-Terpinene      | 0.42 | ND   | ND            |
| Fenchol         | 0.42 | 2.49  | 0.249         | γ-Terpineol      | 0.09 | ND   | ND            |
| α-Terpineol     | 0.68 | 1.57  | 0.157         | Geraniol         | 8.35 | ND   | ND            |
| α-Pinene        | 0.42 | 1.29  | 0.129         | Geranyl Acetate  | 0.42 | ND   | ND            |
| α-Bisabolol     | 0.42 | 1.05  | 0.105         | Isoborneol       | 4.18 | ND   | ND            |
| β-Pinene        | 0.84 | 0.97  | 0.097         | Isopulegol       | 0.42 | ND   | ND            |
| Guaiol          | 0.42 | 0.48  | 0.048         | Menthol          | 0.42 | ND   | ND            |
| 3-Carene        | 0.84 | ND    | ND            | Nerol            | 0.42 | ND   | ND            |
| α-Cedrene       | 0.42 | ND    | ND            | Pulegone         | 0.42 | ND   | ND            |
| α-Phellandrene  | 0.42 | ND    | ND            | p-Cymene         | 0.42 | ND   | ND            |
| α-Terpinene     | 0.42 | ND    | ND            | Sabinene         | 0.42 | ND   | ND            |
| β-Eudesmol      | 0.42 | ND    | ND            | Sabinene Hydrate | 0.42 | ND   | ND            |
| Borneol         | 1.25 | <LOQ  | <LOQ          | Terpinolene      | 0.84 | <LOQ | <LOQ          |
| Camphene        | 0.42 | <LOQ  | <LOQ          | trans-Nerolidol  | 0.42 | ND   | ND            |
| Camphor         | 1.67 | ND    | ND            | trans-Ocimene    | 0.28 | ND   | ND            |
| Caryophyllene   | 0.42 | ND    | ND            | Valencene        | 0.42 | ND   | ND            |
| Oxide           | 0.42 | ND    | ND            |                  |      |      |               |
| Cedrol          | 0.42 | ND    | ND            |                  |      |      |               |

## Primary Aromas



**87.28 mg/g**

Total Terpenes

Qualifiers:  
Date Tested: 12/04/2023 07:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Qualifying code Q3: For informational purposes only.

## Grow Sciences

Grow Sciences  
Phoenix, AZ 85032  
help@growsciences.com  
(480) 442-5621  
Lic. #00000114ESQS66067289

Sample: 2311LVL1329.7126

Strain: Triangle Lemons; Secondary License:  
Batch#: C.TR231023CT.HYD; Batch Size: 11 g; Chain of Distribution:  
Sample Received: 12/01/2023; Report Created: 12/08/2023; Expires: 12/08/2024  
Sampling Date: 10/25/2023; Sampling Time: 10; Sampling Person: BP  
Harvest Date: 08/16/2023; Manufacturing Date: 10/23/2023

## Triangle Lemons Cartridge

Concentrates & Extracts, Live Resin, Butane



## Residual Solvents

Pass

| Analyte           | LOQ      | Limit    | Mass | Status | Qualifier |
|-------------------|----------|----------|------|--------|-----------|
|                   | PPM      | PPM      | PPM  |        |           |
| Acetone           | 314.090  | 1000.000 | ND   | Pass   |           |
| Acetonitrile      | 127.680  | 410.000  | ND   | Pass   |           |
| Benzene           | 0.630    | 2.000    | ND   | Pass   |           |
| Butanes           | 2089.740 | 5000.000 | ND   | Pass   |           |
| Chloroform        | 18.810   | 60.000   | ND   | Pass   |           |
| Dichloromethane   | 191.120  | 600.000  | ND   | Pass   |           |
| Ethanol           | 1558.350 | 5000.000 | ND   | Pass   |           |
| Ethyl-Acetate     | 1559.830 | 5000.000 | ND   | Pass   |           |
| Ethyl-Ether       | 1553.740 | 5000.000 | ND   | Pass   |           |
| Heptane           | 1556.000 | 5000.000 | ND   | Pass   |           |
| Hexanes           | 89.700   | 290.000  | ND   | Pass   |           |
| Isopropanol       | 1551.040 | 5000.000 | ND   | Pass   |           |
| Isopropyl-Acetate | 1553.910 | 5000.000 | ND   | Pass   |           |
| Methanol          | 929.910  | 3000.000 | ND   | Pass   |           |
| Pentanes          | 1564.000 | 5000.000 | ND   | Pass   |           |
| Toluene           | 279.860  | 890.000  | ND   | Pass   |           |
| Xylenes           | 670.540  | 2170.000 | ND   | Pass   |           |

LEVEL ONE

Qualifiers:  
Date Tested: 12/01/2023 07:00 am

Performed by GCMS-HS per SOP-LM-014. Methods used per AZDHS R9-17-404.03 and solvent limits set by AZDHS R9-17 Table 3.1. ADHS approved method for residual solvents by GCMS-HS for all listed analytes.

## Grow Sciences

Grow Sciences  
Phoenix, AZ 85032  
help@growsciences.com  
(480) 442-5621  
Lic. #00000114ESQS66067289

## Sample: 2311LVL1329.7126

Strain: Triangle Lemons; Secondary License:  
Batch#: C.TR231023CT.HYD; Batch Size: 11 g; Chain of Distribution:  
Sample Received: 12/01/2023; Report Created: 12/08/2023; Expires: 12/08/2024  
Sampling Date: 10/25/2023; Sampling Time: 10; Sampling Person: BP  
Harvest Date: 08/16/2023; Manufacturing Date: 10/23/2023

## Triangle Lemons Cartridge

Concentrates & Extracts, Live Resin, Butane



### Pesticides

Pass

| Analyte             | LOQ   | Limit | Units | Status | Qualifier | Analyte            | LOQ   | Limit | Units | Status | Qualifier |
|---------------------|-------|-------|-------|--------|-----------|--------------------|-------|-------|-------|--------|-----------|
|                     | PPM   | PPM   | PPM   |        |           |                    | PPM   | PPM   | PPM   |        |           |
| Abamectin           | 0.030 | 0.500 | ND    | Pass   | M2        | Hexythiazox        | 0.040 | 1.000 | ND    | Pass   |           |
| Acephate            | 0.040 | 0.400 | ND    | Pass   |           | Imazail            | 0.050 | 0.200 | ND    | Pass   |           |
| Acetamiprid         | 0.040 | 0.200 | ND    | Pass   |           | Imidacloprid       | 0.050 | 0.400 | ND    | Pass   |           |
| Aldicarb            | 0.040 | 0.400 | ND    | Pass   |           | Kresoxim Methyl    | 0.040 | 0.400 | ND    | Pass   | M2        |
| Azoxystrobin        | 0.050 | 0.200 | ND    | Pass   |           | Malathion          | 0.040 | 0.200 | ND    | Pass   |           |
| Bifenazate          | 0.050 | 0.200 | ND    | Pass   |           | Metalaxyl          | 0.040 | 0.200 | ND    | Pass   |           |
| Bifenthrin          | 0.040 | 0.200 | ND    | Pass   | M2        | Methiocarb         | 0.040 | 0.200 | ND    | Pass   |           |
| Boscalid            | 0.040 | 0.400 | ND    | Pass   |           | Methomyl           | 0.050 | 0.400 | ND    | Pass   |           |
| Carbaryl            | 0.040 | 0.200 | ND    | Pass   |           | Myclobutanil       | 0.050 | 0.200 | ND    | Pass   |           |
| Carbofuran          | 0.050 | 0.200 | ND    | Pass   |           | Naled              | 0.040 | 0.500 | ND    | Pass   |           |
| Chlorantraniliprole | 0.040 | 0.200 | ND    | Pass   |           | Oxamyl             | 0.040 | 1.000 | ND    | Pass   |           |
| Chlorfenapyr        | 0.450 | 1.000 | ND    | Pass   |           | Paclobutrazol      | 0.050 | 0.400 | ND    | Pass   | M2        |
| Chlorpyrifos        | 0.050 | 0.200 | ND    | Pass   |           | Permethrins        | 0.050 | 0.200 | ND    | Pass   | M2        |
| Clofentezine        | 0.050 | 0.200 | ND    | Pass   | M2        | Phosmet            | 0.040 | 0.200 | ND    | Pass   |           |
| Cyfluthrin          | 0.450 | 1.000 | ND    | Pass   |           | Piperonyl Butoxide | 0.040 | 2.000 | ND    | Pass   |           |
| Cypermethrin        | 0.050 | 1.000 | ND    | Pass   | M2        | Prallethrin        | 0.040 | 0.200 | ND    | Pass   |           |
| Daminozide          | 0.450 | 1.000 | ND    | Pass   |           | Propiconazole      | 0.050 | 0.400 | ND    | Pass   | M2        |
| Dichlorvos (DDVP)   | 0.040 | 0.100 | ND    | Pass   |           | Propoxur           | 0.050 | 0.200 | ND    | Pass   |           |
| Diazinon            | 0.050 | 0.200 | ND    | Pass   | M2        | Pyrethrins         | 0.460 | 1.000 | ND    | Pass   |           |
| Dimethoate          | 0.050 | 0.200 | ND    | Pass   |           | Pyridaben          | 0.050 | 0.200 | ND    | Pass   | M2        |
| Ethoprophos         | 0.040 | 0.200 | ND    | Pass   | M2        | Spinosad           | 0.050 | 0.200 | ND    | Pass   | M2        |
| Etofenprox          | 0.050 | 0.400 | ND    | Pass   | M2        | Spiromesifen       | 0.050 | 0.200 | ND    | Pass   | M2        |
| Etoxazole           | 0.040 | 0.200 | ND    | Pass   | M2        | Spirotetramat      | 0.050 | 0.200 | ND    | Pass   |           |
| Fenoxycarb          | 0.050 | 0.200 | ND    | Pass   |           | Spiroxamine        | 0.040 | 0.400 | ND    | Pass   |           |
| Fenpyroximate       | 0.040 | 0.400 | ND    | Pass   | M2        | Tebuconazole       | 0.050 | 0.400 | ND    | Pass   | M2        |
| Fipronil            | 0.040 | 0.400 | ND    | Pass   |           | Thiacloprid        | 0.050 | 0.200 | ND    | Pass   |           |
| Fonicamid           | 0.050 | 1.000 | ND    | Pass   |           | Thiamethoxam       | 0.040 | 0.200 | ND    | Pass   |           |
| Fludioxonil         | 0.040 | 0.400 | ND    | Pass   |           | Trifloxystrobin    | 0.050 | 0.200 | ND    | Pass   | M2        |

### Herbicides

| Analyte | LOQ | Limit | Units | Status |
|---------|-----|-------|-------|--------|
|---------|-----|-------|-------|--------|

**Qualifiers:**

Date Tested: 12/05/2023 07:00 am  
Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.

## Grow Sciences

Grow Sciences  
Phoenix, AZ 85032  
help@growsciences.com  
(480) 442-5621  
Lic. #00000114ESQS66067289

Sample: 2311LVL1329.7126

Strain: Triangle Lemons; Secondary License:  
Batch#: C.TR231023CT.HYD; Batch Size: 11 g; Chain of Distribution:  
Sample Received: 12/01/2023; Report Created: 12/08/2023; Expires: 12/08/2024  
Sampling Date: 10/25/2023; Sampling Time: 10; Sampling Person: BP  
Harvest Date: 08/16/2023; Manufacturing Date: 10/23/2023

## Triangle Lemons Cartridge

Concentrates & Extracts, Live Resin, Butane



## Mycotoxins

Pass

Total Ochratoxins Date Tested: 12/04/2023  
Total Aflatoxins Date Tested: 12/04/2023

| Analyte                            | LOQ   | Limit | Units | Status | Qualifier |
|------------------------------------|-------|-------|-------|--------|-----------|
|                                    | µg/kg | µg/kg | µg/kg |        |           |
| Total Aflatoxins (B1 B2 G1 and G2) | 4.00  | 20.00 | ND    | Pass   |           |
| Total Ochratoxins (A and B)        | 2.00  | 20.00 | 2.90  | Pass   |           |

**LEVEL ONE**

TNTC = Too Numerous to Count. The lower limit of quantification for Aflatoxin is 4ppb and the lower limit of quantification for Ochratoxin is 2ppb unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: direct ELISA produced by Romer Labs and read on Bio-Tek 800TS microplate reader. Procedure followed SOP-LM-018. Methods used per AZDHS R9-17-404.03 and R9-17-404.04 and limits set by AZDHS R9-17 Table 3.1. ADHS approved method.



# Certificate of Analysis

Powered by Confident LIMS  
6 of 7

## Grow Sciences

Grow Sciences  
Phoenix, AZ 85032  
help@growsciences.com  
(480) 442-5621  
Lic. #00000114ESQS66067289

Sample: 2311LVL1329.7126

Strain: Triangle Lemons; Secondary License:  
Batch#: C.TR231023CT.HYD; Batch Size: 11 g; Chain of Distribution:  
Sample Received: 12/01/2023; Report Created: 12/08/2023; Expires: 12/08/2024  
Sampling Date: 10/25/2023; Sampling Time: 10; Sampling Person: BP  
Harvest Date: 08/16/2023; Manufacturing Date: 10/23/2023

## Triangle Lemons Cartridge


Concentrates & Extracts, Live Resin, Butane



## Microbials

Pass

| Analyte  | Result       | Result Units | Status | Qualifier |
|--|--------------|--------------|--------|-----------|
| E. Coli  | <10          | CFU/G        | Pass   |           |
| Salmonella   | Not Detected | in one gram  | Pass   |           |
| Aspergillus terreus  | Not Detected | in one gram  | Pass   |           |
| Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger | Not Detected | in one gram  | Pass   |           |



# LEVEL ONE

Qualifiers:  
Date Tested: 12/07/2023 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd  
Scottsdale, AZ  
(480) 867-1520  
<http://www.levelonelabs.com>  
Lic# 00000004LCIG00024823

Matthew Schuberth  
Laboratory Director

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



# Certificate of Analysis

Powered by Confident LIMS  
7 of 7

## Grow Sciences

Grow Sciences  
Phoenix, AZ 85032  
help@growsciences.com  
(480) 442-5621  
Lic. #00000114ESQS66067289

Sample: 2311LVL1329.7126

Strain: Triangle Lemons; Secondary License:  
Batch#: C.TR231023CT.HYD; Batch Size: 11 g; Chain of Distribution:  
Sample Received: 12/01/2023; Report Created: 12/08/2023; Expires: 12/08/2024  
Sampling Date: 10/25/2023; Sampling Time: 10; Sampling Person: BP  
Harvest Date: 08/16/2023; Manufacturing Date: 10/23/2023

## Triangle Lemons Cartridge


Concentrates & Extracts, Live Resin, Butane



## Heavy Metals

Pass

| Analyte | Mass   | Limit | Status | Qualifier |
|---------|--------|-------|--------|-----------|
|         | PPM    | PPM   |        |           |
| Arsenic | <0.400 | 0.400 | Pass   | L1        |
| Cadmium | <0.400 | 0.400 | Pass   |           |
| Lead    | <1.000 | 1.000 | Pass   |           |
| Mercury | <0.200 | 0.200 | Pass   |           |



# LEVEL ONE

Qualifiers:  
Date Tested: 12/07/2023 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Subcontracted through IAS. Approved for all analytes by ICP-OES. Inter Ag Services Inc. Registration Certificate Identification Number: 00000009LCSL00311854



1525 N Granite Reef Rd  
Scottsdale, AZ  
(480) 867-1520  
<http://www.levelonelabs.com>  
Lic# 00000004LCIG00024823

Matthew Schuberth  
Laboratory Director

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.