

Sample ID: 2510EAZ0707.3378

Strain: Singapore Sling Matrix: Plant

Batch#: 08100125SS

Type: Other

Collected: 10/02/2025 02:20 PM

Received: 10/02/2025 Completed: 10/07/2025

Sample Size: 11.30 g;

Harvest Date: 09/24/2025

Manufacture Date: External Lot ID#:

Production Method: Indoor

Client

**High Grade Confidential** 

Lic. # 00000077DCPS00216601

2320 E. Baseline Rd, Ste 490,

Phoenix, AZ, 85042



#### **Summary**

Test	<b>Date Tested</b>	Instr. Method	Result
Batch			Pass
Cannabinoids	10/02/2025	LC-UV VIS	Complete
Terpenes	10/02/2025	GC-MS	Complete
Pesticides	10/02/2025	LC-MS	Pass
Microbial Impurities	10/06/2025	3M Plating & qPCR	Pass
Heavy Metals	10/06/2025	ICP-MS	Pass

#### Cannabinoids

Method: SOPAZ\_M-CANNABINOIDS

22.509 %

Total THC

0.038 %

Total CBD

25.250 %

Total Cannabinoids Q3

Analytes	LOQ	Result	Result	Q
	mg/g	%	mg/g	
THCA	0.190	25.454	254.54	
Δ9 THC	0.190	0.186	1.86 ▮	
Δ8 THC	0.190	ND	ND	
THCVA	0.190	0.149	1.49 ▮	
THCV	0.190	ND	ND	
CBDA	0.190	0.044	0.44 ▮	
CBD	0.190	ND	ND	
CBN	0.190	ND	ND	
CBGA	0.190	2.382	23.82	
CBG	0.190	0.204	2.04▮	
CBCA	0.190	0.317	3.17 ▮	
CBC	0.190	ND	ND	
Total THC		22.509	225.09	
Total CBD		0.038	0.38	
Total Cannabinoids		25.250	252.50	Q3
Sum of Cannabinoids		28.736	287.36	Q3

Date Tested: 10/02/2025

Total THC = THCa \*  $0.877 + \Delta 9$ -THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected Moisture Method: SOP AZ\_M-MOISTURE



Kevin Nolan

Laboratory Technical Director | 10/07/2025

Firas Haddad Laboratory Manager | 10/07/2025





Sample ID: 2510EAZ0707.3378

Strain: Singapore Sling Matrix: Plant

Batch#: 08100125SS

Collected: 10/02/2025 02:20 PM

Received: 10/02/2025 Completed: 10/07/2025

Sample Size: 11.30 g;

Harvest Date: 09/24/2025

Manufacture Date: External Lot ID#:

Production Method: Indoor

Client

**High Grade Confidential** 

Lic. # 00000077DCPS00216601

2320 E. Baseline Rd, Ste 490,

Phoenix, AZ, 85042

Terpenes

Type: Other

Method: SOPAZ\_M-TERPENES

Analytes	LOQ	Result	Result	Q
	mg/g	mg/g	%	
β-Myrcene	0.198	5.460	0.546	Q3
β-Caryophyllene	0.198	4.174	0.417	<b>Q</b> 3
α-Bisabolol	0.988	1.972	0.197	Q3
Linalool	0.198	1.641	0.164	Q3
α-Humulene	0.198	1.482	0.148	Q3
δ-Limonene	0.198	1.052	0.105	Q3
Guaiol	0.988	1.030	0.103	Q3
β-Pinene	0.198	0.302	0.030 ■	Q3
Caryophyllene Oxide	0.988	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
α-Pinene	0.198	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
Camphene	0.198	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
δ-3-Carene	0.198	ND	ND	Q3
α-Terpinene	0.198	ND	ND	Q3
p-Cymene	0.198	ND	ND	Q3
Eucalyptol	0.198	ND	ND	Q3
cis-B-ocimene	0.198	ND	ND	Q3
trans-B-ocimene	0.198	ND	ND	Q3
y-Terpinene	0.198	ND	ND	Q3
Terpinolene	0.198	ND	ND	Q3
Isopulegol	0.988	ND	ND	Q3
Geraniol	0.988	ND	ND	Q3
cis-Nerolidol	0.395	ND	ND	Q3
trans-Nerolidol	0.237	ND	ND	Q3
Total		17.113	1.711	Q3

Date Tested: 10/02/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.

#### **Primary Aromas**














Kevin Nolan Laboratory Technical Director | 10/07/2025







Sample ID: 2510EAZ0707.3378

Strain: Singapore Sling Matrix: Plant

Type: Other

Batch#: 08100125SS

Collected: 10/02/2025 02:20 PM

Received: 10/02/2025 Completed: 10/07/2025 Sample Size: 11.30 g;

Harvest Date: 09/24/2025 Manufacture Date:

External Lot ID#: Production Method: Indoor Client

**High Grade Confidential** 

Lic. # 00000077DCPS00216601

2320 E. Baseline Rd, Ste 490,

Phoenix, AZ, 85042

Pesticides

Method: SOPAZ\_M-PESTICIDES

Analytes	LOQ	Limit	Result	Status	Q	Analytes		LOQ	Limit	Result	Status	Q
	ppm	ppm	ppm					ppm	ppm	ppm		
Abamectin B1a	0.112	0.500	ND	Pass		Imidacloprid		0.185	0.400	ND	Pass	
Acephate	0.185	0.400	ND	Pass		Kresoxim-methyl		0.185	0.400	ND	Pass	
Acetamiprid	0.093	0.200	ND	Pass		Malathion		0.093	0.200	ND	Pass	
Aldicarb	0.185	0.400	ND	Pass		Metalaxyl		0.093	0.200	ND	Pass	
Azoxystrobin	0.093	0.200	ND	Pass		Methiocarb		0.093	0.200	ND	Pass	
Bifenazate	0.093	0.200	ND	Pass		Methomyl		0.185	0.400	ND	Pass	
Bifenthrin	0.046	0.200	ND	Pass		Myclobutanil		0.093	0.200	ND	Pass	
Boscalid	0.185	0.400	ND	Pass		Naled		0.231	0.500	ND	Pass	
Carbaryl	0.093	0.200	ND	Pass		Oxamyl		0.463	1.000	ND	Pass	
Carbofuran	0.093	0.200	ND	Pass		Paclobutrazol		0.185	0.400	ND	Pass	
Chlorantraniliprole	0.093	0.200	ND	Pass		Permethrins		0.046	0.200	ND	Pass	
Chlorpyrifos	0.046	0.200	ND	Pass		Phosmet		0.093	0.200	ND	Pass	
Clofentezine	0.093	0.200	ND	Pass		Piperonyl Butoxide	9	0.463	2.000	ND	Pass	
Cypermethrin	0.463	1.000	ND	Pass		Prallethrin		0.093	0.200	ND	Pass	
Daminozide	0.463	1.000	ND	Pass		Propiconazole		0.185	0.400	ND	Pass	
Diazinon	0.093	0.200	ND	Pass		Propoxur		0.093	0.200	ND	Pass	
Dichlorvos	0.046	0.100	ND	Pass		Pyrethrins		0.421	1.000	ND	Pass	
Dimethoate	0.093	0.200	ND	Pass		Pyridaben		0.046	0.200	ND	Pass	
Ethoprophos	0.093	0.200	ND	Pass		Spinosad		0.093	0.200	ND	Pass	
Etofenprox	0.093	0.400	ND	Pass		Spiromesifen		0.093	0.200	ND	Pass	
Etoxazole	0.093	0.200	ND	Pass		Spirotetramat		0.093	0.200	ND	Pass	
Fenoxycarb	0.093	0.200	ND	Pass		Spiroxamine		0.185	0.200	ND	Pass	
Fenpyroximate	0.185	0.400	ND	Pass		Tebuconazole		0.185	0.400	ND	Pass	
Fipronil	0.185	0.400	ND	Pass		Thiacloprid		0.093	0.200	ND	Pass	
Flonicamid	0.463	1.000	ND	Pass		Thiamethoxam		0.093	0.200	ND	Pass	
Fludioxonil	0.185	0.400	ND	Pass		Trifloxystrobin		0.093	0.200	ND	Pass	
Hexythiazox	0.231	1.000	ND	Pass		Chlorfenapyr		0.463	1.000	ND	Pass	
Imazalil	0.093	0.200	ND	Pass		Cyfluthrin		0.463	1.000	ND	Pass	

Date Tested: 10/02/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.



Firas Haddad Laboratory Manager | 10/07/2025





Sample ID: 2510EAZ0707.3378

Strain: Singapore Sling Matrix: Plant

Batch#: 08100125SS

Type: Other

Collected: 10/02/2025 02:20 PM

Received: 10/02/2025 Completed: 10/07/2025 Sample Size: 11.30 g;

Harvest Date: 09/24/2025 Manufacture Date:

External Lot ID#:

Production Method: Indoor

Client

**High Grade Confidential** 

Lic. # 00000077DCPS00216601

2320 E. Baseline Rd, Ste 490,

Phoenix, AZ, 85042

Microbial Impurities

Method: SOPAZ\_M-ECOLI

**Analytes** Result Limit Status Escherichia coli <10 CFU/g 100 CFU/g Pass

Date Tested: 10/03/2025

Method: SOPAZ\_M-MICROBIALS

Analytes	Result	Limit	Status	Q
Salmonella spp	Not Detected	Not Detected in One Gram	Pass	
Aspergillus flavus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected	Not Detected in One Gram	Pass	

Date Tested: 10/06/2025

Heavy Metals

Method: SOPAZ\_M-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status Q
	ppm	ppm	ppm	ppm	
Arsenic	0.030	0.091	0.400	<loq< td=""><td>Pass</td></loq<>	Pass
Cadmium	0.032	0.091	0.400	ND	Pass
Mercury	0.024	0.068	0.200	ND	Pass
Lead	0.128	0.386	1.000	ND	Pass

Date Tested: 10/06/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Firas Haddad Laboratory Manager | 10/07/2025





Sample ID: 2510EAZ0707.3378

Strain: Singapore Sling Matrix: Plant Type: Other

Batch#: 08100125SS

Collected: 10/02/2025 02:20 PM

Received: 10/02/2025 Completed: 10/07/2025 Sample Size: 11.30 g; Harvest Date: 09/24/2025 Manufacture Date:

Production Method: Indoor

External Lot ID#:

Client

**High Grade Confidential** 

Lic. # 00000077DCPS00216601

2320 E. Baseline Rd, Ste 490,

Phoenix, AZ, 85042

## **Qualifier Legend**

- B1 The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, growth regulators, mycotoxins, heavy metals, or residual solvents, is below the maximum allowable concentration.
- **D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample
- M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- N1 A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii)
- Q1 Sample integrity was not maintained.
- Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2 The relative percent difference for a sample and duplicate exceeded the limit.
- The recovery from initial or continuing calibration verification standards is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

# **Report Notes**



Kevin Nolan

Laboratory Technical Director | 10/07/2025



