

AZDHS Certification # 00000005LCMI00301434



Eloy Operation 300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-10 CC ID#: 2409C4L0037.2740 Lot#: N/A Batch#: IPRHashFloSuxMarHo-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 06/24/2024

Sample Name: Florida Sunrise x Mars Hotel Strain Name: Florida Sunrise x Mars Hotel Matrix: Enhanced Preroll Amount Received: 232.6916 g

Sample Collected: 09/20/2024 12:38 Sample Received: 09/20/2024 16:16 Report Created: 09/25/2024 18:43



SAFETY							
Microbials	Residual Solvents	Mycotoxins	Pesticides				
PASS	PASS	PASS	PASS				
Metals							
PASS							
	Terp	oenes	1				
	Total To	erpenes (Q3)					

Cannabinoid Results

45.3%	40.1%	ND%	RATIO 1 : 0
Sum of Cannabinoids (Q3)	Total THC	Total CBD	THC CBD
	Total THC= THCA * 0.877 + d9- Total CBD= CBDA * 0.877 + CE		



Jillian Blerrey

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs



AZDHS Certification # 00000005LCMI00301434



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-10 CC ID#: 2409C4L0037.2740 Lot#: N/A Batch#: IPRHashFloSuxMarHo-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 06/24/2024

Sample Name: Florida Sunrise x Mars Hotel Strain Name: Florida Sunrise x Mars Hotel Matrix: Enhanced Preroll Amount Received: 232.6916 g

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 09/24/2024	Analyst Initials: DRF		SOP: SOP-CHE	EM-003	
Analyte	LOQ	Result	Result	Qualifier	
	%	%	mg/g		
THCA	0.846	42.9	429	D1	
d9-THC	0.846	2.39	23.9	D1	
d8-THC	0.846	<loq< th=""><th>< LOQ</th><th>D1</th><th></th></loq<>	< LOQ	D1	
CBDA	0.846	<loq< th=""><th>< LOQ</th><th>D1</th><th></th></loq<>	< LOQ	D1	
CBD	0.846	<loq< th=""><th>< LOQ</th><th>D1</th><th></th></loq<>	< LOQ	D1	
CBG	0.846	<loq< th=""><th>< LOQ</th><th>D1</th><th></th></loq<>	< LOQ	D1	
CBN	0.846	<loq< th=""><th>< LOQ</th><th>D1</th><th></th></loq<>	< LOQ	D1	
CBC	0.846	<loq< th=""><th>< LOQ</th><th>D1</th><th></th></loq<>	< LOQ	D1	
Sum of Cannabinoids	0.846	45.3	453	D1, Q3	
Total THC	0.846	40.1	401	D1	
Total CBD	0.846	ND	ND	D1	
Total Cannabinoids	0.846	40.1	401	D1, Q3	

Total THC= THCA * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.

Sample Collected: 09/20/2024 12:38 Sample Received: 09/20/2024 16:16 Report Created: 09/25/2024 18:43

SC Labs®

fillion Blenney

Jillian Blaney

Technical Laboratory Director

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs



AZDHS Certification # 00000005LCMI00301434



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-10 CC ID#: 2409C4L0037.2740 Lot#: N/A Batch#: IPRHashFloSuxMarHo-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 06/24/2024

Sample Name: Florida Sunrise x Mars Hotel Strain Name: Florida Sunrise x Mars Hotel Matrix: Enhanced Preroll Amount Received: 232.6916 g

Pesticides by LC/MS/MS - Compliance

Date Analyzed: 09/24/202	4 Analyst	Initials: JCE	B SOP: SOP-	CHEM-006							
Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.121	0.5	<loq< td=""><td></td><td>Pass</td><td>Imazalil</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imazalil	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acephate	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Imidacloprid</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imidacloprid	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Aldicarb	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Malathion</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Malathion	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Azoxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methiocarb</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methiocarb	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenthrin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methomyl</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methomyl	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbaryl	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Naled</td><td>0.126</td><td>0.5</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Naled	0.126	0.5	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbofuran	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.252</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.252	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Paclobutrazol</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Paclobutrazol	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorfenapyr	0.504	1.0	<loq< td=""><td>I1, V1</td><td>Pass</td><td>Permethrins</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	I1, V1	Pass	Permethrins	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorpyrifos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Phosmet</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Phosmet	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Clofentezine	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Piperonyl butoxide</td><td>0.504</td><td>2.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Piperonyl butoxide	0.504	2.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cyfluthrin	0.504	1.0	<loq< td=""><td></td><td>Pass</td><td>Prallethrin</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Prallethrin	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cypermethrin	0.252	1.0	<loq< td=""><td></td><td>Pass</td><td>Propiconazole</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propiconazole	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Daminozide	0.504	1.0	<loq< td=""><td></td><td>Pass</td><td>Propoxur</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propoxur	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diazinon	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.141</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.141	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dichlorvos	0.050	0.1	<loq< td=""><td></td><td>Pass</td><td>Pyridaben</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyridaben	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dimethoate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Ethoprophos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etofenprox	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Spirotetramat</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spirotetramat	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etoxazole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Tebuconazole</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Tebuconazole	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenpyroximate	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiacloprid</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiacloprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiamethoxam</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiamethoxam	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.252	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Trifloxystrobin</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Trifloxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fludioxonil	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						
Hexythiazox	0.252	1.0	<loq< td=""><td>V1, L1</td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>	V1, L1	Pass						

SC Labs®

fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Pass

Sample Collected: 09/20/2024 12:38 Sample Received: 09/20/2024 16:16

Report Created: 09/25/2024 18:43



AZDHS Certification # 00000005LCMI00301434



Eloy Operation 300 E Cherry Street

Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-10 CC ID#: 2409C4L0037.2740 Lot#: N/A Batch#: IPRHashFloSuxMarHo-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 06/24/2024

Sample Name: Florida Sunrise x Mars Hotel	
Strain Name: Florida Sunrise x Mars Hotel	Sample Collected: 09/20/2024 12:38
Matrix: Enhanced Preroll	Sample Received: 09/20/2024 16:16
Amount Received: 232.6916 g	Report Created: 09/25/2024 18:43

Pass

Pass

Metals by ICP-MS - Compliance

Date Analyzed: 09/25/2024	Analyst Initial	s: JEK SOP:	C4-SOP-CHEM	M-008	
Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm		
Arsenic	0.100	0.4	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Cadmium	0.100	0.4	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Lead	0.399	1.0	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Mercury	0.040	0.2	<loq< th=""><th></th><th>Pass</th></loq<>		Pass

Mycotoxins by ELISA- Compliance

Date Analyzed: 09/25/2024 Analyst Initials: DHV SOP: SOP-MICRO-014

Analyte	LOQ	Limit	Result	Qualifier	Status
	ppb	ppb	ppb		
Aflatoxins Total	2.00	20	3.47		Pass
Ochratoxin A	4.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass

Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs



AZDHS Certification # 00000005LCMI00301434



Report Created: 09/25/2024 18:43

Eloy Operation 300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314	FINAL	Sample: S409041-10 CC ID#: 2409C4L0037.2740 Lot#: N/A Batch#: IPRHashFloSuxMarHo-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 06/24/2024
Sample Name: Florida Sunrise x Mars Hotel		
Strain Name: Florida Sunrise x Mars Hotel		Sample Collected: 09/20/2024 12:38
Matrix: Enhanced Preroll		Sample Received: 09/20/2024 16:16

Amount Received: 232.6916 g

Microbials

Pass

E. coli by 3M Petrifilm- Compliance

Date Analyzed: 09/25/2024 Analyst Initials: DHV SOP: SOP-MICRO-010

Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	
E. coli	10	100	<10	Pass

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 09/25/2024 Analyst Initials: DHV SOP: SOP-MICRO-013

Analyte	Result	Qualifier Status
	in one gram	
Salmonella spp.	Not Detected	Pass
Aspergillus flavus, Aspergillus fumigatus, Aspergillus niger, or Aspergillus terreus	Not Detected	Pass

Salmonella and Aspergillus by Medicinal Genomics.



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs



AZDHS Certification # 00000005LCMI00301434



Eloy Operation 300 E Cherry Street

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-10 CC ID#: 2409C4L0037.2740 Lot#: N/A Batch#: IPRHashFloSuxMarHo-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 06/24/2024

Sample Collected: 09/20/2024 12:38

Sample Received: 09/20/2024 16:16 Report Created: 09/25/2024 18:43

Sample Name: Florida Sunrise x Mars Hotel Strain Name: Florida Sunrise x Mars Hotel Matrix: Enhanced Preroll Amount Received: 232.6916 g

Residual Solvents by Headspace GC/MS - Compliance

Date Analyzed: 09/24/2024 Analyst Initials: HSP SOP: SOP-CHEM-005

Analyte	LOD	LOQ	Limit	Result	Qualifier	Status	Analyte	LOD	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm		ppm				ppm	ppm				
Acetone		111.1	1000	<loq< td=""><td></td><td>Pass</td><td>2,2-Dimethylbutane</td><td></td><td>35.56</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	2,2-Dimethylbutane		35.56		<loq< td=""><td></td><td></td></loq<>		
Acetonitrile		44.44	410	<loq< td=""><td></td><td>Pass</td><td>2-methylpentane/</td><td></td><td>71.11</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	2-methylpentane/		71.11		<loq< td=""><td></td><td></td></loq<>		
Benzene		0.889	2	<loq< td=""><td></td><td>Pass</td><td>2,3-dimethylbutane 2-Propanol (IPA)</td><td></td><td>555.6</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	2,3-dimethylbutane 2-Propanol (IPA)		555.6	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Butanes		555.6	5000	<loq< td=""><td></td><td>Pass</td><td> ,</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass	,						
n-Butane		555.6		<loq< td=""><td></td><td></td><td>Isopropyl acetate</td><td></td><td>555.6</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>			Isopropyl acetate		555.6	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
iso-Butane		555.6		<loq< td=""><td></td><td></td><td>Methanol</td><td></td><td>333.3</td><td>3000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>			Methanol		333.3	3000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chloroform		13.33	60	<loq< td=""><td></td><td>Pass</td><td>Pentanes</td><td></td><td>555.6</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pentanes		555.6	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
							n-Pentane		555.6		<loq< td=""><td>V1</td><td></td></loq<>	V1	
Dichloromethane		66.67	600	<loq< td=""><td></td><td>Pass</td><td>iso-pentane</td><td></td><td>555.6</td><td></td><td><loq< td=""><td>V1</td><td></td></loq<></td></loq<>		Pass	iso-pentane		555.6		<loq< td=""><td>V1</td><td></td></loq<>	V1	
Ethanol		555.6	5000	<loq< td=""><td></td><td>Pass</td><td>neo-Pentane</td><td></td><td>555.6</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	neo-Pentane		555.6		<loq< td=""><td></td><td></td></loq<>		
Ethyl acetate		555.6	5000	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td>000</td><td></td><td></td><td>D</td></loq<>		Pass				000			D
Diethyl Ether		555.6	5000	<loq< td=""><td></td><td>Pass</td><td>Toluene</td><td></td><td>102.2</td><td>890</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Toluene		102.2	890	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
n-Heptane		555.6	5000	<loq< td=""><td></td><td>Pass</td><td>Xylenes</td><td></td><td>244.4</td><td>2170</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Xylenes		244.4	2170	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
·							m/p-Xylene		488.9		<loq< td=""><td></td><td></td></loq<>		
Hexanes		35.56	290	<loq< td=""><td></td><td>Pass</td><td>o-Xylene</td><td></td><td>244.4</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	o-Xylene		244.4		<loq< td=""><td></td><td></td></loq<>		
n-Hexane		35.56		<loq< td=""><td></td><td></td><td>Ethyl benzene</td><td></td><td>244.4</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>			Ethyl benzene		244.4		<loq< td=""><td></td><td></td></loq<>		
3-Methylpentane		35.56		<loq< td=""><td></td><td></td><td>Early Sonzono</td><td></td><td>L 1 T.T</td><td></td><td>-200</td><td></td><td></td></loq<>			Early Sonzono		L 1 T.T		-200		



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received. SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Pass



AZDHS Certification # 00000005LCMI00301434



Eloy Operation 300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-10 CC ID#: 2409C4L0037.2740 Lot#: N/A Batch#: IPRHashFloSuxMarHo-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 06/24/2024

Sample Collected: 09/20/2024 12:38

Sample Received: 09/20/2024 16:16

Report Created: 09/25/2024 18:43

Sample Name: Florida Sunrise x Mars Hotel Strain Name: Florida Sunrise x Mars Hotel Matrix: Enhanced Preroll Amount Received: 232.6916 g

Notes and Definitions

Item	Definition
D1	LOQ and sample results were adjusted to reflect sample dilution.
11	Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum.
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
R1	The RPD for the LCS/LCSD pair exceeded 20% but recoveries were within control limits.
V1	The recovery from initial or continuing calibration verification standards is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample.
< LOQ	Results below the Limit of Quantification.
ND	Not Detected
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter 17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Ca	annabinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC
Total Can	nabinoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC

CASE NARRATIVE

Hybrid

extraction method - ice water

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. KEEP OUT OF REACH OF CHILDREN. Using Marijuauna during pregnancy could cause birth defects or other health issues to your unborn child.



fillier Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs