

AZDHS Certification # 00000005LCMI00301434



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S405005-15

CC ID#: 2404C4L0070.1218

Lot#: N/A

Batch#: IPRRosFIRNRxPremo-050124

Batch Size: N/A

Manufacture Date: 05/01/2024 Harvest Date: 02/05/2024

Sample Name: IPR Rosin Fire N Rain x Premo

Strain Name: Fire N Rain x Premo

Matrix: Enhanced Preroll Amount Received: 324.3197 g Sample Collected: 05/1/2024 12:00 Sample Received: 05/02/2024 14:59 Report Created: 05/08/2024 19:05

SAFETY



Microbials	Residual Solvents	Mycotoxins	Pesticides
PASS	PASS	PASS	PASS

Metals

PASS

Terpenes

Total Terpenes (Q3)

Cannabinoid Results

45.5%

Sum of Cannabinoids (Q3)

43.6%

Total THC

<LOQ

Total CBD

RATIO

THC **CBD**

Total THC= THCA * 0.877 + d9-THC Total CBD= CBDA * 0.877 + CBD



Jillian Blenney

Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S405005-15 CC ID#: 2404C4L0070.1218

Lot#: N/A

Batch#: IPRRosFIRNRxPremo-050124

Batch Size: N/A

Manufacture Date: 05/01/2024 Harvest Date: 02/05/2024

Sample Name: IPR Rosin Fire N Rain x Premo

Strain Name: Fire N Rain x Premo

Matrix: Enhanced Preroll Amount Received: 324.3197 g Sample Collected: 05/1/2024 12:00 Sample Received: 05/02/2024 14:59

Report Created: 05/08/2024 19:05

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 05/07/2024 Analyst Initials: DRF SOP: C4-SOP-CHEM-003

Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	_
THCA	0.616	15.6	156	
d9-THC	0.616	29.9	299	
d8-THC	0.616	<loq< th=""><th>< LOQ</th><th></th></loq<>	< LOQ	
CBDA	0.616	<loq< th=""><th>< LOQ</th><th></th></loq<>	< LOQ	
CBD	0.616	<loq< th=""><th>< LOQ</th><th></th></loq<>	< LOQ	
CBG	0.616	<loq< th=""><th>< LOQ</th><th></th></loq<>	< LOQ	
CBN	0.616	<loq< th=""><th>< LOQ</th><th></th></loq<>	< LOQ	
CBC	0.616	<loq< th=""><th>< LOQ</th><th></th></loq<>	< LOQ	
Sum of Cannabinoids	0.616	45.5	455	Q3
Total THC	0.616	43.6	436	
Total CBD	0.616	<loq< th=""><th>< LOQ</th><th></th></loq<>	< LOQ	
Total Cannabinoids	0.616	43.6	436	Q3

Total THC= THCA * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.



Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S405005-15

CC ID#: 2404C4L0070.1218 Lot#: N/A

Batch#: IPRRosFIRNRxPremo-050124

Batch Size: N/A

Manufacture Date: 05/01/2024 Harvest Date: 02/05/2024

Sample Name: IPR Rosin Fire N Rain x Premo

Strain Name: Fire N Rain x Premo

Matrix: Enhanced Preroll Amount Received: 324.3197 g Sample Collected: 05/1/2024 12:00 Sample Received: 05/02/2024 14:59

Report Created: 05/08/2024 19:05

Pesticides by LC/MS/MS - Compliance

Date Analyzed: 05/06/2024 Analyst Initials: JCB SOP: C4-SOP-CHEM-006

Pass

Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.124	0.5	<loq< td=""><td></td><td>Pass</td><td>Imazalil</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imazalil	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acephate	0.103	0.4	<loq< td=""><td></td><td>Pass</td><td>Imidacloprid</td><td>0.103</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imidacloprid	0.103	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.103</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.103	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Aldicarb	0.103	0.4	<loq< td=""><td></td><td>Pass</td><td>Malathion</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Malathion	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Azoxystrobin	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Methiocarb</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methiocarb	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenthrin	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Methomyl</td><td>0.103</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methomyl	0.103	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.103	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbaryl	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Naled</td><td>0.129</td><td>0.5</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Naled	0.129	0.5	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbofuran	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.259</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.259	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Paclobutrazol</td><td>0.103</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Paclobutrazol	0.103	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorfenapyr	0.517	1.0	<loq< td=""><td>R1</td><td>Pass</td><td>Permethrins</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	R1	Pass	Permethrins	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorpyrifos	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Phosmet</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Phosmet	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Clofentezine	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Piperonyl butoxide</td><td>0.517</td><td>2.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Piperonyl butoxide	0.517	2.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cyfluthrin	0.517	1.0	<loq< td=""><td></td><td>Pass</td><td>Prallethrin</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Prallethrin	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cypermethrin	0.259	1.0	<loq< td=""><td></td><td>Pass</td><td>Propiconazole</td><td>0.103</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propiconazole	0.103	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Daminozide	0.517	1.0	<loq< td=""><td></td><td>Pass</td><td>Propoxur</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propoxur	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diazinon	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.144</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.144	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dichlorvos	0.052	0.1	<loq< td=""><td></td><td>Pass</td><td>Pyridaben</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyridaben	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dimethoate	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Ethoprophos	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etofenprox	0.103	0.4	<loq< td=""><td></td><td>Pass</td><td>Spirotetramat</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spirotetramat	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etoxazole	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.103</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.103	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.052	0.2	<loq< td=""><td></td><td>Pass</td><td>Tebuconazole</td><td>0.103</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Tebuconazole	0.103	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenpyroximate	0.103	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiacloprid</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiacloprid	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.103	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiamethoxam</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiamethoxam	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.259	1.0	<loq< td=""><td></td><td>Pass</td><td>Trifloxystrobin</td><td>0.052</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Trifloxystrobin	0.052	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fludioxonil	0.103	0.4	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						
Hexythiazox	0.259	1.0	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						



Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S405005-15 CC ID#: 2404C4L0070.1218

Lot#: N/A

Batch#: IPRRosFIRNRxPremo-050124

Batch Size: N/A

Manufacture Date: 05/01/2024 Harvest Date: 02/05/2024

Sample Name: IPR Rosin Fire N Rain x Premo

Strain Name: Fire N Rain x Premo

Matrix: Enhanced Preroll Amount Received: 324.3197 g Sample Collected: 05/1/2024 12:00 Sample Received: 05/02/2024 14:59

Report Created: 05/08/2024 19:05

Metals by ICP-MS - Compliance

Date Analyzed: 05/06/2024 Analyst Initials: JEK SOP: C4-SOP-CHEM-008

Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm		
Arsenic	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cadmium	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Lead	0.400	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Mercury	0.040	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass

Mycotoxins by ELISA- Compliance

Pass

Pass

Date Analyzed: 05/07/2024 Analyst Initials: DHV SOP: C4-SOP-MICRO-014

Analyte	LOQ	Limit	Result	Qualifier	Status
	ppb	ppb	ppb		
Aflatoxins Total	2.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Ochratoxin A	4.00	20	<loq< td=""><td></td><td>Pass</td></loq<>		Pass

Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S405005-15 CC ID#: 2404C4L0070.1218

Lot#: N/A

Batch#: IPRRosFIRNRxPremo-050124

Batch Size: N/A

Manufacture Date: 05/01/2024 Harvest Date: 02/05/2024

Sample Name: IPR Rosin Fire N Rain x Premo

Strain Name: Fire N Rain x Premo

Matrix: Enhanced Preroll Amount Received: 324.3197 g Sample Collected: 05/1/2024 12:00

Sample Received: 05/02/2024 14:59 Report Created: 05/08/2024 19:05

Microbials Pass

E. coli by 3M Petrifilm- Compliance

Date Analyzed: 05/08/2024 Analyst Initials: DHV SOP: C4-SOP-MICRO-010

Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	
E. coli	10	100	<10	Pass

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 05/08/2024 Analyst Initials: DHV SOP: C4-SOP-MICRO-012

Analyte	Result	Qualifier Status
	in one gram	·
Salmonella spp.	Not Detected	Pass
Aspergillus	Not Detected	Pass

Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics



Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S405005-15 CC ID#: 2404C4L0070.1218

Lot#: N/A

Batch#: IPRRosFIRNRxPremo-050124

Batch Size: N/A

Manufacture Date: 05/01/2024 Harvest Date: 02/05/2024

Sample Name: IPR Rosin Fire N Rain x Premo

Strain Name: Fire N Rain x Premo

Matrix: Enhanced Preroll Amount Received: 324.3197 g Sample Collected: 05/1/2024 12:00 Sample Received: 05/02/2024 14:59

Report Created: 05/08/2024 19:05

Residual Solvents by Headspace GC/MS - Compliance

Pass

Date Analyzed: 05/06/2024 Analyst Initials: HSP SOP: C4-SOP-CHEM-005

Analyte	LOD	LOQ	Limit	Result	Qualifier	Status	Analyte	LOD	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm		ppm				ppm	ppm				
Acetone		113.1	1000	<loq< td=""><td></td><td>Pass</td><td>2,2-Dimethylbutane</td><td></td><td>36.20</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	2,2-Dimethylbutane		36.20		<loq< td=""><td></td><td></td></loq<>		
Acetonitrile		45.25	410	<loq< td=""><td></td><td>Pass</td><td>2-methylpentane/</td><td></td><td>72.40</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	2-methylpentane/		72.40		<loq< td=""><td></td><td></td></loq<>		
Benzene		0.905	2	<loq< td=""><td></td><td>Pass</td><td>2,3-dimethylbutane 2-Propanol (IPA)</td><td></td><td>565.6</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	2,3-dimethylbutane 2-Propanol (IPA)		565.6	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Butanes		565.6	5000	<loq< td=""><td></td><td>Pass</td><td>Isopropyl acetate</td><td></td><td>565.6</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Isopropyl acetate		565.6	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
n-Butane		565.6		<loq< td=""><td></td><td></td><td>Methanol</td><td></td><td>339.4</td><td>3000</td><td><loq< td=""><td></td><td></td></loq<></td></loq<>			Methanol		339.4	3000	<loq< td=""><td></td><td></td></loq<>		
iso-Butane		565.6		<loq< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Pass</td></loq<>									Pass
Chloroform		13.57	60	<loq< td=""><td></td><td>Pass</td><td>Pentanes</td><td></td><td>565.6</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pentanes		565.6	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dichloromethane		67.87	600	<loq< td=""><td></td><td>Pass</td><td>n-Pentane</td><td></td><td>565.6</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	n-Pentane		565.6		<loq< td=""><td></td><td></td></loq<>		
Ethanol		565.6	5000	<loq< td=""><td></td><td>Pass</td><td>iso-pentane</td><td></td><td>565.6</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	iso-pentane		565.6		<loq< td=""><td></td><td></td></loq<>		
Ethyl acetate		565.6	5000	<loq< td=""><td></td><td>Pass</td><td>neo-Pentane</td><td></td><td>565.6</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	neo-Pentane		565.6		<loq< td=""><td></td><td></td></loq<>		
•							Toluene		104.1	890	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diethyl Ether		565.6	5000	<loq< td=""><td></td><td>Pass</td><td>Xylenes</td><td></td><td>248.9</td><td>2170</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Xylenes		248.9	2170	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
n-Heptane		565.6	5000	<loq< td=""><td></td><td>Pass</td><td>m/p-Xylene</td><td></td><td>497.7</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	m/p-Xylene		497.7		<loq< td=""><td></td><td></td></loq<>		
Hexanes		36.20	290	<loq< td=""><td></td><td>Pass</td><td>o-Xylene</td><td></td><td>248.9</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	o-Xylene		248.9		<loq< td=""><td></td><td></td></loq<>		
n-Hexane		36.20		<loq< td=""><td></td><td></td><td>•</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>			•						
3-Methylpentane		36.20		<loq< td=""><td></td><td></td><td>Ethyl benzene</td><td></td><td>248.9</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>			Ethyl benzene		248.9		<loq< td=""><td></td><td></td></loq<>		



Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434

FINAL



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314 Sample: S405005-15

CC ID#: 2404C4L0070.1218

Lot#: N/A

Batch#: IPRRosFIRNRxPremo-050124

Batch Size: N/A

Manufacture Date: 05/01/2024 Harvest Date: 02/05/2024

Sample Name: IPR Rosin Fire N Rain x Premo

Strain Name: Fire N Rain x Premo Matrix: Enhanced Preroll

Amount Received: 324.3197 g

Sample Collected: 05/1/2024 12:00

Sample Received: 05/02/2024 14:59 Report Created: 05/08/2024 19:05

Notes and Definitions

Item	Definition
D1	LOQ and sample results were adjusted to reflect sample dilution.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
R1	The RPD for the LCS/LCSD pair exceeded 20% but recoveries were within control limits.
< LOQ	Results below the Limit of Quantification.
ND	Not Detected
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter 17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Ca	annabinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC

Total Cannabinoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC

CASE NARRATIVE

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. KEEP OUT OF REACH OF CHILDREN. Using Marijuauna during pregnancy could cause birth defects or other health issues to your unborn child.



Technical Laboratory Director