

AZDHS Certification # 00000005LCMI00301434



Eloy Operation 300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-09 CC ID#: 2409C4L0037.2739 Lot#: N/A Batch#: IPRRosVVPOGxBustR-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 08/05/2024

Sample Name: VVP OG x Buster Rtz Strain Name: VVP OG x Buster Rtz Matrix: Enhanced Preroll Amount Received: 232.8879 g

Sample Collected: 09/20/2024 12:38 Sample Received: 09/20/2024 16:16 Report Created: 09/25/2024 18:43



SAFETY					
Microbials	Residual Solvents	Mycotoxins	Pesticides		
PASS	PASS	PASS	PASS		
Metals					
PASS					
	Terp	penes			
		(00)			
		erpenes (Q3)			

# **Cannabinoid Results**

37.1%	32.7%	ND%	RATIO 1 : 0
Sum of Cannabinoids (Q3)	Total THC	Total CBD	THC CBD
	Total THC= THCA * 0.877 + d9- Total CBD= CBDA * 0.877 + CE		



Jillian Blerrey

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-09 CC ID#: 2409C4L0037.2739 Lot#: N/A Batch#: IPRRosVVPOGxBustR-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 08/05/2024

Sample Collected: 09/20/2024 12:38 Sample Received: 09/20/2024 16:16 Report Created: 09/25/2024 18:43

Sample Name: VVP OG x Buster Rtz Strain Name: VVP OG x Buster Rtz Matrix: Enhanced Preroll Amount Received: 232.8879 g

### **Cannabinoids by HPLC-DAD - Compliance**

Date Analyzed: 09/24/2024	Analyst Initials: DRF		SOP: SOP-CHE	EM-003
Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCA	0.621	36.0	360	
d9-THC	0.621	1.10	11.0	
d8-THC	0.621	<loq< th=""><th>&lt; LOQ</th><th></th></loq<>	< LOQ	
CBDA	0.621	<loq< th=""><th>&lt; LOQ</th><th></th></loq<>	< LOQ	
CBD	0.621	<loq< th=""><th>&lt; LOQ</th><th></th></loq<>	< LOQ	
CBG	0.621	<loq< th=""><th>&lt; LOQ</th><th></th></loq<>	< LOQ	
CBN	0.621	<loq< th=""><th>&lt; LOQ</th><th></th></loq<>	< LOQ	
CBC	0.621	<loq< th=""><th>&lt; LOQ</th><th></th></loq<>	< LOQ	
Sum of Cannabinoids	0.621	37.1	371	Q3
Total THC	0.621	32.7	327	
Total CBD	0.621	ND	ND	
Total Cannabinoids	0.621	32.7	327	Q3

Total THC= THCA \* 0.877 + d9-THC. Total CBD= CBDA \* 0.877 + CBD.



fillion Blenney

Jillian Blaney Technical Laboratory Director 7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434



AZDHS Certification # 00000005LCMI00301434



Eloy Operation

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-09 CC ID#: 2409C4L0037.2739 Lot#: N/A Batch#: IPRRosVVPOGxBustR-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 08/05/2024

Sample Name: VVP OG x Buster Rtz Strain Name: VVP OG x Buster Rtz Matrix: Enhanced Preroll Amount Received: 232.8879 g

### Pesticides by LC/MS/MS - Compliance

Date Analyzed: 09/24/2024 Analyst Initials: JCB SOP: SOP-CHEM-006 Analyte 100 Limit Result Qualifier Status Analyte 100 Limit Result Qualifier Status ppm ppm ppm ppm ppm ppm Abamectin 0.119 0.5 <LOQ Pass Imazalil 0.050 0.2 <LOQ Pass Acephate 0.4 <LOQ Pass Imidacloprid 0.4 <LOQ Pass 0.2 Acetamiprid <LOQ Pass Kresoxim-methyl 0.4 <LOQ Pass Aldicarb 0.4 <LOQ Pass Malathion 02 <LOQ Pass 02 02 Azoxystrobin <LOQ Pass Metalaxvl <LOQ Pass 02 0.050 02 < | 00 Bifenazate 0.050 <LOQ Pass Methiocarb Pass 0.2 < | 00 0.099 04 < | 00 Bifenthrin 0.050 Pass Methomyl Pass 0.099 0.4 < | 00 0.050 02 < | 00 Boscalid Pass **Mvclobutanil** Pass Carbarvl 0.050 02 < | 00 Pass Naled 0 124 05 < | 00 Pass 02 Carbofuran 0.050 <LOQ Pass Oxamvl 0 248 1.0 < | 00 Pass 02 <LOQ Paclobutrazol 0.099 Chlorantraniliprole 0.050 04 < | 00 Pass Pass 11, V1 0 4 9 5 10 <LOQ 0.050 02 < | 00 Permethrins Pass Chlorfenapyr Pass 0.050 0.2 <LOQ 0.050 02 < | 00 Chlorpyrifos Pass Phosmet Pass 0.2 Clofentezine 0.050 <LOQ Pass Piperonvl butoxide 0 4 9 5 20 < | 00 Pass 1.0 0 4 9 5 < | 00 Prallethrin 0.050 02 < | 00 Cyfluthrin Pass Pass 1.0 0.099 0.4 Cypermethrin 0 248 < | 00 < | 00 Pass Propiconazole Pass 0.495 1.0 0.050 0.2 Daminozide < | 00 Propoxur < | 00 Pass Pass Diazinon 0.050 0.2 < | 00 Pyrethrins 0.138 1.0 < | 00 Pass Pass Dichlorvos 0.050 0.1 < | 00 Pass Pyridaben 0.050 0.2 < | 00 Pass 0.050 0.2 <LOQ 0.050 0.2 <LOQ Dimethoate Pass Spinosad Pass 0.050 0.2 <LOQ 0.050 0.2 <LOQ Ethoprophos Pass Spiromesifen Pass 0.099 0.4 <LOQ 0.050 0.2 <LOQ Etofenprox Pass Spirotetramat Pass 0.050 0.2 <LOQ Spiroxamine 0.099 0.4 <LOQ Etoxazole Pass Pass Fenoxycarb 0.050 0.2 <LOQ Pass Tebuconazole 0.099 0.4 <LOQ Pass 0.099 0.4 <LOQ Pass Thiacloprid 0.050 0.2 <LOQ Fenpvroximate Pass 0.099 0.4 <LOQ Pass Thiamethoxam 0.050 0.2 <LOQ Pass Fipronil L1, V1 Flonicamid 0.248 1.0 <LOQ Pass Trifloxystrobin 0.050 02 <LOQ Pass Fludioxonil 0.099 04 <LOQ Pass Hexythiazox 0 248 10 <LOQ L1, V1 Pass

SC Labs®

Jillian Blerrey

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample Collected: 09/20/2024 12:38 Sample Received: 09/20/2024 16:16

Report Created: 09/25/2024 18:43

Pass



AZDHS Certification # 00000005LCMI00301434



Eloy Operation 300 E Cherry Street Cottonwood, AZ 86326 16189727426

Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-09 CC ID#: 2409C4L0037.2739 Lot#: N/A Batch#: IPRRosVVPOGxBustR-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 08/05/2024

Sample Name: VVP OG x Buster Rtz	
Strain Name: VVP OG x Buster Rtz	Sample Collected: 09/20/2024 12:38
Matrix: Enhanced Preroll	Sample Received: 09/20/2024 16:16
Amount Received: 232.8879 g	Report Created: 09/25/2024 18:43

Pass

Pass

### Metals by ICP-MS - Compliance

Date Analyzed: 09/25/2024	Analyst Initial	s: JEK SOP:	C4-SOP-CHEM	M-008	
Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm		
Arsenic	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cadmium	0.100	0.4	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Lead	0.399	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Mercury	0.040	0.2	<loq< th=""><th></th><th>Pass</th></loq<>		Pass

### Mycotoxins by ELISA- Compliance

Date Analyzed: 09/25/2024 Analyst Initials: DHV SOP: SOP-MICRO-014

Analyte	LOQ	Limit	Result	Qualifier	Status
	ppb	ppb	ppb		
Aflatoxins Total	2.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Ochratoxin A	4.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass

Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434



Eloy Operation 300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314	FINAL	Sample: S409041-09 CC ID#: 2409C4L0037.2739 Lot#: N/A Batch#: IPRRosVVPOGxBustR-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 08/05/2024
Sample Name: VVP OG x Buster Rtz		
Strain Name: VVP OG x Buster Rtz		Sample Collected: 09/20/2024 12:38
Matrix: Enhanced Preroll		Sample Received: 09/20/2024 16:16
Amount Received: 232.8879 g		Report Created: 09/25/2024 18:43

#### **Microbials**

Pass

### E. coli by 3M Petrifilm- Compliance

Date Analyzed: 09/25/2024 Analyst Initials: DHV SOP: SOP-MICRO-010

Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	
E. coli	10	100	<10	Pass

### Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 09/25/2024 Analyst Initials: DHV SOP: SOP-MICRO-013

Analyte	Result	Qualifier Status
	in one gram	
Salmonella spp.	Not Detected	Pass
Aspergillus flavus, Aspergillus fumigatus, Aspergillus niger, or Aspergillus terreus	Not Detected	Pass

Salmonella and Aspergillus by Medicinal Genomics.



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs

5 of 7



AZDHS Certification # 00000005LCMI00301434



Eloy Operation 300 E Cherry Street

300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-09 CC ID#: 2409C4L0037.2739 Lot#: N/A Batch#: IPRRosVVPOGxBustR-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 08/05/2024

Sample Collected: 09/20/2024 12:38

Sample Received: 09/20/2024 16:16 Report Created: 09/25/2024 18:43

Sample Name: VVP OG x Buster Rtz Strain Name: VVP OG x Buster Rtz Matrix: Enhanced Preroll Amount Received: 232.8879 g

### **Residual Solvents by Headspace GC/MS - Compliance**

Date Analyzed: 09/24/2024 Analyst Initials: HSP SOP: SOP-CHEM-005

Analyte	LOD	LOQ	Limit	Result	Qualifier	Status	Analyte	LOD	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm		ppm				ppm	ppm				
Acetone		111.6	1000	<loq< td=""><td></td><td>Pass</td><td>2,2-Dimethylbutane</td><td></td><td>35.71</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	2,2-Dimethylbutane		35.71		<loq< td=""><td></td><td></td></loq<>		
Acetonitrile		44.64	410	<loq< td=""><td></td><td>Pass</td><td>2-methylpentane/</td><td></td><td>71.43</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	2-methylpentane/		71.43		<loq< td=""><td></td><td></td></loq<>		
Benzene		0.893	2	<loq< td=""><td></td><td>Pass</td><td>2,3-dimethylbutane 2-Propanol (IPA)</td><td></td><td>558.0</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	2,3-dimethylbutane 2-Propanol (IPA)		558.0	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Butanes		558.0	5000	<loq< td=""><td></td><td>Pass</td><td>Isopropyl acetate</td><td></td><td>558.0</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Isopropyl acetate		558.0	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
n-Butane		558.0		<loq< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>									
iso-Butane		558.0		<loq< td=""><td></td><td></td><td>Methanol</td><td></td><td>334.8</td><td>3000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>			Methanol		334.8	3000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chloroform		13.39	60	<loq< td=""><td></td><td>Pass</td><td>Pentanes</td><td></td><td>558.0</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pentanes		558.0	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dichloromethane		66.96	600	<loq< td=""><td></td><td>Pass</td><td>n-Pentane</td><td></td><td>558.0</td><td></td><td><loq< td=""><td>V1</td><td></td></loq<></td></loq<>		Pass	n-Pentane		558.0		<loq< td=""><td>V1</td><td></td></loq<>	V1	
Ethanol		558.0	5000	<loq< td=""><td></td><td>Pass</td><td>iso-pentane</td><td></td><td>558.0</td><td></td><td><loq< td=""><td>V1</td><td></td></loq<></td></loq<>		Pass	iso-pentane		558.0		<loq< td=""><td>V1</td><td></td></loq<>	V1	
							neo-Pentane		558.0		<loq< td=""><td></td><td></td></loq<>		
Ethyl acetate		558.0	5000	<loq< td=""><td></td><td>Pass</td><td>Toluene</td><td></td><td>102.7</td><td>890</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Toluene		102.7	890	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diethyl Ether		558.0	5000	<loq< td=""><td></td><td>Pass</td><td>Xylenes</td><td></td><td>245.5</td><td>2170</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Xylenes		245.5	2170	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
n-Heptane		558.0	5000	<loq< td=""><td></td><td>Pass</td><td>m/p-Xylene</td><td></td><td>491.1</td><td>20</td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	m/p-Xylene		491.1	20	<loq< td=""><td></td><td></td></loq<>		
Hexanes		35.71	290	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass							
n-Hexane		35.71		<loq< td=""><td></td><td></td><td>o-Xylene</td><td></td><td>245.5</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>			o-Xylene		245.5		<loq< td=""><td></td><td></td></loq<>		
3-Methylpentane		35.71		<loq< td=""><td></td><td></td><td>Ethyl benzene</td><td></td><td>245.5</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>			Ethyl benzene		245.5		<loq< td=""><td></td><td></td></loq<>		



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Pass



AZDHS Certification # 00000005LCMI00301434



Eloy Operation 300 E Cherry Street Cottonwood, AZ 86326 16189727426 Lic#: 00000056ESPE92908314

FINAL

Sample: S409041-09 CC ID#: 2409C4L0037.2739 Lot#: N/A Batch#: IPRRosVVPOGxBustR-091924 Batch Size: N/A Manufacture Date: 09/19/2024 Harvest Date: 08/05/2024

Sample Collected: 09/20/2024 12:38

Sample Received: 09/20/2024 16:16

Report Created: 09/25/2024 18:43

Sample Name: VVP OG x Buster Rtz Strain Name: VVP OG x Buster Rtz Matrix: Enhanced Preroll Amount Received: 232.8879 g

### **Notes and Definitions**

Item	Definition
D1	LOQ and sample results were adjusted to reflect sample dilution.
11	Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum.
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
R1	The RPD for the LCS/LCSD pair exceeded 20% but recoveries were within control limits.
V1	The recovery from initial or continuing calibration verification standards is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample.
< LOQ	Results below the Limit of Quantification.
ND	Not Detected
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter
	17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Ca	annabinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC
Total Can	nabinoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC

#### CASE NARRATIVE

Hybrid

extraction method - ice water

#### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. KEEP OUT OF REACH OF CHILDREN. Using Marijuauna during pregnancy could cause birth defects or other health issues to your unborn child.



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director