

Trash Panda Liquid Live Resin

Sample ID: 2410APO4380.20087
Strain: Trash Panda
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #:

Produced:
Collected: 10/09/2024 08:59 am
Received: 10/09/2024
Completed: 10/14/2024
Batch #: GP-1008-TP
Harvest Date: 09/23/2024

Client
Io Extracts
Lic. # 00000067ESBS89254298

Lot #: GP-1008-TP
Production/Manufacture Date: 10/08/2024
Production/Manufacture Method: Propane




Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/10/2024	Complete
Terpenes	10/14/2024	Complete
Residual Solvents	10/10/2024	Pass
Microbials	10/14/2024	Pass
Mycotoxins	10/10/2024	Pass
Pesticides	10/10/2024	Pass
Heavy Metals	10/10/2024	Pass

Cannabinoids by SOP-6

Complete



Analyte	LOD	LOQ	Result	Result	Q
	%	%	%	mg/g	
THCa		0.1000	15.3060	153.060	
Δ9-THC		0.1000	66.2489	662.489	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	0.5712	5.712	
CBDa		0.1000	0.1486	1.486	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	0.1169	1.169	
CBGa		0.1000	1.7273	17.273	
CBG		0.1000	0.5692	5.692	
CBC		0.1000	ND	ND	
Total THC			79.6723	796.7230	
Total CBD			0.1303	1.3030	
Total			84.6882	846.882	

Date Tested: 10/10/2024 07:00 am



Bryant Kearl
Lab Director
10/14/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Trash Panda Liquid Live Resin

Sample ID: 2410APO4380.20087
Strain: Trash Panda
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #:

Produced:
Collected: 10/09/2024 08:59 am
Received: 10/09/2024
Completed: 10/14/2024
Batch #: GP-1008-TP
Harvest Date: 09/23/2024

Client
Io Extracts
Lic. # 00000067ESBS89254298

Lot #: GP-1008-TP
Production/Manufacture Date: 10/08/2024
Production/Manufacture Method: Propane

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Result	Q	Status	Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Paclbutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Butoxide					
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spinosad	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Spiroxamine	0.2000	0.4000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
						Trifloxystrobin	0.1000	0.2000	ND		Pass

Date Tested: 10/10/2024 07:00 am



Bryant Kearl
Lab Director
10/14/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Trash Panda Liquid Live Resin

Sample ID: 2410APO4380.20087
Strain: Trash Panda
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #:

Produced:
Collected: 10/09/2024 08:59 am
Received: 10/09/2024
Completed: 10/14/2024
Batch #: GP-1008-TP
Harvest Date: 09/23/2024

Client
Io Extracts
Lic. # 00000067ESBS89254298

Lot #: GP-1008-TP
Production/Manufacture Date: 10/08/2024
Production/Manufacture Method: Propane

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
E. Coli by traditional plating: SOP-13	CFU/g 10.0	CFU/g 100.0	CFU/g < 10 CFU/g	Pass	

Date Tested: 10/14/2024 12:00 am

Mycotoxins by SOP-22

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	µg/kg	µg/kg	µg/kg	µg/kg		
B1	5	10	20	ND	Pass	
B2	5	10	20	ND	Pass	I1
G1	5	10	20	ND	Pass	
G2	5	10	20	ND	Pass	
Total Aflatoxins	5	10	20	ND	Pass	I1
Ochratoxin A	5	10	20	ND	Pass	R1

Date Tested: 10/10/2024 07:00 am

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.0660	0.1330	0.4000	ND	Pass	
Cadmium	0.0660	0.1330	0.4000	ND	Pass	
Lead	0.1660	0.3330	1.0000	ND	Pass	
Mercury	0.0330	0.0660	0.2000	ND	Pass	

Date Tested: 10/10/2024 07:00 am



Bryant Kearl
Lab Director
10/14/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Trash Panda Liquid Live Resin

Sample ID: 2410APO4380.20087
Strain: Trash Panda
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #:

Produced:
Collected: 10/09/2024 08:59 am
Received: 10/09/2024
Completed: 10/14/2024
Batch #: GP-1008-TP
Harvest Date: 09/23/2024

Client
Io Extracts
Lic. # 00000067ESBS89254298

Lot #: GP-1008-TP
Production/Manufacture Date: 10/08/2024
Production/Manufacture Method: Propane

Residual Solvents by SOP-3

Analyte	LOQ	Limit	Result	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

Date Tested: 10/10/2024 07:00 am



Bryant Kearl
Lab Director
10/14/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Trash Panda Liquid Live Resin

Sample ID: 2410APO4380.20087
Strain: Trash Panda
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #:

Produced:
Collected: 10/09/2024 08:59 am
Received: 10/09/2024
Completed: 10/14/2024
Batch #: GP-1008-TP
Harvest Date: 09/23/2024

Client
Io Extracts
Lic. # 00000067ESBS89254298

Lot #: GP-1008-TP
Production/Manufacture Date: 10/08/2024
Production/Manufacture Method: Propane

Terpenes

Analyte	LOQ	Result	Result	Q	Analyte	LOQ	Result	Result	Q
	%	%	mg/g			%	%	mg/g	
D,L-Limonene	0.0010	2.0759	20.759	Q3	Cedrol	0.0010	ND	ND	Q3
β-Myrcene	0.0010	1.0465	10.465	Q3	cis-Citral	0.0010	ND	ND	Q3
β-Caryophyllene	0.0010	0.7087	7.087	Q3	cis-Farnesol	0.0010	ND	ND	Q3
Linalool	0.0010	0.6299	6.299	Q3	cis-Nerolidol	0.0010	ND	ND	Q3
trans-beta-Ocimene	0.0010	0.3313	3.313	Q3	Citronellol	0.0010	ND	ND	Q3
β-Pinene	0.0010	0.3012	3.012	Q3	Eucalyptol	0.0010	ND	ND	Q3
α-Humulene	0.0010	0.2658	2.658	Q3	γ-Terpinene	0.0010	ND	ND	Q3
α-Terpineol	0.0010	0.2624	2.624	Q3	Geranyl Acetate	0.0010	ND	ND	Q3
α-Pinene	0.0010	0.2504	2.504	Q3	Guaiol	0.0010	ND	ND	Q3
Endo-Fenchyl Alcohol	0.0010	0.2273	2.273	Q3	Isoborneol	0.0010	ND	ND	Q3
Valencene	0.0010	0.2050	2.050	Q3	Isobornyl Acetate	0.0010	ND	ND	Q3
α-Bisabolol	0.0010	0.1697	1.697	Q3	Isopulegol	0.0010	ND	ND	Q3
Fenchone	0.0010	0.0489	0.489	Q3	m-Cymene	0.0010	ND	ND	Q3
Camphene	0.0010	0.0424	0.424	Q3	Menthol	0.0010	ND	ND	Q3
trans-Nerolidol	0.0010	0.0293	0.293	Q3	L-Menthone	0.0010	ND	ND	Q3
cis-beta-Ocimene	0.0010	0.0289	0.289	Q3	Nerol	0.0010	ND	ND	Q3
Terpinolene	0.0010	0.0253	0.253	Q3	Nootkatone	0.0010	ND	ND	Q3
D,L-Borneol	0.0010	0.0216	0.216	Q3	o,p-Cymene	0.0010	ND	ND	Q3
Caryophyllene Oxide	0.0010	0.0175	0.175	Q3	Octyl Acetate	0.0010	ND	ND	Q3
Geraniol	0.0010	0.0139	0.139	Q3	Phytane	0.0010	ND	ND	Q3
3-Carene	0.0010	ND	ND	Q3	Piperitone	0.0010	ND	ND	Q3
α-Cedrene	0.0010	ND	ND	Q3	Pulegone	0.0010	ND	ND	Q3
α-Phellandrene	0.0010	ND	ND	Q3	Sabinene	0.0010	ND	ND	Q3
α-Terpinene	0.0010	ND	ND	Q3	Sabinene Hydrate	0.0010	ND	ND	Q3
α-Thujone	0.0010	ND	ND	Q3	Safranal	0.0010	ND	ND	Q3
trans-β-Farnesene	0.0010	ND	ND	Q3	Terpinen-4-ol	0.0010	ND	ND	Q3
Camphor	0.0010	ND	ND	Q3	Thymol	0.0010	ND	ND	Q3
Carvacrol	0.0010	ND	ND	Q3	trans-Citral	0.0010	ND	ND	Q3
Carvone	0.0010	ND	ND	Q3	Verbenone	0.0010	ND	ND	Q3
						Total	6.7021	67.021	

Primary Aromas



Orange



Hops



Cinnamon



Lavender



Earthy

Date Tested: 10/14/2024 12:00 am
Terpenes analysis is not regulated by AZDHS.



[Signature]

Bryant Kearl
Lab Director
10/14/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Trash Panda Liquid Live Resin

Sample ID: 2410APO4380.20087
Strain: Trash Panda

Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #:

Produced:
Collected: 10/09/2024 08:59 am
Received: 10/09/2024
Completed: 10/14/2024
Batch #: GP-1008-TP
Harvest Date: 09/23/2024

Client
Io Extracts
Lic. # 00000067ESBS89254298

Lot #: GP-1008-TP
Production/Manufacture Date: 10/08/2024
Production/Manufacture Method: Propane

Qualifiers Definitions

Qualifier Notation	Qualifier Description
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Customer Supplied Information:

Gas Pump Farms - Other Information

Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Cultivated by: Border Health, Inc. (Gas Pump Farms) (00000022ESMC44584355)

Manufactured by Arizona Golden Leaf Wellness (00000067ESBS89254298) Distributed through Arizona Golden

Leaf Wellness (00000067ESBS89254298, 00000077DCPS0021660)

<https://azcarecheck.azdhs.gov/s/>

Notes and Addenda:



Bryant Kearn
Lab Director
10/14/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.