



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0957.2878
 Batch #: JJAZ-APPBAN-070724



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7265

(Jeeter) JEETER CONCENTRATES APPLES AND BANANAS 1G CARTRIDGE

Batch #: JJAZ-APPBAN-070724
 Strain: APPLES AND BANANAS
 Parent Batch #:
 Production Method: Butane
 Harvest Date: 04/24/2024
 Received: 07/22/2024

Sample ID: 2407SMAZ0957.2878
 Amount Received: 13 g
 Sample Type: Vape
 Sample Collected: 07/22/2024 13:56:00
 Manufacture Date: 07/07/2024
 Published: 07/25/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

90.034% Total THC
<LOQ Total CBD
0.367% CBN
0.471% CBG
92.378% Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0957.2878
 Batch #: JJAZ-APPBAN-070724



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7265

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 07/22/2024
 SOP: 418.AZ
 Batch Number: 1684

Sample Analysis

Date: 07/23/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.0430 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.300	0.909	1	0.144	1.438	
CBD	0.300	0.909	1	<LOQ	<LOQ	
CBDA	0.300	0.909	1	ND	ND	
CBDV	0.300	0.909	1	ND	ND	
CBG	0.300	0.909	1	0.471	4.711	
CBGA	0.300	0.909	1	ND	ND	
CBN	0.300	0.909	1	0.367	3.672	
d8-THC	0.300	0.909	1	ND	ND	
d9-THC	0.300	0.909	1	84.657	846.571	
THCA	0.300	0.909	1	6.131	61.308	
THCV	0.300	0.909	1	0.608	6.082	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	90.034	900.338	
Total CBD	<LOQ	<LOQ	
Total Cannabinoids	92.378	923.781	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0957.2878
 Batch #: JJAZ-APPBAN-070724



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7265

Terpene Total

GC-FID

Tested (1.5796%)


Sample Prep

Batch Date: 07/22/2024
 SOP: 419
 Batch Number: 1678

Sample Analysis

Date: 07/23/2024
 SOP: 419 - GC-FID
 Sample Weight: 0.421 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0272	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0044	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	<LOQ	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.1327	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0452	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0442	Q3	Hexahydrothymol	0.0010 / 0.0029	1	0.1232	Q3
alpha-Terpinene	0.0010 / 0.0029	1	0.0048	Q3	Isoborneol	0.0010 / 0.0029	1	<LOQ	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.1165	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0305	Q3	Limonene	0.0010 / 0.0029	1	0.2938	Q3
Borneol	0.0010 / 0.0029	1	ND	Q3	Linalool	0.0010 / 0.0029	1	0.0278	Q3
Camphene	0.0010 / 0.0029	1	0.0128	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	ND	Q3	Terpineol	0.0010 / 0.0029	1	0.0327	Q3
Cedrol	0.0010 / 0.0029	1	0.0037	Q3	Terpinolene	0.0010 / 0.0029	1	0.1389	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.4224	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	0.0043	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.0374	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0068	Q3
Eucalyptol	0.0010 / 0.0029	1	<LOQ	Q3	Valencene	0.0010 / 0.0029	1	0.0703	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0957.2878
 Batch #: JJAZ-APPBAN-070724



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7265

Microbial Analysis
 Pass

Sample Prep

Batch Date: 07/23/2024
 SOP: 431.AZ
 Batch Number: 1688

Sample Analysis

Date: 07/24/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.0926 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 07/23/2024
 SOP: 406.AZ
 Batch Number: 1687

Sample Analysis

Date: 07/24/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.006 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 07/23/2024
 SOP: 406.AZ
 Batch Number: 1687

Sample Analysis

Date: 07/24/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.006 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0957.2878
 Batch #: JJAZ-APPBAN-070724



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7265

Residual Solvents

HS-GC-MS **Pass**

Sample Prep
 Batch Date: 07/24/2024
 SOP: 405.AZ
 Batch Number: 1694

Sample Analysis
 Date: 07/25/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.0532 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 188	1	1000	ND		Heptane	314 / 940	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 136	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	314 / 940	1	5000	ND	
Butanes	156 / 470	1	5000	ND		Methanol	188 / 564	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	314 / 940	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	314 / 940	1	5000	ND	
Ethanol	314 / 940	1	5000	ND		Toluene	56 / 167	1	890	ND	
Ethyl acetate	314 / 940	1	5000	ND		Xylenes	273 / 816	1	2170	ND	
Ethyl ether	314 / 940	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0957.2878
 Batch #: JJAZ-APPBAN-070724



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7265

Heavy Metals

ICP-MS Pass

Sample Prep
 Batch Date: 07/23/2024
 SOP: 428.AZ
 Batch Number: 1692

Sample Analysis
 Date: 07/24/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.227 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.017	0.166	10	0.4	ND	
Cadmium	0.017	0.166	10	0.4	ND	
Lead	0.017	0.415	10	1	ND	
Mercury	0.017	0.083	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS Pass

Sample Prep
 Batch Date: 07/22/2024
 SOP: 432.AZ
 Batch Number: 1679

Sample Analysis
 Date: 07/23/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.558 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.58	8.96	1	20	ND	M2 R1
Aflatoxin B1	3.58	8.96	1		ND	R1
Aflatoxin B2	3.58	8.96	1		ND	M2
Aflatoxin G1	3.58	8.96	1		ND	
Aflatoxin G2	3.58	4.48	1		ND	
Ochratoxin A	8.96	8.96	1	20	ND	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0957.2878
 Batch #: JJAZ-APPBAN-070724



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7265

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 07/22/2024
 SOP: 432.AZ
 Batch Number: 1679

Sample Analysis

Date: 07/23/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.558 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.074 / 0.224	1	0.5	ND	M2	Hexythiazox	0.150 / 0.448	1	1	ND	M2
Acephate	0.060 / 0.179	1	0.4	ND		Imazalil	0.030 / 0.090	1	0.2	ND	
Acetamiprid	0.030 / 0.090	1	0.2	ND		Imidacloprid	0.060 / 0.179	1	0.4	ND	
Aldicarb	0.060 / 0.179	1	0.4	ND		Kresoxim-methyl	0.060 / 0.179	1	0.4	ND	
Azoxystrobin	0.030 / 0.090	1	0.2	ND	M2	Malathion	0.030 / 0.090	1	0.2	ND	
Bifenazate	0.030 / 0.090	1	0.2	ND	M1	Metaxyl	0.030 / 0.090	1	0.2	ND	
Bifenthrin	0.030 / 0.090	1	0.2	ND	M2	Methiocarb	0.030 / 0.090	1	0.2	ND	
Boscalid	0.060 / 0.179	1	0.4	ND	M2	Methomyl	0.060 / 0.179	1	0.4	ND	
Carbaryl	0.030 / 0.090	1	0.2	ND	M2	Myclobutanil	0.030 / 0.090	1	0.2	ND	
Carbofuran	0.030 / 0.090	1	0.2	ND		Naled	0.074 / 0.224	1	0.5	ND	M2
Chlorantraniliprole	0.030 / 0.090	1	0.2	ND	I1	Oxamyl	0.150 / 0.448	1	1	ND	
Chlorfenapyr	0.150 / 0.448	1	1	ND	M2 R1	Paclobotrazol	0.060 / 0.179	1	0.4	ND	
Chlorpyrifos	0.030 / 0.090	1	0.2	ND	M2	Permethrins	0.030 / 0.090	1	0.2	ND	I1, M2
Clofentezine	0.030 / 0.090	1	0.2	ND	M2	Phosmet	0.030 / 0.090	1	0.2	ND	M2
Cyfluthrin	0.150 / 0.448	1	1	ND	M2	Piperonyl Butoxide	0.298 / 0.896	1	2	ND	M2
Cypermethrin	0.150 / 0.448	1	1	ND	M2	Prallethrin	0.030 / 0.090	1	0.2	ND	
Daminozide	0.150 / 0.448	1	1	ND		Propiconazole	0.060 / 0.179	1	0.4	ND	M2
Diazinon	0.030 / 0.090	1	0.2	ND	M2	Propoxur	0.030 / 0.090	1	0.2	ND	
Dichlorvos	0.015 / 0.045	1	0.1	ND	M2	Pyrethrins	0.125 / 0.375	1	1	ND	M2
Dimethoate	0.030 / 0.090	1	0.2	ND		Pyridaben	0.030 / 0.090	1	0.2	ND	M2
Ethoprophos	0.030 / 0.090	1	0.2	ND		Spinosad	0.030 / 0.090	1	0.2	ND	M2
Etofenprox	0.060 / 0.179	1	0.4	ND	M2	Spiromesifen	0.030 / 0.090	1	0.2	ND	M2
Etoxazole	0.030 / 0.090	1	0.2	ND	M2	Spirotetramat	0.030 / 0.090	1	0.2	ND	
Fenoxycarb	0.030 / 0.090	1	0.2	ND	M2	Spiroxamine	0.060 / 0.179	1	0.4	ND	
Fenpyroximate	0.060 / 0.179	1	0.4	ND	I1, M2	Tebuconazole	0.060 / 0.179	1	0.4	ND	
Fipronil	0.060 / 0.179	1	0.4	ND		Thiacloprid	0.030 / 0.090	1	0.2	ND	M2
Fonicamid	0.150 / 0.448	1	1	ND		Thiamethoxam	0.030 / 0.090	1	0.2	ND	
Fludioxonil	0.060 / 0.179	1	0.4	ND	M2	Trifloxystrobin	0.030 / 0.090	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0957.2878
 Batch #: JJAZ-APPBAN-070724



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7265

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0957.2878
 Batch #: JJAZ-APPBAN-070724



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7265

Notes: COMPLIANCE



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>