



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2408SMAZ1096.3319  
 Batch #: DFAZ-BUBBAG-081424



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8034

**(Jeeter) INFUSED BUBBA G PREROLL 0.5G X 5, 1G, 2G, 0.5G**

Batch #: DFAZ-BUBBAG-081424  
 Strain: BUBBA G  
 Parent Batch #:  
 Production Method: Indoor  
 Harvest Date: 05/22/2024  
 Received: 08/22/2024

Sample ID: 2408SMAZ1096.3319  
 Amount Received: 11.3 g  
 Sample Type: Enhanced/Infused Preroll  
 Sample Collected: 08/22/2024 14:17:00  
 Manufacture Date: 08/14/2024  
 Published: 08/29/2024



**COMPLIANCE FOR RETAIL**

**Regulated Analytes**

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

**Additional Analytes (Not Regulated)**

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>40.026%</b> Total THC
<b>0.119%</b> Total CBD
<b>ND</b> CBN
<b>ND</b> CBG
<b>45.795%</b> Total Cannabinoids (Q3)

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2408SMAZ1096.3319  
 Batch #: DFAZ-BUBBAG-081424



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8034

**Cannabinoid Profile**

HPLC                      **Tested**

**Sample Prep**  
 Batch Date: 08/23/2024  
 SOP: 418.AZ  
 Batch Number: 1849

**Sample Analysis**  
 Date: 08/26/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.043 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.300	0.909	1	ND	ND	
CBD	0.300	0.909	1	0.119	1.188	
CBDA	0.300	0.909	1	<LOQ	<LOQ	
CBDV	0.300	0.909	1	ND	ND	
CBG	0.300	0.909	1	ND	ND	
CBGA	0.300	0.909	1	0.277	2.768	
CBN	0.300	0.909	1	ND	ND	
d8-THC	0.300	0.909	1	ND	ND	
d9-THC	0.300	0.909	1	1.707	17.072	
THCA	0.300	0.909	1	43.693	436.925	
THCV	0.300	0.909	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	40.026	400.255	
Total CBD	0.119	1.188	
Total Cannabinoids	45.795	457.953	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2408SMAZ1096.3319  
 Batch #: DFAZ-BUBBAG-081424



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8034

**Microbial Analysis**  
 Pass

**Sample Prep**

Batch Date: 08/26/2024  
 SOP: 431.AZ  
 Batch Number: 1857

**Sample Analysis**

Date: 08/27/2024  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.031 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

**Sample Prep**

Batch Date: 08/26/2024  
 SOP: 406.AZ  
 Batch Number: 1853

**Sample Analysis**

Date: 08/27/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 08/26/2024  
 SOP: 406.AZ  
 Batch Number: 1853

**Sample Analysis**

Date: 08/27/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2408SMAZ1096.3319  
 Batch #: DFAZ-BUBBAG-081424



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8034

**Residual Solvents**

HS-GC-MS                      **Pass**

**Sample Prep**  
 Batch Date: 08/26/2024  
 SOP: 405.AZ  
 Batch Number: 1850

**Sample Analysis**  
 Date: 08/27/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	<LOQ		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND	M1	Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	<LOQ	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2408SMAZ1096.3319  
 Batch #: DFAZ-BUBBAG-081424



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8034

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 08/29/2024  
 SOP: 428.AZ  
 Batch Number: 1882

**Sample Analysis**  
 Date: 08/29/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.214 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.055	0.183	10	0.4	ND	
Cadmium	0.055	0.183	10	0.4	ND	
Lead	0.055	0.457	10	1	ND	
Mercury	0.055	0.091	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 08/23/2024  
 SOP: 432.AZ  
 Batch Number: 1843

**Sample Analysis**  
 Date: 08/26/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.515 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.88	9.71	1	20	ND	V1
Aflatoxin B1	3.88	9.71	1		ND	I1, V1
Aflatoxin B2	3.88	9.71	1		ND	I1, V1
Aflatoxin G1	3.88	9.71	1		ND	
Aflatoxin G2	3.88	4.85	1		ND	
Ochratoxin A	9.71	9.71	1	20	ND	I1, M2

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2408SMAZ1096.3319  
 Batch #: DFAZ-BUBBAG-081424



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8034

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 08/23/2024  
 SOP: 432.AZ  
 Batch Number: 1843

**Sample Analysis**

Date: 08/26/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.515 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.081 / 0.243	1	0.5	ND	I1, M2	Hexythiazox	0.162 / 0.485	1	1	ND	M2
Acephate	0.065 / 0.194	1	0.4	ND		Imazalil	0.032 / 0.097	1	0.2	ND	M2
Acetamiprid	0.032 / 0.097	1	0.2	ND		Imidacloprid	0.065 / 0.194	1	0.4	ND	
Aldicarb	0.065 / 0.194	1	0.4	ND		Kresoxim-methyl	0.065 / 0.194	1	0.4	ND	
Azoxystrobin	0.032 / 0.097	1	0.2	ND		Malathion	0.032 / 0.097	1	0.2	ND	
Bifenazate	0.032 / 0.097	1	0.2	ND	M1 V1	Metaxyl	0.032 / 0.097	1	0.2	ND	
Bifenthrin	0.032 / 0.097	1	0.2	ND	M2	Methiocarb	0.032 / 0.097	1	0.2	ND	M2
Boscalid	0.065 / 0.194	1	0.4	ND	M2	Methomyl	0.065 / 0.194	1	0.4	ND	
Carbaryl	0.032 / 0.097	1	0.2	ND		Myclobutanil	0.032 / 0.097	1	0.2	ND	M2
Carbofuran	0.032 / 0.097	1	0.2	ND		Naled	0.081 / 0.243	1	0.5	ND	M2
Chlorantraniliprole	0.032 / 0.097	1	0.2	ND	I1, M2	Oxamyl	0.162 / 0.485	1	1	ND	
Chlorfenapyr	0.162 / 0.485	1	1	ND	M2	Pacllobutrazol	0.065 / 0.194	1	0.4	ND	M2
Chlorpyrifos	0.032 / 0.097	1	0.2	ND	M2	Permethrins	0.032 / 0.097	1	0.2	ND	M2
Clofentezine	0.032 / 0.097	1	0.2	ND	M2	Phosmet	0.032 / 0.097	1	0.2	ND	
Cyfluthrin	0.162 / 0.485	1	1	ND	M2	Piperonyl Butoxide	0.323 / 0.971	1	2	ND	
Cypermethrin	0.162 / 0.485	1	1	ND	I1, M2	Prallethrin	0.032 / 0.097	1	0.2	ND	
Daminozide	0.162 / 0.485	1	1	ND		Propiconazole	0.065 / 0.194	1	0.4	ND	
Diazinon	0.032 / 0.097	1	0.2	ND		Propoxur	0.032 / 0.097	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND	M2	Pyrethrins	0.136 / 0.407	1	1	ND	M2
Dimethoate	0.032 / 0.097	1	0.2	ND		Pyridaben	0.032 / 0.097	1	0.2	ND	M2
Ethoprophos	0.032 / 0.097	1	0.2	ND		Spinosad	0.032 / 0.097	1	0.2	ND	M2
Etofenprox	0.065 / 0.194	1	0.4	ND	M2	Spiromesifen	0.032 / 0.097	1	0.2	ND	
Etoxazole	0.032 / 0.097	1	0.2	ND		Spirotetramat	0.032 / 0.097	1	0.2	ND	
Fenoxycarb	0.032 / 0.097	1	0.2	ND		Spiroxamine	0.065 / 0.194	1	0.4	ND	
Fenpyroximate	0.065 / 0.194	1	0.4	ND	M2	Tebuconazole	0.065 / 0.194	1	0.4	ND	
Fipronil	0.065 / 0.194	1	0.4	ND		Thiacloprid	0.032 / 0.097	1	0.2	ND	
Fonicamid	0.162 / 0.485	1	1	ND		Thiamethoxam	0.032 / 0.097	1	0.2	ND	
Fludioxonil	0.065 / 0.194	1	0.4	ND	M2	Trifloxystrobin	0.032 / 0.097	1	0.2	ND	M2

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2408SMAZ1096.3319  
 Batch #: DFAZ-BUBBAG-081424



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8034

**Moisture Analysis**

Moisture: **10.39 %**  
 Qualifier: Q3

**Sample Prep and Analysis**

Date: 08/23/2024  
 SOP: 411 - Moisture Balance  
 Sample Weight: 0.308 g



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2408SMAZ1096.3319  
 Batch #: DFAZ-BUBBAG-081424



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8034

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2408SMAZ1096.3319  
 Batch #: DFAZ-BUBBAG-081424



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8034

**Notes:** COMPLIANCE

METHOD OF EXTRACTION: BUTANE



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>