



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0962.2896
 Batch #: DFAZ-MAUWOW-070824



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7358

(Jeeter) INFUSED MAUI WOWIE PREROLL 0.5G X 5, 1G, 2G, 0.5G

Batch #: DFAZ-MAUWOW-070824
 Strain: MAUI WOWIE
 Parent Batch #:
 Production Method:
 Harvest Date: 06/05/2024
 Received: 07/23/2024

Sample ID: 2407SMAZ0962.2896
 Amount Received: 11.4 g
 Sample Type: Enhanced/Infused Preroll
 Sample Collected: 07/23/2024 12:01:00
 Manufacture Date: 07/08/2024
 Published: 07/30/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

37.484% Total THC
<LOQ Total CBD
0.205% CBN
0.667% CBG
41.255% Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0962.2896
 Batch #: DFAZ-MAUWOW-070824



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7358

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 07/25/2024
 SOP: 418.AZ
 Batch Number: 1699

Sample Analysis

Date: 07/26/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.043 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.300	0.909	1	0.266	2.661	
CBD	0.300	0.909	1	<LOQ	<LOQ	
CBDA	0.300	0.909	1	ND	ND	
CBDV	0.300	0.909	1	ND	ND	
CBG	0.300	0.909	1	0.667	6.668	
CBGA	0.300	0.909	1	0.431	4.309	
CBN	0.300	0.909	1	0.205	2.049	
d8-THC	0.300	0.909	1	ND	ND	
d9-THC	0.300	0.909	1	23.638	236.379	
THCA	0.300	0.909	1	15.788	157.884	
THCV	0.300	0.909	1	0.260	2.596	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	37.484	374.843	
Total CBD	<LOQ	<LOQ	
Total Cannabinoids	41.255	412.546	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0962.2896
 Batch #: DFAZ-MAUWOW-070824



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7358

Terpene Total

GC-FID **Tested (2.7184%)**


Sample Prep

Batch Date: 07/25/2024
 SOP: 419
 Batch Number: 1697

Sample Analysis

Date: 07/26/2024
 SOP: 419 - GC-FID
 Sample Weight: 0.425 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.0840	Q3	gamma-Terpinene	0.0009 / 0.0028	1	0.0135	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.0067	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.1711	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	0.0422	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.2124	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.3272	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.1536	Q3	Limonene	0.0009 / 0.0028	1	0.2697	Q3
Borneol	0.0009 / 0.0028	1	0.0100	Q3	Linalool	0.0009 / 0.0028	1	0.2940	Q3
Camphene	0.0009 / 0.0028	1	0.0072	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	0.0043	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	ND	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0978	Q3	Terpineol	0.0009 / 0.0028	1	0.0934	Q3
Cedrol	0.0009 / 0.0028	1	0.0820	Q3	Terpinolene	0.0009 / 0.0028	1	0.0239	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	0.7111	Q3
cis-Ocimene	0.0009 / 0.0028	1	ND	Q3	trans-Nerolidol	0.0009 / 0.0028	1	0.0120	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.0686	Q3	trans-Ocimene	0.0009 / 0.0028	1	<LOQ	Q3
Eucalyptol	0.0009 / 0.0028	1	<LOQ	Q3	Valencene	0.0009 / 0.0028	1	0.0334	Q3
Fenchone	0.0009 / 0.0028	1	<LOQ	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0962.2896
 Batch #: DFAZ-MAUWOW-070824



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7358

Microbial Analysis
 Pass

Sample Prep

Batch Date: 07/25/2024
 SOP: 431.AZ
 Batch Number: 1705

Sample Analysis

Date: 07/26/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.075 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 07/25/2024
 SOP: 406.AZ
 Batch Number: 1703

Sample Analysis

Date: 07/26/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.018 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 07/25/2024
 SOP: 406.AZ
 Batch Number: 1703

Sample Analysis

Date: 07/26/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.018 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0962.2896
 Batch #: DFAZ-MAUWOW-070824



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7358

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 07/24/2024
 SOP: 405.AZ
 Batch Number: 1694

Sample Analysis

Date: 07/25/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	ND		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	<LOQ	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0962.2896
 Batch #: DFAZ-MAUWOW-070824



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7358

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 07/23/2024
 SOP: 428.AZ
 Batch Number: 1692

Sample Analysis
 Date: 07/24/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.221 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.018	0.181	10	0.4	<LOQ	
Cadmium	0.018	0.181	10	0.4	ND	
Lead	0.018	0.453	10	1	ND	
Mercury	0.018	0.090	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 07/26/2024
 SOP: 432.AZ
 Batch Number: 1711

Sample Analysis
 Date: 07/30/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.553 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.62	9.04	1	20	ND	R1
Aflatoxin B1	3.62	9.04	1		ND	I1
Aflatoxin B2	3.62	9.04	1		ND	I1
Aflatoxin G1	3.62	9.04	1		ND	I1
Aflatoxin G2	3.62	4.52	1		ND	R1
Ochratoxin A	9.04	9.04	1	20	ND	I1, M1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0962.2896
 Batch #: DFAZ-MAUWOW-070824



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7358

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 07/26/2024
 SOP: 432.AZ
 Batch Number: 1711

Sample Analysis

Date: 07/30/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.553 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.075 / 0.226	1	0.5	ND	I1, M2	Hexythiazox	0.151 / 0.452	1	1	ND	M2
Acephate	0.061 / 0.181	1	0.4	ND		Imazalil	0.030 / 0.090	1	0.2	ND	
Acetamiprid	0.030 / 0.090	1	0.2	ND	M2	Imidacloprid	0.061 / 0.181	1	0.4	ND	
Aldicarb	0.061 / 0.181	1	0.4	ND		Kresoxim-methyl	0.061 / 0.181	1	0.4	ND	M2
Azoxystrobin	0.030 / 0.090	1	0.2	ND		Malathion	0.030 / 0.090	1	0.2	ND	
Bifenazate	0.030 / 0.090	1	0.2	ND	M1	Metaxyl	0.030 / 0.090	1	0.2	ND	
Bifenthrin	0.030 / 0.090	1	0.2	ND	M2	Methiocarb	0.030 / 0.090	1	0.2	ND	
Boscalid	0.061 / 0.181	1	0.4	ND	M2	Methomyl	0.061 / 0.181	1	0.4	ND	
Carbaryl	0.030 / 0.090	1	0.2	ND	M2	Myclobutanil	0.030 / 0.090	1	0.2	ND	M2
Carbofuran	0.030 / 0.090	1	0.2	ND	M2	Naled	0.075 / 0.226	1	0.5	ND	M2
Chlorantraniliprole	0.030 / 0.090	1	0.2	ND		Oxamyl	0.151 / 0.452	1	1	ND	
Chlorfenapyr	0.151 / 0.452	1	1	ND	I1, M2	Paclobutrazol	0.061 / 0.181	1	0.4	ND	
Chlorpyrifos	0.030 / 0.090	1	0.2	ND	M2	Permethrins	0.030 / 0.090	1	0.2	ND	M2
Clofentezine	0.030 / 0.090	1	0.2	ND	M2	Phosmet	0.030 / 0.090	1	0.2	ND	M2
Cyfluthrin	0.151 / 0.452	1	1	ND		Piperonyl Butoxide	0.301 / 0.904	1	2	ND	M2
Cypermethrin	0.151 / 0.452	1	1	ND	M2	Prallethrin	0.030 / 0.090	1	0.2	ND	
Daminozide	0.151 / 0.452	1	1	ND		Propiconazole	0.061 / 0.181	1	0.4	ND	
Diazinon	0.030 / 0.090	1	0.2	ND		Propoxur	0.030 / 0.090	1	0.2	ND	M2
Dichlorvos	0.015 / 0.045	1	0.1	ND	I1, M1	Pyrethrins	0.126 / 0.379	1	1	ND	
Dimethoate	0.030 / 0.090	1	0.2	ND		Pyridaben	0.030 / 0.090	1	0.2	ND	M2
Ethoprophos	0.030 / 0.090	1	0.2	ND	M2	Spinosad	0.030 / 0.090	1	0.2	ND	M2
Etofenprox	0.061 / 0.181	1	0.4	ND	M2	Spiromesifen	0.030 / 0.090	1	0.2	ND	M2
Etoxazole	0.030 / 0.090	1	0.2	ND		Spirotetramat	0.030 / 0.090	1	0.2	ND	
Fenoxycarb	0.030 / 0.090	1	0.2	ND		Spiroxamine	0.061 / 0.181	1	0.4	ND	
Fenpyroximate	0.061 / 0.181	1	0.4	ND	M2	Tebuconazole	0.061 / 0.181	1	0.4	ND	
Fipronil	0.061 / 0.181	1	0.4	ND		Thiacloprid	0.030 / 0.090	1	0.2	ND	
Fonicamid	0.151 / 0.452	1	1	ND		Thiamethoxam	0.030 / 0.090	1	0.2	ND	
Fludioxonil	0.061 / 0.181	1	0.4	ND	M2	Trifloxystrobin	0.030 / 0.090	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0962.2896
 Batch #: DFAZ-MAUWOW-070824



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7358

Moisture Analysis

Moisture: **9.54 %**
 Qualifier: Q3

Sample Prep and Analysis

Date: 07/23/2024
 SOP: 411 - Moisture Balance
 Sample Weight: 0.325 g



Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0962.2896
 Batch #: DFAZ-MAUWOW-070824



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7358

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2407SMAZ0962.2896
 Batch #: DFAZ-MAUWOW-070824



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7358

Notes: COMPLIANCE



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>